



AirDefense Services Platform 8.1.3-11b2 Hotfix

Installation

Contents

1.0 Introduction	1
1.1 Document Conventions	1
2.0 Before You Begin	2
2.1 Back Up Configuration	2
2.2 Launch the Command Line Interface	2
2.3 Check File System Usage	3
3.0 Install the Hotfix	4
4.0 Check the System Status	5
5.0 Install the ADSP Toolkit	6
6.0 Support and Sales	8

MOTOROLA and the Stylized M Logo are registered in the US Patent & Trademark Office. AirDefense is a registered trademark of AirDefense, Inc. All other product or service names are the property of their respective owners. © Motorola Solutions, Inc. 2012. All rights reserved.

1 Introduction

This document provides step-by-step instructions on how to install AirDefense Services Platform 8.1.3-11b2 Hotfix.

1.1 Document Conventions

The following graphical alerts are used in this document to indicate notable situations:



NOTE Tips, hints, or special requirements that you should take note of.



CAUTION Care is required. Disregarding a caution can result in data loss or equipment malfunction.



WARNING! Indicates a condition or procedure that could result in personal injury or equipment damage.

2 Before You Begin

ADSP 8.1.3-11b2 Hotfix can only be applied to a system running AirDefense Services Platform 8.1.3-11 or 8.1.3-11b1. You must upgrade to at least 8.1.3-11 before you apply 8.1.3-11b2.

2.1 Back Up Configuration

Before you upgrade your server software, you should back up your configuration to your local workstation. If you already have a recent configuration backup, you can skip this procedure.



NOTE This backup will not be used during the Hotfix installation. It is intended as an emergency backup in case the installation is not completely successful.

1. Log into the AirDefense Services Platform GUI as an administrator.
2. Go to **Menu > Appliance Manager > Backups**.
3. Click the **Backup Now** button.
The **Backup Now** window displays.
4. Click the  button to open a window where you can select your destination directory (folder).
5. Navigate to the directory where you want to back up your server configuration.
6. Click **Select** to select the destination.
The destination path displays in the **Destination Directory** field.
7. Click **Next**.
The configuration is saved in the selected directory.
8. Click **Close** and then log off.

2.2 Launch the Command Line Interface

To install the ADSP 8.1.3-11b2 Hotfix, you must log into the command line interface remotely using SSH and the **ADSPadmin** utilities. Leave **ADSPadmin** open until all steps are complete.

Prerequisites:

To launch the command line interface, you must have the default command line user name and password for your system. You must also know the ADSP appliance IP address.

1. Launch your SSH client and connect to the ADSP appliance's IP address.



NOTE You must have a client that supports SSH protocol 2 installed on the remote workstation used to connect to the ADSP appliance. If your client attempts to use SSH protocol 1, you will receive protocol error messages in syslog.

Example:

```
1/15/2012 16:45:22 sshd(pam_unix) LOGGED:
authentication failure, logname= uid=0 euid=0 tty=NODEVssh ruser= rhost=tparker-
pc.hitest.com user=root
```

2. At the login prompt, enter **smxmgr** as your command line user name, followed by your command line user password.

The **ADSPadmin** main screen appears.

2.3 Check File System Usage

Follow these steps to check file system usage.

1. Access the **ADSPadmin** main screen by typing **m**, then pressing **<Enter>**.

The **Manage** screen appears.

2. Type **status**, then press **<Enter>**.
3. Type **d**, then press **<Enter>**.

The system displays the current system status, including the usage of the /var partition, in percentage values.

IMPORTANT If your system usage is 60% or higher for /home, or 80% or higher for /var, **DO NOT PROCEED WITH THIS HOTFIX INSTALLATION.** Contact Enterprise Mobility Support. See Enterprise Mobility Support at the end of these instructions.

4. Press **<Enter>** to return to the **Manage** screen.
5. Type **q**, then press **<Enter>** to return to the **ADSPadmin** main screen.

3 Install the Hotfix

Follow these steps to install the Hotfix on your ADSP appliance.

1. Download the ADSP 8.1.3-11b2 Service Module file from the support website and SCP (Secure Copy Protocol) it to a directory on your ADSP appliance, such as /usr/local/tmp. Go to <http://supportcentral.motorola.com> to request the download site credentials to obtain the service module file.

IMPORTANT Some browsers may modify the filename. The service module file name must exactly match the file name as shown below. If your browser changes the name, you must change it back before proceeding.

AD-service-SM8-8.1.3-11b2.tar

2. On the **ADSPAdmin** main screen, type **servmod**, then press **<Enter>**.
At the prompt, you are asked to enter the fully-qualified directory name where the service module resides on the appliance file system.
3. Enter the directory name, for example, **/usr/local/tmp/**, then press **<Enter>**.
A numbered list of the available Service Modules appears.

```
Enter fully-qualified directory name
Where service module bundle resides
(<C> if on CDROM) - This option is not available
(<Q> to return to previous menu)
-> /usr/local/tmp
```

```
Service modules available in /usr/local/tmp:
```

- ```
(1) AD-service-SM4-8.1.0-15.tar
(2) AD-service-SM5-8.1.1-19.tar
(3) AD-service-SM6-8.1.2-08.tar
(4) AD-service-SM7-8.1.3-11.tar
(5) AD-service-SM8-8.1.3-11b2.tar
```

```
Enter line number of service module to use
(<Q> to return to previous menu)
```

```
-> 5
```

4. Enter the line number of the service module (in this case **5**), and then press **<Enter>**. This action initiates the installation of the service module. When the following message appears:
 

```
Continue installing service module /usr/local/tmp/AD-service-SM8-8.1.3-11b2.tar? (yes/no)
```

 type **yes** and then press **<Enter>**. After the Hotfix has successfully loaded to the ADSP appliance, press **<Enter>**, then type **q<Enter>** twice to exit **ADSPadmin**.



**NOTE** The ADSP processes are restarted.

---

## 4 Check the System Status

When the Hotfix installation is complete, perform the following steps.

1. Using SSH, re-login to **ADSPadmin**.
2. Type **m**, and then press **<Enter>**.  
The **Manage** screen appears.
3. Type **status**, and then press **<Enter>**.  
The system displays two choices: Process Status and Disk Status.
4. Select **p** to display the process status.  
The system displays the release, build number and lists the status of all system processes.

---

**IMPORTANT** Do not launch the AirDefense Services Platform GUI until the following system processes indicate **RUNNING**: Health Monitor, Action Manager, RMI Registry, License Manager, Report Server, Backup Server, Schedule Server, Device Management Server, RF Modeling Engine, Protocol Analysis Engine, Database, postmaster, and Graphical User Interface. If any of the processes indicate **Stopped**, press **<Enter>** to go back to the **Manage** screen, type **restart**, and type **yes** to continue. Check the Process Status again. If one or more processes are still **Stopped**, contact Motorola Solutions Customer Support.

---

5. Press **<Enter>** to return to the **Manage** screen.
6. Type **q**, then press **<Enter>** to return to the **ADSPadmin** main screen.

## 5 Install the ADSP Toolkit

The ADSP Toolkit is required to run some of the advanced features of ADSP. When attempting to access a feature which requires the toolkit, the browser will download a launcher file "adeapp.adx" and use the toolkit to run it. If the toolkit is not installed, the file will download but the feature selected will not be able to run.

You must access the AirDefense Services Platform graphical login page to install the ADSP Toolkit. Follow these steps:

1. Launch your web browser.
2. Type the IP address or url you assigned to the computer hosting ADSP.


Example: `https://<server_ip_address>:8543`  
`https://<server_name>:8543`

The login page displays.



3. Click the **Downloads** link in the top right-hand corner of the login page. You may also click **Menu > Download Toolkit** if you are logged into ADSP.

The following page displays. This is where you download the ADSP Toolkit.



## For Windows Installation

1. Click **MotorolaADSP-install.exe**.  
A **Security Warning** window displays.
2. Click **Run** to install the ADSP Toolkit.  
A **Download Status** window displays. Then, another security window displays.
3. Click **Run** to verify that you want to install the application.  
A **License Agreement** displays.
4. Read the **License Agreement** and then click **I Agree**.  
The installation location window appears.
5. Accept the default location or browse to another location, and then click **Install**.  
An **Installation Status** window displays. Then, the **Complete Installation** window displays.
6. Click **Finish**.

## For Linux Installation

1. Click **MotorolaADSP.tar.gz**.  
A dialog window displays prompting you to open or save the file.
2. Save the file to a directory on your Linux system.
3. Unpack **MotorolaADSP.tar.gz** using the following command:

```
tar xzvf MotorolaADSP.tar.gz
```

The unpack files are placed in the ADSP installation directory. When you attempt to access an ADSP application that is part of the toolkit, your browser will prompt you on what to do with the file *adeapp.adx*. Select **Open with** and specify **adsp**. Make sure the **Do this automatically for files like this from now on** checkbox is checked, and then click **OK**. Now, when you attempt to open an ADSP application that is part of the toolkit, it will open automatically.

## 6 Support and Sales

### ***Motorola Solutions Support Center***

If you have a problem with your equipment, contact your reseller or Enterprise Mobility support for your region. Support and issue resolution is provided for products under warranty or that are covered by an Enterprise Mobility Services agreement. Contact information and web self-service is available by visiting <http://supportcentral.motorola.com/>.

When contacting Enterprise Mobility support, please provide the following information:

- Serial number of the unit
- Model number or product name
- Software type and version number

Motorola responds to calls by email or telephone within the time limits set forth in support agreements. If you purchased your Enterprise Mobility business product from a Motorola business partner, contact that business partner for support.

### ***Customer Support Web Site***

Motorola's Support Central Web site, located at <http://supportcentral.motorola.com/> provides information and online assistance including developer tools, software downloads, product manuals, support contact information and online repair requests.

### ***Manuals***

<http://supportcentral.motorola.com/support/product/manuals.do>





**MOTOROLA SOLUTIONS INC**  
**1303 E. ALGONQUIN ROAD**  
**SCHAUMBURG, IL 60196**  
*<http://www.motorolasolutions.com>*

**72E-161162-01**  
**Rev A - February 2012**