

# Network OS Features and Standards Support Matrix, 7.0.1

Supporting Network OS 7.0.1

© 2016, Brocade Communications Systems, Inc. All Rights Reserved.

Brocade, Brocade Assurance, the B-wing symbol, ClearLink, DCX, Fabric OS, HyperEdge, ICX, MLX, MyBrocade, OpenScript, VCS, VDX, Vplane, and Vyatta are registered trademarks, and Fabric Vision is a trademark of Brocade Communications Systems, Inc., in the United States and/or in other countries. Other brands, products, or service names mentioned may be trademarks of others.

Notice: This document is for informational purposes only and does not set forth any warranty, expressed or implied, concerning any equipment, equipment feature, or service offered or to be offered by Brocade. Brocade reserves the right to make changes to this document at any time, without notice, and assumes no responsibility for its use. This informational document describes features that may not be currently available. Contact a Brocade sales office for information on feature and product availability. Export of technical data contained in this document may require an export license from the United States government.

The authors and Brocade Communications Systems, Inc. assume no liability or responsibility to any person or entity with respect to the accuracy of this document or any loss, cost, liability, or damages arising from the information contained herein or the computer programs that accompany it.

The product described by this document may contain open source software covered by the GNU General Public License or other open source license agreements. To find out which open source software is included in Brocade products, view the licensing terms applicable to the open source software, and obtain a copy of the programming source code, please visit <http://www.brocade.com/support/oscd>.

# Contents

---

<b>Introduction</b> .....	<b>7</b>
Document history.....	7
Objective.....	7
Brocade resources.....	7
Contacting Brocade Technical Support.....	8
Brocade customers.....	8
Brocade OEM customers.....	8
Document feedback.....	8
<b>Data Center Fabric</b> .....	<b>9</b>
IP Fabric.....	9
VCS Fabric.....	9
<b>IP Multicast</b> .....	<b>11</b>
IGMP - Internet Group Management Protocol.....	11
IPv4 Multicast Routing.....	11
IPv4 Multicast VLAN Traffic Reduction.....	11
IPv6 Multicast Routing.....	11
IPv6 Multicast VLAN Traffic Reduction.....	12
PIM - Protocol Independent Multicast.....	12
<b>Layer 2 Switching</b> .....	<b>13</b>
FCoE - Fibre Channel over Ethernet.....	13
LAG - Link Aggregation Group.....	14
UDLD - Uni-Directional Link Detection.....	14
VLAN - Virtual LAN.....	14
VXLAN - Virtual Extensible LAN.....	15
xSTP - Spanning Tree Protocol.....	15
<b>Layer 3 Routing/Network Layer</b> .....	<b>17</b>
ARP - Address Resolution Protocol.....	17
BFD - BiDirectional Forwarding Detection.....	17
BGP4 - IPv4 Border Gateway Protocol.....	17
BGP4+ - IPv6 Border Gateway Protocol.....	18
DHCP - Dynamic Host Configuration Protocol.....	18
DNS - Domain Name System.....	19
ICMP - Internet Control Message Protocol.....	19
IP Addressing.....	19
IPv6 Addressing.....	20
Multi-VRF.....	20
OSPF - IPv4 Open Shortest Path First.....	20
OSPFv3 - IPv6 Open Shortest Path First.....	20
Static Routing (IPv4).....	21
VRRPv2 - Virtual Router Redundancy Protocol Version 2.....	21
VRRPv3 - Virtual Router Redundancy Protocol Version 3.....	21
<b>Management</b> .....	<b>23</b>
Access Gateway.....	23
CLI - Command Line Interface.....	23

Configuration Fundamentals.....	23
High Availability.....	24
In-band Management.....	24
Licensing.....	24
LLDP - Link Layer Discovery Protocol.....	25
Management GUI.....	25
NTP - Network Time Protocol.....	25
SNMP - Simple Network Management Protocol.....	25
Software Installation and Upgrade.....	26
Virtual Fabrics.....	26
VMware.....	26
<b>Monitoring.....</b>	<b>27</b>
Hardware Monitoring.....	27
MAPS - Monitoring and Alerting Policy Suite.....	27
OAM - Operations, Administration, and Maintenance.....	27
Port Mirroring.....	27
RAS - Reliability, Availability, and Serviceability.....	28
RMON - Remote Network Monitoring.....	28
sFlow.....	28
Syslog.....	28
Sysmon.....	29
<b>NOS Network Automation and Orchestration Technologies.....</b>	<b>31</b>
NETCONF - Network Configuration Protocol.....	31
OpenStack integration.....	31
REST API.....	31
Scripting.....	31
YANG.....	32
<b>Security.....</b>	<b>33</b>
802.1x Port-based Authentication.....	33
AAA - Authentication, Authorization, and Accounting.....	33
ACLs - Access Control Lists.....	33
Fabric Authentication.....	34
FIPS - Federal Information Processing Standards.....	34
HTTP/HTTPS.....	34
LDAP - Lightweight Directory Access Protocol.....	34
MAC Port-based Authentication.....	35
PBR - Policy-Based Routing.....	35
RA Guard - Router Advertisement Guard.....	35
RADIUS.....	35
Security Vulnerability.....	35
SSH - Secure Shell.....	36
TACACS & TACACS+.....	36
User Accounts & Passwords.....	36
Zoning.....	36
<b>Traffic Management.....</b>	<b>37</b>
QoS - Quality of Service.....	37
Rate Limiting and Shaping.....	38
<b>VPN.....</b>	<b>39</b>

EVPN - Ethernet VPN.....	39
<b>Network OS RFC compliance.....</b>	<b>41</b>
<b>Network OS IEEE standards compliance.....</b>	<b>45</b>



# Introduction

- Document history..... 7
- Objective..... 7
- Brocade resources..... 7
- Contacting Brocade Technical Support..... 8
- Document feedback..... 8

## Document history

The document history indicates changes made with each revision.

Document title	Release	Summary of changes	Publication date	Document number
Network OS Features and Standards Support Matrix	7.0.0	Title change from previous releases and new features and updates added	12 February 2016	53-1004085-01
Network OS Features and Standards Support Matrix	7.0.1	Minor updates	22 May 2016	53-1004434-01

## Objective

The purpose of this document is to provide a consolidated view of all supported features and the standards with which each Brocade VDX platform is compliant.

This document also lists the release in which each feature or standard was introduced, with Network OS Release 3.0.0 serving as the release baseline. Setting the baseline to 3.0.0 means that features and standards listed as being introduced in release 3.0.0 were actually introduced in 3.0.0 or earlier. Use the tables to determine if a feature or standard is supported on your product.

### NOTE

The following products are not supported on Network OS 5.0.0 or later:

- Brocade VDX 6710
- Brocade VDX 6720
- Brocade VDX 6730

## Brocade resources

Visit the Brocade website to locate related documentation for your product and additional Brocade resources.

You can download additional publications supporting your product at [www.brocade.com](http://www.brocade.com). Select the Brocade Products tab to locate your product, then click the Brocade product name or image to open the individual product page. The user manuals are available in the resources module at the bottom of the page under the Documentation category.

To get up-to-the-minute information on Brocade products and resources, go to [MyBrocade](http://MyBrocade). You can register at no cost to obtain a user ID and password.

Release notes are available on [MyBrocade](http://MyBrocade) under Product Downloads.

White papers, online demonstrations, and data sheets are available through the [Brocade website](http://Brocade website).

## Contacting Brocade Technical Support

As a Brocade customer, you can contact Brocade Technical Support 24x7 online, by telephone, or by e-mail. Brocade OEM customers contact their OEM/Solutions provider.

### Brocade customers

For product support information and the latest information on contacting the Technical Assistance Center, go to <http://www.brocade.com/services-support/index.html>.

If you have purchased Brocade product support directly from Brocade, use one of the following methods to contact the Brocade Technical Assistance Center 24x7.

Online	Telephone	E-mail
<p>Preferred method of contact for non-urgent issues:</p> <ul style="list-style-type: none"> <li>• <a href="#">My Cases</a> through MyBrocade</li> <li>• <a href="#">Software downloads</a> and licensing tools</li> <li>• <a href="#">Knowledge Base</a></li> </ul>	<p>Required for Sev 1-Critical and Sev 2-High issues:</p> <ul style="list-style-type: none"> <li>• Continental US: 1-800-752-8061</li> <li>• Europe, Middle East, Africa, and Asia Pacific: +800-AT FIBREE (+800 28 34 27 33)</li> <li>• For areas unable to access toll free number: +1-408-333-6061</li> <li>• <a href="#">Toll-free numbers</a> are available in many countries.</li> </ul>	<p><a href="mailto:support@brocade.com">support@brocade.com</a></p> <p>Please include:</p> <ul style="list-style-type: none"> <li>• Problem summary</li> <li>• Serial number</li> <li>• Installation details</li> <li>• Environment description</li> </ul>

### Brocade OEM customers

If you have purchased Brocade product support from a Brocade OEM/Solution Provider, contact your OEM/Solution Provider for all of your product support needs.

- OEM/Solution Providers are trained and certified by Brocade to support Brocade® products.
- Brocade provides backline support for issues that cannot be resolved by the OEM/Solution Provider.
- Brocade Supplemental Support augments your existing OEM support contract, providing direct access to Brocade expertise. For more information, contact Brocade or your OEM.
- For questions regarding service levels and response times, contact your OEM/Solution Provider.

## Document feedback

To send feedback and report errors in the documentation you can use the feedback form posted with the document or you can e-mail the documentation team.

Quality is our first concern at Brocade and we have made every effort to ensure the accuracy and completeness of this document. However, if you find an error or an omission, or you think that a topic needs further development, we want to hear from you. You can provide feedback in two ways:

- Through the online feedback form in the HTML documents posted on [www.brocade.com](http://www.brocade.com).
- By sending your feedback to [documentation@brocade.com](mailto:documentation@brocade.com).

Provide the publication title, part number, and as much detail as possible, including the topic heading and page number if applicable, as well as your suggestions for improvement.



# Data Center Fabric

- IP Fabric..... 9
- VCS Fabric..... 9

## IP Fabric

Feature	Brocade VDX 6710	Brocade VDX 6720	Brocade VDX 6730	Brocade VDX 6740, 6740T, and 6740T-1G	Brocade VDX 8770	Brocade VDX 6940
[introduced]	No	No	No	7.0.0	7.0.0	7.0.0
Static Anycast Gateway	No	No	No	7.0.0	No	7.0.0
ARP suppression	No	No	No	7.0.0	No	7.0.0
BGP-EVPN	No	No	No	7.0.0	7.0.0	7.0.0

## VCS Fabric

Feature	Brocade VDX 6710	Brocade VDX 6720	Brocade VDX 6730	Brocade VDX 6740, 6740T, and 6740T-1G	Brocade VDX 8770	Brocade VDX 6940
[introduced]	3.0.0	3.0.0	3.0.0	4.1.0	4.1.0	6.0.0
VCS fabric build	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
VCS non-trivial merge	No	No	No	5.0.0	5.0.0	6.0.0
VCS to VCS Connectivity	3.0.0	3.0.0	3.0.0	4.1.0	4.1.0	6.0.0
Automatic migration of port profiles (AMPP)	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
AMPP over VLAG	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
Transparent Interconnection of Lots of Links (TRILL)	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
Metro VCS	No	4.0.0	4.0.0	4.0.0	4.0.0	6.0.0
Standard ISLs for Ethernet only	4.0.0	4.0.0	4.0.0	4.0.0	4.0.0	6.0.0
Simple ring topologies between two or three locations	4.0.0	4.0.0	4.0.0	4.0.0	4.0.0	6.0.0
Transparent LAN Services (TLS)	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
VLAG convergence	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
Long Distance ISLs	No	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
Logical Chassis	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
Logical Chassis High Availability (HA)	4.1.0	4.1.0	4.1.0	4.1.0	4.1.0	6.0.0
Conversational MAC Learning (CML)	No	No	No	5.0.0	5.0.0	6.0.0
RBridges with different local configurations in a logical chassis	No	No	No	5.0.1	5.0.1	6.0.0
Configurable load balancing	3.0.0	3.0.0	3.0.0	4.1.0	4.1.0	6.0.0
VCS fabric to FC SAN Connectivity (via 6730 only)	No	No	3.0.0	4.1.0	4.1.0	6.0.0

Feature	Brocade VDX 6710	Brocade VDX 6720	Brocade VDX 6730	Brocade VDX 6740, 6740T, and 6740T-1G	Brocade VDX 8770	Brocade VDX 6940
Fabric Virtual Gateway	No	No	No	5.0.0	5.0.0	6.0.0
Auto Fabric	No	No	No	6.0.0	6.0.0	6.0.0
D_Port on TRILL ISL	No	No	No	7.0.0	7.0.0	7.0.0

# IP Multicast

- IGMP - Internet Group Management Protocol..... 11
- IPv4 Multicast Routing..... 11
- IPv4 Multicast VLAN Traffic Reduction..... 11
- IPv6 Multicast Routing..... 11
- IPv6 Multicast VLAN Traffic Reduction..... 12
- PIM - Protocol Independent Multicast..... 12

## IGMP - Internet Group Management Protocol

Feature	Brocade VDX 6710	Brocade VDX 6720	Brocade VDX 6730	Brocade VDX 6740, 6740T, and 6740T-1G	Brocade VDX 8770	Brocade VDX 6940
[introduced]	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
IGMP snooping	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
IGMP dynamic m-router over VLAG	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
IGMP/MLD unified daemon	No	No	No	7.0.0	7.0.0	7.0.0

## IPv4 Multicast Routing

Feature	Brocade VDX 6710	Brocade VDX 6720	Brocade VDX 6730	Brocade VDX 6740, 6740T, and 6740T-1G	Brocade VDX 8770	Brocade VDX 6940
[introduced]	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
IP Multicast in VCS	3.0.1	3.0.1	3.0.1	4.0.0	3.0.1	6.0.0
Mtrace	No	No	No	7.0.0	7.0.0	7.0.0

## IPv4 Multicast VLAN Traffic Reduction

Feature	Brocade VDX 6710	Brocade VDX 6720	Brocade VDX 6730	Brocade VDX 6740, 6740T, and 6740T-1G	Brocade VDX 8770	Brocade VDX 6940
IPv4 multicast switching	No	No	No	4.0.0	4.0.0	6.0.0

## IPv6 Multicast Routing

Feature	Brocade VDX 6710	Brocade VDX 6720	Brocade VDX 6730	Brocade VDX 6740, 6740T, and 6740T-1G	Brocade VDX 8770	Brocade VDX 6940
[introduced]	No	No	No	5.0.0	5.0.0	6.0.0

## IPv6 Multicast VLAN Traffic Reduction

Feature	Brocade VDX 6710	Brocade VDX 6720	Brocade VDX 6730	Brocade VDX 6740, 6740T, and 6740T-1G	Brocade VDX 8770	Brocade VDX 6940
IPv6 multicast switching	No	No	No	5.0.0	5.0.0	6.0.0

## PIM - Protocol Independent Multicast

Feature	Brocade VDX 6710	Brocade VDX 6720	Brocade VDX 6730	Brocade VDX 6740, 6740T, and 6740T-1G	Brocade VDX 8770	Brocade VDX 6940
[introduced]	No	No	No	4.0.0	4.0.0	6.0.0
PIM Neighbor Filter / Multicast Boundary	No	No	No	6.0.1	6.0.1	6.0.1
Add/remove PIM neighbor filter	No	No	No	6.0.1	6.0.1	6.0.1
Add/remove multicast boundary	No	No	No	6.0.1	6.0.1	6.0.1
Remove static rendezvous-point (RP) address for PIM domain	No	No	No	6.0.1	6.0.1	6.0.1

# Layer 2 Switching

- FCoE - Fibre Channel over Ethernet.....13
- LAG - Link Aggregation Group.....14
- UDLD - Uni-Directional Link Detection.....14
- VLAN - Virtual LAN.....14
- VXLAN - Virtual Extensible LAN.....15
- xSTP - Spanning Tree Protocol.....15

## FCoE - Fibre Channel over Ethernet

Feature	Brocade VDX 6710	Brocade VDX 6720	Brocade VDX 6730	Brocade VDX 6740, 6740T, and 6740T-1G	Brocade VDX 8770	Brocade VDX 6940
[introduced]	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
FIP - FCoE Initialization Protocol version 1 and FCR device login and initialization	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
FIP - FCoE Initialization Protocol version 2 (FC-BB5 rev 2.00)	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
FC-BB5 compliant Fibre Channel Forwarder (FCF)	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
Native FCoE forwarding	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
Name Server-based zoning	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
End-to-end FCoE (initiator to target)	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
FC fabric services for FCoE VN-port devices	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
FCoE coexistence with VLAG	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
Support for connection to FIP Snooping Bridge (FSB) device	3.0.0	3.0.0	3.0.0	4.0.0	4.0.0	6.0.0
Fibre Channel Ports	No	No	No	5.0.0 for 6740 and 6.0.0 for 6740T and 6740T-1G	No	No
Fibre Channel Ports - Name Server-based zoning	No	No	3.0.0	5.0.0 (6740 only)	No	No
Fibre Channel Ports - Fibre Channel authentication	No	No	3.0.0	5.0.0 (6740 only)	No	No
Fibre Channel Ports - Direct attach for Fibre Channel storage (F_Port)	No	No	3.0.0	5.0.0 (6740 only)	No	No
Fibre Channel Ports - FCoE Bridging to Fibre Channel SANs (Using Access Gateway/NPIV or FC Routing)	No	No	3.0.0	5.0.0 (6740 only)	No	No
FCoE to Fibre Channel Bridging	No	No	No	4.0.0	No	No
FCoE on QSFP+ port	No	No	No	4.0.0	No	No
FCoE traffic over standard LAG	No	No	No	4.0.0	3.0.0	6.0.0
Interface binding	No	No	No	4.0.0	3.0.0	6.0.0
FCoE on multiple logical SANs	No	No	No	6.0.0	6.0.0	6.0.0

Feature	Brocade VDX 6710	Brocade VDX 6720	Brocade VDX 6730	Brocade VDX 6740, 6740T, and 6740T-1G	Brocade VDX 8770	Brocade VDX 6940
FCoE Logical SAN and Multiple FCoE VLANs	No	No	No	6.0.1	6.0.1	6.0.1

## LAG - Link Aggregation Group

Feature	Brocade VDX 6710	Brocade VDX 6720	Brocade VDX 6730	Brocade VDX 6740, 6740T, and 6740T-1G	Brocade VDX 8770	Brocade VDX 6940
[introduced]	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
Brocade LAG in VCS mode	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
VLAG minimum links	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
Full link utilization without STP	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
VLAG	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
8-port Brocade mode LAG on 10G interfaces	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
LACP partner SID validation	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
VLAG scalability support	No	No	No	7.0.0	7.0.0	7.0.0

## UDLD - Uni-Directional Link Detection

Feature	Brocade VDX 6710	Brocade VDX 6720	Brocade VDX 6730	Brocade VDX 6740, 6740T, and 6740T-1G	Brocade VDX 8770	Brocade VDX 6940
[introduced]	4.0.0	4.0.0	4.0.0	4.0.0	4.0.0	6.0.0
UDLD Traps	4.0.0	4.0.0	4.0.0	4.0.0	4.0.0	6.0.0

## VLAN - Virtual LAN

Feature	Brocade VDX 6710	Brocade VDX 6720	Brocade VDX 6730	Brocade VDX 6740, 6740T, and 6740T-1G	Brocade VDX 8770	Brocade VDX 6940
[introduced]	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
VLAN debug support	3.1.0	3.1.0	3.1.0	4.0.0	3.1.0	6.0.0
PVLAN - Private VLAN	4.0.0	4.0.0	4.0.0	4.0.0	4.0.0	6.0.0
VE on default VLAN	No	No	No	5.0.1	5.0.1	6.0.0

## VXLAN - Virtual Extensible LAN

Feature	Brocade VDX 6710	Brocade VDX 6720	Brocade VDX 6730	Brocade VDX 6740, 6740T, and 6740T-1G	Brocade VDX 8770	Brocade VDX 6940
Overlay Gateway	No	No	No	4.1.0	No	No
VCS VXLAN Gateway for VMWare NSX	4.1.1	4.1.1	4.1.1	4.1.1	4.1.1	6.0.0
VXLAN NSX replicator load balancing	No	No	No	7.0.1	No	7.0.1
vMotion across VXLAN tunnels	No	No	No	5.0.1	5.0.1	6.0.0

## xSTP - Spanning Tree Protocol

Feature	Brocade VDX 6710	Brocade VDX 6720	Brocade VDX 6730	Brocade VDX 6740, 6740T, and 6740T-1G	Brocade VDX 8770	Brocade VDX 6940
BPDU drop	3.0.0	3.0.0	3.0.0	3.0.0	3.0.0	6.0.0
Distributed Spanning Tree Protocol (DiST/ STPoVCS)	4.0.0	4.0.0	4.0.0	4.0.0	4.0.0	6.0.0
Cisco vPC peer-switch support	No	No	No	6.0.0	6.0.0	6.0.0
IEEE 801.1d STP	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
IEEE 801.1d STP PortFast	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
IEEE 801.1d STP BPDU Guard	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
IEEE 801.1d STP BPDU filter	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
IEEE 801.1d STP Root Guard	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
IEEE 801.1d STP Rapid STP (RSTP)	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
IEEE 801.1d STP Multiple STP (MSTP)	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
IEEE 801.1d STP Pre-VLAN spanning	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
IEEE 801.1d Tree Plus (PVST+)	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
IEEE 801.1d Rapid-PVST+ (RPVST+)	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
IEEE 801.1s MSTP	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
IEEE 801.2w RSTP	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0





# Layer 3 Routing/Network Layer

- ARP - Address Resolution Protocol.....17
- BFD - BiDirectional Forwarding Detection.....17
- BGP4 - IPv4 Border Gateway Protocol.....17
- BGP4+ - IPv6 Border Gateway Protocol.....18
- DHCP - Dynamic Host Configuration Protocol.....18
- DNS - Domain Name System.....19
- ICMP - Internet Control Message Protocol.....19
- IP Addressing.....19
- IPv6 Addressing.....20
- Multi-VRF.....20
- OSPF - IPv4 Open Shortest Path First.....20
- OSPFv3 - IPv6 Open Shortest Path First.....20
- Static Routing (IPv4).....21
- VRRPv2 - Virtual Router Redundancy Protocol Version 2.....21
- VRRPv3 - Virtual Router Redundancy Protocol Version 3.....21

## ARP - Address Resolution Protocol

Feature	Brocade VDX 6710	Brocade VDX 6720	Brocade VDX 6730	Brocade VDX 6740, 6740T, and 6740T-1G	Brocade VDX 8770	Brocade VDX 6940
[introduced]	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
DAI - Dynamic ARP Inspection	No	No	No	6.0.1	6.0.1	6.0.1
Conversational ARP	No	No	No	7.0.0	No	7.0.0

## BFD - BiDirectional Forwarding Detection

Feature	Brocade VDX 6710	Brocade VDX 6720	Brocade VDX 6730	Brocade VDX 6740, 6740T, and 6740T-1G	Brocade VDX 8770	Brocade VDX 6940
[introduced]	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
BFD optimization	No	No	No	7.0.0	7.0.0	7.0.0

## BGP4 - IPv4 Border Gateway Protocol

Feature	Brocade VDX 6710	Brocade VDX 6720	Brocade VDX 6730	Brocade VDX 6740, 6740T, and 6740T-1G	Brocade VDX 8770	Brocade VDX 6940
[introduced]	4.0.0	4.0.0	4.0.0	4.0.0	4.0.0	6.0.0
BGP VRF support	No	No	No	6.0.1	6.0.1	6.0.1
Dynamic route leaking	No	No	No	6.0.1	6.0.1	6.0.1
BGP add path	No	No	No	7.0.0	7.0.0	7.0.0

Feature	Brocade VDX 6710	Brocade VDX 6720	Brocade VDX 6730	Brocade VDX 6740, 6740T, and 6740T-1G	Brocade VDX 8770	Brocade VDX 6940
BGP auto-shutdown	No	No	No	7.0.0	7.0.0	7.0.0
BGP-EVPN	No	No	No	7.0.0	7.0.0	7.0.0
BGP generalized TTL security mechanism (GTSM) support	No	No	No	7.0.0	7.0.0	7.0.0
BGP multicast support	No	No	No	7.0.0	7.0.0	7.0.0

## BGP4+ - IPv6 Border Gateway Protocol

Feature	Brocade VDX 6710	Brocade VDX 6720	Brocade VDX 6730	Brocade VDX 6740, 6740T, and 6740T-1G	Brocade VDX 8770	Brocade VDX 6940
Configuring BGP4+ neighbors using global IPv6 addresses	No	No	No	5.0.0	5.0.0	6.0.0
Importing routes in BGP4+	No	No	No	5.0.0	5.0.0	6.0.0
Advertising the default BGP4+ route	No	No	No	5.0.0	5.0.0	6.0.0
Clearing BGP4+ information	No	No	No	5.0.0	5.0.0	6.0.0
Displaying BGP4+ information	No	No	No	5.0.0	5.0.0	6.0.0
Using the IP default route as a valid next-hop for a BGP4+ route	No	No	No	5.0.0	5.0.0	6.0.0
Enabling next-hop recursion	No	No	No	5.0.0	5.0.0	6.0.0
BGP4+ graceful restart	No	No	No	5.0.0	5.0.0	6.0.0
Advertising routes from the local AS to MBGP	No	No	No	5.0.0	5.0.0	6.0.0
Network prefix to advertise	No	No	No	5.0.0	5.0.0	6.0.0
Aggregating routes advertised to BGP4 neighbors	No	No	No	5.0.0	5.0.0	6.0.0
Displaying MBGP information	No	No	No	5.0.0	5.0.0	6.0.0
IPv6 support	No	No	No	5.0.0	5.0.0	6.0.0
AS confederation (BGP IPv4)	No	No	No	5.0.0	5.0.0	6.0.0
Extended communities	No	No	No	5.0.0	5.0.0	6.0.0
BGP VRF support	No	No	No	6.0.1	6.0.1	6.0.1
Dynamic route leaking	No	No	No	6.0.1	6.0.1	6.0.1

## DHCP - Dynamic Host Configuration Protocol

Feature	Brocade VDX 6710	Brocade VDX 6720	Brocade VDX 6730	Brocade VDX 6740, 6740T, and 6740T-1G	Brocade VDX 8770	Brocade VDX 6940
DHCP (IPv4)	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
DHCP (IPv6)	No	No	No	5.0.1	5.0.1	6.0.0
DHCPv6 support for management interfaces	4.0.0	4.0.0	4.0.0	4.0.0	4.0.0	6.0.0
DHCP IP Helper	4.1.0	4.1.0	4.1.0	4.1.0	4.1.0	6.0.0

Feature	Brocade VDX 6710	Brocade VDX 6720	Brocade VDX 6730	Brocade VDX 6740, 6740T, and 6740T-1G	Brocade VDX 8770	Brocade VDX 6940
Configure entire cluster using Python script in fabric cluster mode and logical chassis mode	No	No	No	6.0.1	6.0.1	6.0.1
Zero Touch Provisioning (ZTP) for a two-node cluster	No	No	No	6.0.1	6.0.1	6.0.1
DHCP auto-deployment (DAD) 2	No	No	No	7.0.0	7.0.0	7.0.0
DHCP relay agent information (option-82) support	No	No	No	7.0.0	7.0.0	7.0.0

## DNS - Domain Name System

Feature	Brocade VDX 6710	Brocade VDX 6720	Brocade VDX 6730	Brocade VDX 6740, 6740T, and 6740T-1G	Brocade VDX 8770	Brocade VDX 6940
DNS Configuration	3.0.0	3.0.0	3.0.0	3.0.0	3.0.0	6.0.0
IPv4 and IPv6 DNS Server Addresses	3.0.0	3.0.0	3.0.0	3.0.0	3.0.0	6.0.0

## ICMP - Internet Control Message Protocol

Feature	Brocade VDX 6710	Brocade VDX 6720	Brocade VDX 6730	Brocade VDX 6740, 6740T, and 6740T-1G	Brocade VDX 8770	Brocade VDX 6940
ICMP (IPv4)	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
Enabling/disabling ICMPv6 error messages for an unreachable address	4.0.1	4.0.1	4.0.1	4.0.1	4.0.1	6.0.0
Enabling ICMPv6 echo reply messages	4.0.1	4.0.1	4.0.1	4.0.1	4.0.1	6.0.0
ICMPv6 rate limiting	4.0.1	4.0.1	4.0.1	4.0.1	4.0.1	6.0.0
Utilities to support Joint Interoperability Test Command (JITC) standards	4.0.1	4.0.1	4.0.1	4.0.1	4.0.1	6.0.0

## IP Addressing

Feature	Brocade VDX 6710	Brocade VDX 6720	Brocade VDX 6730	Brocade VDX 6740, 6740T, and 6740T-1G	Brocade VDX 8770	Brocade VDX 6940
IP Route management	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
IP Route policy	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
Prefix lists (IPv4)	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
SFP break-out mode	No	No	No	4.0.0	4.0.0	6.0.0
IP over port channel	No	No	No	7.0.0	7.0.0	7.0.0
Unnumbered interfaces	No	No	No	7.0.0	7.0.0	7.0.0

## IPv6 Addressing

Feature	Brocade VDX 6710	Brocade VDX 6720	Brocade VDX 6730	Brocade VDX 6740, 6740T, and 6740T-1G	Brocade VDX 8770	Brocade VDX 6940
IP Multicast in VCS	3.0.1	3.0.1	3.0.1	3.0.1	3.0.1	6.0.0

## Multi-VRF

Feature	Brocade VDX 6710	Brocade VDX 6720	Brocade VDX 6730	Brocade VDX 6740, 6740T, and 6740T-1G	Brocade VDX 8770	Brocade VDX 6940
VRF-Lite (IPv4)	No	No	No	4.0.0	4.0.0	6.0.0
Inter-VRF Leading (Static)	4.1.0	4.1.0	4.1.0	4.1.0	4.1.0	6.0.0
Dynamic Route Leaking	No	No	No	5.0.1	5.0.1	6.0.0
Dynamic route leak distribution	No	No	No	6.1.0	6.1.0	6.1.0

## OSPF - IPv4 Open Shortest Path First

Feature	Brocade VDX 6710	Brocade VDX 6720	Brocade VDX 6730	Brocade VDX 6740, 6740T, and 6740T-1G	Brocade VDX 8770	Brocade VDX 6940
[introduced]	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
OSPF in VCS	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
OSPF Type3 LSA filter	No	No	No	7.0.0	7.0.0	7.0.0

## OSPFv3 - IPv6 Open Shortest Path First

Feature	Brocade VDX 6710	Brocade VDX 6720	Brocade VDX 6730	Brocade VDX 6740, 6740T, and 6740T-1G	Brocade VDX 8770	Brocade VDX 6940
Link-State Advertisement	No	No	No	5.0.0	5.0.0	6.0.0
Link-State Advertisement:router LSAs (Type 1)	No	No	No	5.0.0	5.0.0	6.0.0
Link-State Advertisement: network LSAs (Type 2)	No	No	No	5.0.0	5.0.0	6.0.0
Link-State Advertisement: interarea-prefix LSAs for ABRs (Type 3)	No	No	No	5.0.0	5.0.0	6.0.0
Link-State Advertisement: interarea-router LSAs for ABRs (Type 4)	No	No	No	5.0.0	5.0.0	6.0.0
Link-State Advertisement: autonomous system external LSAs (Type 5)	No	No	No	5.0.0	5.0.0	6.0.0
Link-State Advertisement: Link LSAs (Type 8)	No	No	No	5.0.0	5.0.0	6.0.0
Link-State Advertisement: Intra-area prefix LSAs (Type 9)	No	No	No	5.0.0	5.0.0	6.0.0

Feature	Brocade VDX 6710	Brocade VDX 6720	Brocade VDX 6730	Brocade VDX 6740, 6740T, and 6740T-1G	Brocade VDX 8770	Brocade VDX 6940
IPsec for OSPFv3	No	No	No	5.0.0	5.0.0	6.0.0
Redistributing routes into OSPFv3	No	No	No	5.0.0	5.0.0	6.0.0
Filtering OSPFv3 routes	No	No	No	5.0.0	5.0.0	6.0.0
Default route origination	No	No	No	5.0.0	5.0.0	6.0.0
Shortest Path First timers	No	No	No	5.0.0	5.0.0	6.0.0
Event logging	No	No	No	5.0.0	5.0.0	6.0.0
OSPFv3 interfaces to passive state globally	No	No	No	5.0.0	5.0.0	6.0.0
OSPFv3 GR Helper mode	No	No	No	5.0.0	5.0.0	6.0.0
OSPFv3 non-stop routing (NSR) support	No	No	No	5.0.0	5.0.0	6.0.0
VRF Lite	No	No	No	5.0.0	5.0.0	6.0.0
Maximum-metric router link-state advertisement (LSA)	No	No	No	6.0.1	6.0.1	6.0.1

## Static Routing (IPv4)

Feature	Brocade VDX 6710	Brocade VDX 6720	Brocade VDX 6730	Brocade VDX 6740, 6740T, and 6740T-1G	Brocade VDX 8770	Brocade VDX 6940
[introduced]	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
IPv4 Unicast routing static routes	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
Add/remove static RP address with prefix list	No	No	No	6.0.1	6.0.1	6.0.1

## VRRPv2 - Virtual Router Redundancy Protocol Version 2

Feature	Brocade VDX 6710	Brocade VDX 6720	Brocade VDX 6730	Brocade VDX 6740, 6740T, and 6740T-1G	Brocade VDX 8770	Brocade VDX 6940
VRRP & VRRP-E (IPv4)	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
VRRP/VRRP-E object route tracking	No	No	No	6.0.1	6.0.1	6.0.1

## VRRPv3 - Virtual Router Redundancy Protocol Version 3

Feature	Brocade VDX 6710	Brocade VDX 6720	Brocade VDX 6730	Brocade VDX 6740, 6740T, and 6740T-1G	Brocade VDX 8770	Brocade VDX 6940
VRRPv3 & VRRP-Ev3 (IPv4)	No	No	No	5.0.0	5.0.0	6.0.0
VRRPv3 & VRRP-Ev3 (IPv6)	No	No	No	5.0.0	5.0.0	6.0.0
VRRP/VRRP-E object route tracking	No	No	No	6.0.1	6.0.1	6.0.1



# Management

- Access Gateway.....23
- CLI - Command Line Interface.....23
- Configuration Fundamentals.....23
- High Availability.....24
- In-band Management.....24
- Licensing.....24
- LLDP - Link Layer Discovery Protocol.....25
- Management GUI.....25
- NTP - Network Time Protocol.....25
- SNMP - Simple Network Management Protocol.....25
- Software Installation and Upgrade.....26
- Virtual Fabrics.....26
- VMware.....26

## Access Gateway

Feature	Brocade VDX 6710	Brocade VDX 6720	Brocade VDX 6730	Brocade VDX 6740, 6740T, and 6740T-1G	Brocade VDX 8770	Brocade VDX 6940
[introduced]	No	No	4.1.0	5.0.0 for the 6740; 6.0.0 for the 6740T and 6740T-1G	No	No
Multi-hop Access Gateway Switch	No	No	No	6.0.0	6.0.0	6.0.0
Dynamic AG enablement	No	No	No	6.0.0	6.0.0	6.0.0
VLANs for local FC/FCoE storage	No	No	No	6.0.1	6.0.1	6.0.1

## CLI - Command Line Interface

Feature	Brocade VDX 6710	Brocade VDX 6720	Brocade VDX 6730	Brocade VDX 6740, 6740T, and 6740T-1G	Brocade VDX 8770	Brocade VDX 6940
[introduced]	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
Switch management	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
Telnet	3.0.0	3.0.0	3.0.0	3.0.0	3.0.0	6.0.0

## Configuration Fundamentals

Feature	Brocade VDX 6710	Brocade VDX 6720	Brocade VDX 6730	Brocade VDX 6740, 6740T, and 6740T-1G	Brocade VDX 8770	Brocade VDX 6940
Virtual IP Address	3.0.0	3.0.0	3.0.0	3.0.0	3.0.0	6.0.0

Feature	Brocade VDX 6710	Brocade VDX 6720	Brocade VDX 6730	Brocade VDX 6740, 6740T, and 6740T-1G	Brocade VDX 8770	Brocade VDX 6940
PING support on management interfaces	3.0.0	3.0.0	3.0.0	3.0.0	3.0.0	6.0.0
Traceroute support on management interfaces	3.0.0	3.0.0	3.0.0	3.0.0	3.0.0	6.0.0
Edge Loop Detection (ELD)	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
Counter for Fibre Channel ports	3.0.0	3.0.0	3.0.0	3.0.0	3.0.0	6.0.0
Storage F-port	No	No	4.0.0	4.0.0	4.0.0	6.0.0
FlexPorts	No	No	No	5.0.0 for 6740; 6.0.0 for 6740T and 6740T-1G	No	No
Management VRF support	No	No	No	5.0.1	5.0.1	6.0.0
FlexPorts on QSFP ports	No	No	No	6.0.0	6.0.0	6.0.0
SFP breakout mode (static)	No	No	No	No	5.0.0	No
SFP breakout mode (dynamic)	No	No	No	6.0.0	No	6.0.0
Dynamic QSFP breakout	No	No	No	6.0.0	6.0.0	6.0.0
Default Configuration Start-Up	No	No	No	6.0.0	6.0.0	6.0.0
Operational Data via REST APIs	No	No	No	6.0.0	6.0.0	6.0.0
Manageability RFEs	No	No	No	7.0.0	7.0.0	7.0.0

## High Availability

Feature	Brocade VDX 6710	Brocade VDX 6720	Brocade VDX 6730	Brocade VDX 6740, 6740T, and 6740T-1G	Brocade VDX 8770	Brocade VDX 6940
[introduced]	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0

## In-band Management

Feature	Brocade VDX 6710	Brocade VDX 6720	Brocade VDX 6730	Brocade VDX 6740, 6740T, and 6740T-1G	Brocade VDX 8770	Brocade VDX 6940
[introduced]	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0

## Licensing

Feature	Brocade VDX 6710	Brocade VDX 6720	Brocade VDX 6730	Brocade VDX 6740, 6740T, and 6740T-1G	Brocade VDX 8770	Brocade VDX 6940
[introduced]	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
Licensing enhancements	No	No	No	7.0.0	7.0.0	7.0.0



## LLDP - Link Layer Discovery Protocol

Feature	Brocade VDX 6710	Brocade VDX 6720	Brocade VDX 6730	Brocade VDX 6740, 6740T, and 6740T-1G	Brocade VDX 8770	Brocade VDX 6940
[introduced]	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
LLDP-Med	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
iSCSI TLV support	3.0.0	3.0.0	3.0.0	3.0.0	3.0.0	6.0.0
Support for two LLDP neighbors	4.0.0	4.0.0	4.0.0	4.0.0	4.0.0	6.0.0
Display system names	5.0.1	5.0.1	5.0.1	5.0.1	5.0.1	6.0.0

## Management GUI

Feature	Brocade VDX 6710	Brocade VDX 6720	Brocade VDX 6730	Brocade VDX 6740, 6740T, and 6740T-1G	Brocade VDX 8770	Brocade VDX 6940
[introduced]	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0

## NTP - Network Time Protocol

Feature	Brocade VDX 6710	Brocade VDX 6720	Brocade VDX 6730	Brocade VDX 6740, 6740T, and 6740T-1G	Brocade VDX 8770	Brocade VDX 6940
[introduced]	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
Source IP support for NTP messages	No	No	No	5.0.1	5.0.1	6.0.0

## SNMP - Simple Network Management Protocol

Feature	Brocade VDX 6710	Brocade VDX 6720	Brocade VDX 6730	Brocade VDX 6740, 6740T, and 6740T-1G	Brocade VDX 8770	Brocade VDX 6940
SNMPv1 support	3.0.0	3.0.0	3.0.0	3.0.0	3.0.0	6.0.0
SNMPv2 support	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
SNMPv3 traps and informs	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
System and Resources MIBS (SNMPv3)	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
SNMP trap host configuration	3.0.0	3.0.0	3.0.0	3.0.0	3.0.0	6.0.0
SNMPv3 password encryption	4.0.0	4.0.0	4.0.0	4.0.0	4.0.0	6.0.0
SNMP HTTP updates	7.0.0	7.0.0	7.0.0	7.0.0	7.0.0	7.0.0

## Software Installation and Upgrade

Feature	Brocade VDX 6710	Brocade VDX 6720	Brocade VDX 6730	Brocade VDX 6740, 6740T, and 6740T-1G	Brocade VDX 8770	Brocade VDX 6940
Firmware upgrade and downgrade	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
DAD - DHCP Automatic Deployment	4.1.0	4.1.0	4.1.0	4.1.0	4.1.0	6.0.0
Use inband management software interface to perform software upgrades	No	No	No	5.0.1	5.0.1	6.0.0
Infrastructure updates	7.0.0	7.0.0	7.0.0	7.0.0	7.0.0	7.0.0

## Virtual Fabrics

Feature	Brocade VDX 6710	Brocade VDX 6720	Brocade VDX 6730	Brocade VDX 6740, 6740T, and 6740T-1G	Brocade VDX 8770	Brocade VDX 6940
[Introduced]	No	No	No	4.1.0	4.1.0	6.0.0
Virtual Fabric extended broadcast domain	No	No	No	5.0.0	5.0.0	6.0.0
Fabric Virtual Gateway for scaled environments	No	No	No	6.0.1	6.0.1	6.0.1

## VMware

Feature	Brocade VDX 6710	Brocade VDX 6720	Brocade VDX 6730	Brocade VDX 6740, 6740T, and 6740T-1G	Brocade VDX 8770	Brocade VDX 6940
VMware	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
VM Aware Network Automation	3.0.0	3.0.0	3.0.0	3.0.0	3.0.0	6.0.0
VM-Aware Network Automation with vSphere 5.0	3.0.0	3.0.0	3.0.0	3.0.0	3.0.0	6.0.0
VM-Aware Network Automation with 8000 MAC Addresses	3.0.0	3.0.0	3.0.0	3.0.0	3.0.0	6.0.0
VLAs with 32 ports	3.0.0	3.0.0	3.0.0	3.0.0	3.0.0	6.0.0
iESX v5.1 support	3.0.1	3.0.1	3.0.1	3.0.1	3.0.1	6.0.0
VCS Gateway	No	No	No	No	No	6.0.0

# Monitoring

- Hardware Monitoring..... 27
- MAPS - Monitoring and Alerting Policy Suite..... 27
- OAM - Operations, Administration, and Maintenance..... 27
- Port Mirroring..... 27
- RAS - Reliability, Availability, and Serviceability..... 28
- RMON - Remote Network Monitoring..... 28
- sFlow..... 28
- Syslog..... 28
- Sysmon..... 29

## Hardware Monitoring

Feature	Brocade VDX 6710	Brocade VDX 6720	Brocade VDX 6730	Brocade VDX 6740, 6740T, and 6740T-1G	Brocade VDX 8770	Brocade VDX 6940
Show media optical monitoring	No	No	No	5.0.1	5.0.1	6.0.0
Link state tracking	No	No	No	6.0.1	6.0.1	6.0.1

## MAPS - Monitoring and Alerting Policy Suite

Feature	Brocade VDX 6710	Brocade VDX 6720	Brocade VDX 6730	Brocade VDX 6740, 6740T, and 6740T-1G	Brocade VDX 8770	Brocade VDX 6940
[introduced]	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0

## OAM - Operations, Administration, and Maintenance

Feature	Brocade VDX 6710	Brocade VDX 6720	Brocade VDX 6730	Brocade VDX 6740, 6740T, and 6740T-1G	Brocade VDX 8770	Brocade VDX 6940
[introduced]	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
Maintenance mode	No	No	No	7.0.0	7.0.0	7.0.0

## Port Mirroring

Feature	Brocade VDX 6710	Brocade VDX 6720	Brocade VDX 6730	Brocade VDX 6740, 6740T, and 6740T-1G	Brocade VDX 8770	Brocade VDX 6940
[introduced]	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
RSPAN - Remote Switched Port Analyzer	4.0.0	4.0.0	4.0.0	4.0.0	4.0.0	6.0.0

## RAS - Reliability, Availability, and Serviceability

Feature	Brocade VDX 6710	Brocade VDX 6720	Brocade VDX 6730	Brocade VDX 6740, 6740T, and 6740T-1G	Brocade VDX 8770	Brocade VDX 6940
Audit log	3.0.0	3.0.0	3.0.0	3.0.0	3.0.0	6.0.0
RASlog	3.0.1	3.0.1	3.0.1	3.0.1	3.0.1	6.0.0
ISSU - In-Service Software Upgrade	4.0.0	4.0.0	4.0.0	4.0.0	4.0.0	6.0.0
Management Module Failover	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
Copy support	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
Packet capture	4.1.0	4.0.0	4.0.0	4.0.0	4.0.0	6.0.0
Line Card Auto-recovery	4.0.1	4.0.1	4.0.1	4.0.1	4.0.1	6.0.0
RAS enhancements for debug counters	No	No	No	7.0.0	7.0.0	7.0.0

## RMON - Remote Network Monitoring

Feature	Brocade VDX 6710	Brocade VDX 6720	Brocade VDX 6730	Brocade VDX 6740, 6740T, and 6740T-1G	Brocade VDX 8770	Brocade VDX 6940
[introduced]	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0

## sFlow

Feature	Brocade VDX 6710	Brocade VDX 6720	Brocade VDX 6730	Brocade VDX 6740, 6740T, and 6740T-1G	Brocade VDX 8770	Brocade VDX 6940
[introduced]	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
sFlow auto-adjust and backoff	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
Flow-based sFlow	4.0.0	4.0.0	4.0.0	4.0.0	4.0.0	6.0.0
Multiple sflow collectors and IPv6 based sflows	4.0.0	4.0.0	4.0.0	4.0.0	4.0.0	6.0.0
Virtual Fabric support	No	No	No	5.0.1	5.0.1	6.0.0

## Syslog

Feature	Brocade VDX 6710	Brocade VDX 6720	Brocade VDX 6730	Brocade VDX 6740, 6740T, and 6740T-1G	Brocade VDX 8770	Brocade VDX 6940
[introduced]	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
Secure syslog	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
Support for syslog messages using Chassis Virtual IP	No	No	No	5.0.1	5.0.1	6.0.0

## Sysmon

Feature	Brocade VDX 6710	Brocade VDX 6720	Brocade VDX 6730	Brocade VDX 6740, 6740T, and 6740T-1G	Brocade VDX 8770	Brocade VDX 6940
[introduced]	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0



# NOS Network Automation and Orchestration Technologies

- NETCONF - Network Configuration Protocol..... 31
- OpenStack integration.....31
- REST API.....31
- Scripting.....31
- YANG..... 32

## NETCONF - Network Configuration Protocol

Feature	Brocade VDX 6710	Brocade VDX 6720	Brocade VDX 6730	Brocade VDX 6740, 6740T, and 6740T-1G	Brocade VDX 8770	Brocade VDX 6940
[introduced]	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
NETCONF support for Fibre Channel interfaces	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0

## OpenStack integration

Feature	Brocade VDX 6710	Brocade VDX 6720	Brocade VDX 6730	Brocade VDX 6740, 6740T, and 6740T-1G	Brocade VDX 8770	Brocade VDX 6940
Support for Layer 2 gateways	No	No	No	7.0.0	7.0.0	7.0.0

## REST API

Feature	Brocade VDX 6710	Brocade VDX 6720	Brocade VDX 6730	Brocade VDX 6740, 6740T, and 6740T-1G	Brocade VDX 8770	Brocade VDX 6940
[introduced]	No	No	No	5.0.0	5.0.0	6.0.0

## Scripting

Feature	Brocade VDX 6710	Brocade VDX 6720	Brocade VDX 6730	Brocade VDX 6740, 6740T, and 6740T-1G	Brocade VDX 8770	Brocade VDX 6940
Python scripting	6.0.1	6.0.1	6.0.1	6.0.1	6.0.1	6.0.1
Puppet scripting	6.0.1	6.0.1	6.0.1	6.0.1	6.0.1	6.0.1

## YANG

Feature	Brocade VDX 6710	Brocade VDX 6720	Brocade VDX 6730	Brocade VDX 6740, 6740T, and 6740T-1G	Brocade VDX 8770	Brocade VDX 6940
[introduced]	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0



# Security

- 802.1x Port-based Authentication..... 33
- AAA - Authentication, Authorization, and Accounting..... 33
- ACLs - Access Control Lists..... 33
- Fabric Authentication..... 34
- FIPS - Federal Information Processing Standards..... 34
- HTTP/HTTPS..... 34
- LDAP - Lightweight Directory Access Protocol..... 34
- MAC Port-based Authentication..... 35
- PBR - Policy-Based Routing..... 35
- RA Guard - Router Advertisement Guard..... 35
- RADIUS..... 35
- Security Vulnerability..... 35
- SSH - Secure Shell..... 36
- TACACS & TACACS+..... 36
- User Accounts & Passwords..... 36
- Zoning..... 36

## 802.1x Port-based Authentication

Feature	Brocade VDX 6710	Brocade VDX 6720	Brocade VDX 6730	Brocade VDX 6740, 6740T, and 6740T-1G	Brocade VDX 8770	Brocade VDX 6940
[introduced]	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
802.1x Readiness	3.0.0	3.0.0	3.0.0	3.0.0	3.0.0	6.0.0
Port Security	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0

## AAA - Authentication, Authorization, and Accounting

Feature	Brocade VDX 6710	Brocade VDX 6720	Brocade VDX 6730	Brocade VDX 6740, 6740T, and 6740T-1G	Brocade VDX 8770	Brocade VDX 6940
[introduced]	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0

## ACLs - Access Control Lists

Feature	Brocade VDX 6710	Brocade VDX 6720	Brocade VDX 6730	Brocade VDX 6740, 6740T, and 6740T-1G	Brocade VDX 8770	Brocade VDX 6940
ACLs (IPv4)	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
ACLs (IPv6)	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
MAC ACLs	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
ACLs for security	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0

Feature	Brocade VDX 6710	Brocade VDX 6720	Brocade VDX 6730	Brocade VDX 6740, 6740T, and 6740T-1G	Brocade VDX 8770	Brocade VDX 6940
IP ACL for Management Interface	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
Filtering IPv6 packets based on DSCP values	No	No	No	5.0.0	5.0.0	6.0.0
Filtering IPv6 packets based on routing header type	No	No	No	5.0.0	5.0.0	6.0.0
Apply an IPv6 ACL to a router interface	No	No	No	5.0.0	5.0.0	6.0.0
Adding a comment to an IPv6 ACL entry	No	No	No	5.0.0	5.0.0	6.0.0
IPv6 extended ACLs	No	No	No	5.0.0	5.0.0	6.0.0
IPv6 accounting	No	No	No	5.0.0	5.0.0	6.0.0
Apply ACL to either switched packets, routed packets, or both	No	No	No	6.0.0	6.0.0	6.0.0

## Fabric Authentication

Feature	Brocade VDX 6710	Brocade VDX 6720	Brocade VDX 6730	Brocade VDX 6740, 6740T, and 6740T-1G	Brocade VDX 8770	Brocade VDX 6940
[introduced]	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0

## FIPS - Federal Information Processing Standards

Feature	Brocade VDX 6710	Brocade VDX 6720	Brocade VDX 6730	Brocade VDX 6740, 6740T, and 6740T-1G	Brocade VDX 8770	Brocade VDX 6940
[introduced]	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0

## HTTP/HTTPS

Feature	Brocade VDX 6710	Brocade VDX 6720	Brocade VDX 6730	Brocade VDX 6740, 6740T, and 6740T-1G	Brocade VDX 8770	Brocade VDX 6940
REST API and Element Manager Support	6.0.0	6.0.0	6.0.0	6.0.0	6.0.0	6.0.0
HTTPS certificates	No	No	No	6.0.0	6.0.0	6.0.0

## LDAP - Lightweight Directory Access Protocol

Feature	Brocade VDX 6710	Brocade VDX 6720	Brocade VDX 6730	Brocade VDX 6740, 6740T, and 6740T-1G	Brocade VDX 8770	Brocade VDX 6940
[introduced]	3.0.0	3.0.0	3.0.0	3.0.0	3.0.0	6.0.0

## MAC Port-based Authentication

Feature	Brocade VDX 6710	Brocade VDX 6720	Brocade VDX 6730	Brocade VDX 6740, 6740T, and 6740T-1G	Brocade VDX 8770	Brocade VDX 6940
OUI-base port security	4.0.1	4.0.1	4.0.1	4.0.1	4.0.1	6.0.0
Port security with dynamically learned MAC	4.0.1	4.0.1	4.0.1	4.0.1	4.0.1	6.0.0
MAC move detection	No	No	No	6.0.0	6.0.0	6.0.0
MAC consistency check	No	No	No	6.0.0	6.0.0	6.0.0

## PBR - Policy-Based Routing

Feature	Brocade VDX 6710	Brocade VDX 6720	Brocade VDX 6730	Brocade VDX 6740, 6740T, and 6740T-1G	Brocade VDX 8770	Brocade VDX 6940
PBR (IPv4)	No	No	No	4.1.0	4.1.0	6.0.0
PBR (IPv6)	No	No	No	5.0.0	5.0.0	6.0.0

## RA Guard - Router Advertisement Guard

Feature	Brocade VDX 6710	Brocade VDX 6720	Brocade VDX 6730	Brocade VDX 6740, 6740T, and 6740T-1G	Brocade VDX 8770	Brocade VDX 6940
ICMPv6 RA Guard	3.0.1	3.0.1	3.0.1	3.0.1	3.0.1	6.0.0
IPv6 RA Guard	No	No	No	6.0.0	6.0.0	6.0.0

## RADIUS

Feature	Brocade VDX 6710	Brocade VDX 6720	Brocade VDX 6730	Brocade VDX 6740, 6740T, and 6740T-1G	Brocade VDX 8770	Brocade VDX 6940
Authentication and accounting	3.0	3.0	3.0	4.0	3.0	6.0
RADIUS authentication through management interfaces	3.0	3.0	3.0	4.0	3.0	6.0
Server-side RADIUS support	3.0	3.0	3.0	4.0	3.0	6.0
Client-side RADIUS support	3.0	3.0	3.0	4.0	3.0	6.0

## Security Vulnerability

Feature	Brocade VDX 6710	Brocade VDX 6720	Brocade VDX 6730	Brocade VDX 6740, 6740T, and 6740T-1G	Brocade VDX 8770	Brocade VDX 6940
Protecting against TCP SYN attacks	4.0.1	4.0.1	4.0.1	4.0.1	4.0.1	6.0.0

## SSH - Secure Shell

Feature	Brocade VDX 6710	Brocade VDX 6720	Brocade VDX 6730	Brocade VDX 6740, 6740T, and 6740T-1G	Brocade VDX 8770	Brocade VDX 6940
[introduced]	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
Secure copy SCP	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0

## TACACS & TACACS+

Feature	Brocade VDX 6710	Brocade VDX 6720	Brocade VDX 6730	Brocade VDX 6740, 6740T, and 6740T-1G	Brocade VDX 8770	Brocade VDX 6940
TACACS & TACACS+ authentication, authorization, and accounting	3.0	3.0	3.0	4.0	3.0	6.0
Server-side TACACS & TACACS+ support	3.0	3.0	3.0	4.0	3.0	6.0
Client-side TACACS & TACACS+ support	3.0	3.0	3.0	4.0	3.0	6.0
Mixed vendor environment TACACS & TACACS+ support	3.0	3.0	3.0	4.0	3.0	6.0

## User Accounts & Passwords

Feature	Brocade VDX 6710	Brocade VDX 6720	Brocade VDX 6730	Brocade VDX 6740, 6740T, and 6740T-1G	Brocade VDX 8770	Brocade VDX 6940
Managing user accounts	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
Accept user names starting with an underscore	No	No	No	5.0.1	5.0.1	6.0.0

## Zoning

Feature	Brocade VDX 6710	Brocade VDX 6720	Brocade VDX 6730	Brocade VDX 6740, 6740T, and 6740T-1G	Brocade VDX 8770	Brocade VDX 6940
[introduced]	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
Zone Alias Names	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0

# Traffic Management

- QoS - Quality of Service..... 37
- Rate Limiting and Shaping..... 38

## QoS - Quality of Service

Feature	Brocade VDX 6710	Brocade VDX 6720	Brocade VDX 6730	Brocade VDX 6740, 6740T, and 6740T-1G	Brocade VDX 8770	Brocade VDX 6940
Routing	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
Trunking	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
Eight priority levels for QoS	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
CoS IEEE 802.1p	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
Differentiated services code point (DSCP) to traffic class mutation	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
DSCP to CoS mutation	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
DSCP to DSCP mutation	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
DSCP trust	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
Random early discard	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
Per-port QoS configuration	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
Strict priority (SP) scheduling	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
Shaped deficit weighted round-robin (SDWRR) scheduling	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
ACL-based QoS	No	No	No	4.0.0	3.0.0	6.0.0
Dual-rate three-color token bucket	No	No	No	4.0.0	3.0.0	6.0.0
ACL-based remarking of CoS/DSCP/ Precedence	No	No	No	4.0.0	3.0.0	6.0.0
ACL-based sFlow	No	No	No	4.0.0	3.0.0	6.0.0
Queue-based shaping	No	No	No	4.0.0	3.0.0	6.0.0
Legacy Ethernet pause support	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
Configurable generation of priority tagged packets	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
Configurable tail drop threshold	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
Layer2 and Layer3 QoS	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
Control traffic prioritization	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
Enhanced Transmission Selection (ETS) and Priority Flow Control (PFC)	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
Random Early Discard (RED)	3.0.1	3.0.1	3.0.1	3.0.1	3.0.0	6.0.0
Flow-based QoS	4.0.0	4.0.0	4.0.0	4.0.0	4.0.0	6.0.0
Auto QoS for network-attached storage	4.1.0	4.1.0	4.1.0	4.1.0	4.1.0	6.0.0
Enhancement QoS buffer knobs	4.1.3	4.1.3	4.1.3	4.1.3	4.1.3	6.0.0
System flow-based QoS	No	No	No	5.0.0	5.0.0	6.0.0
Enhanced QoS buffering	No	No	No	5.0.1	5.0.1	6.0.0

Feature	Brocade VDX 6710	Brocade VDX 6720	Brocade VDX 6730	Brocade VDX 6740, 6740T, and 6740T-1G	Brocade VDX 8770	Brocade VDX 6940
VLAN-based QoS	No	No	No	5.0.1	5.0.1	6.0.0

## Rate Limiting and Shaping

Feature	Brocade VDX 6710	Brocade VDX 6720	Brocade VDX 6730	Brocade VDX 6740, 6740T, and 6740T-1G	Brocade VDX 8770	Brocade VDX 6940
[introduced]	3.0.0	3.0.0	3.0.0	No	No	No
Traffic policies	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
ACL-based rate limit	No	No	No	4.0.0	3.0.0	6.0.0
BUM traffic control	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
BUM storm control	No	No	No	4.0.0	3.0.0	6.0.0

# VPN

- [EVPN - Ethernet VPN..... 39](#)

## EVPN - Ethernet VPN

Feature	Brocade VDX 6710	Brocade VDX 6720	Brocade VDX 6730	Brocade VDX 6740, 6740T, and 6740T-1G	Brocade VDX 8770	Brocade VDX 6940
[introduced]	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0





# Network OS RFC compliance

## NOTE

The following products are not supported on Network OS 5.0.0 or later: Brocade VDX 6710, Brocade VDX 6720, and Brocade VDX 6730.

RFC number	RFC Name	Brocade VDX 6710	Brocade VDX 6720	Brocade VDX 6730	Brocade VDX 6740, 6740T, and 6740T-1G	Brocade VDX 8770	Brocade VDX 6940
RFC768	User Datagram Protocol (UDP)	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
RFC783	TFTP Protocol (revision 2)	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
RFC791	Internet Protocol (IP)	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
RFC792	Internet Control Message Protocol (ICMP)	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
RFC793	Transmission Control Protocol (TCP)	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
RFC826	ARP	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
RFC854	Telnet Protocol Specification	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
RFC894	A Standard for the Transmission of IP Datagram over Ethernet Networks	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
RFC959	FTP	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
RFC1027	Using ARP to Implement Transparent Subnet Gateways (Proxy ARP)	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
RFC1112	IGMP v1	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
RFC1157	SNMPv1/v2c	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
RFC1213	MIB II	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
RFC1492	TACACS+	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
RFC1519	Classless Interdomain Routing (CIDR)	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
RFC1584	Multicast Extensions to OSPF	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
RFC1587	OSPF NSSA Option	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
RFC1700	Assigned Numbers	No	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
RFC 1745	BGP – OSPF Interactions	No	No	No	5.0.0	5.0.0	6.0.0
RFC1765	OSPF Database Overflow	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
RFC1772	Application of the Border Port Protocol in the Internet	No	4.0.0	4.0.0	4.0.0	4.0.0	6.0.0
RFC1812	Requirements for IP Version 4 Routers	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
RFC1997	BGP Communities Attribute	No	No	No	4.0.0	4.0.0	6.0.0
RFC2068	HTTP Server	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
RFC2131	DHCP	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
RFC2154	OSPF with Digital Signatures (MD-5 Support)	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0

RFC number	RFC Name	Brocade VDX 6710	Brocade VDX 6720	Brocade VDX 6730	Brocade VDX 6740, 6740T, and 6740T-1G	Brocade VDX 8770	Brocade VDX 6940
RFC2236	IGMPv2	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
RFC2267	Network Ingress Filtering	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
RFC2328	OSPF Version 2	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
RFC2370	OSPF Opaque Link-State Advertisement (LSA) Option-Partial Support	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
RFC2385	Protection of BGP Sessions with the TCP MD5 Signature Option	No	No	No	No	4.0.0	6.0.0
RFC2439	BGP Route Flap Damping	No	No	No	No	4.0.0	6.0.0
RFC2460	Internet Protocol, Version 6 (v6) Specification (on management interface )	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
RFC2464	Transmission of IPv6 Packets over Ethernet Networks (on management interface)	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
RFC2474	Definition of the Differentiated Services Field in the IPv4 and IPv6 Headers (only for IPv4)	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
RFC2545	Use of BGP-4 Multiprotocol Extensions for IPv6 Inter-Domain Routing	No	No	No	5.0.0	5.0.0	6.0.0
RFC2571	Architecture for Describing SNMP Framework	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
RFC2858	Multiprotocol Extensions for BGP-4	No	No	No	5.0.0	5.0.0	6.0.0
RFC2865	Remote Authentication Dial In User Service (RADIUS)	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
RFC2918	Route Refresh Capability for BGP-4	No	No	No	5.0.0	5.0.0	6.0.0
RFC 3065	Autonomous System Confederations for BGP	No	No	No	5.0.0	5.0.0	6.0.0
RFC3101	OSPF Not-So-Stubby-Area (NSSA) Option	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
RFC3107	Carrying Label Information in BGP-4	No	No	No	5.0.0	5.0.0	6.0.0
RFC3137	OSPF Stub Router Advertisement	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
RFC3176	sFlow	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
RFC3392	Capabilities Advertisement with BGPv4	No	No	No	5.0.0	5.0.0	6.0.0
RFC3411	An Architecture for Describing SNMP Frameworks	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
RFC3412	Message Processing and Dispatching for the SNMP	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
RFC3413	Simple Network Management Protocol (SNMP) Applications	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
RFC3623	Graceful OSPF Restart	No	No	No	5.0.0	5.0.0	6.0.0

RFC number	RFC Name	Brocade VDX 6710	Brocade VDX 6720	Brocade VDX 6730	Brocade VDX 6740, 6740T, and 6740T-1G	Brocade VDX 8770	Brocade VDX 6940
RFC3768	Virtual Router Redundancy Protocol (VRRP)	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
RFC4115	Port-based Policer	No	No	No	4.0.0	3.0.0	6.0.0
RFC4271	BGP	4.0.1	4.0.1	4.0.1	4.0.1	4.0.1	6.0.0
RFC4292	IP Forwarding MIB	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
RFC4293	Management Information Base for the Internet Protocol (IP)	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
RFC4360	BGP Extended Communities Attribute	No	No	No	5.0.0	5.0.0	6.0.0
RFC4456	BGP Route Reflection	No	No	No	4.0.0	4.0.0	6.0.0
RFC4510	Lightweight Directory Access Protocol (LDAP)	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
RFC4541	MLDv1 Snooping	No	No	No	5.0.0	5.0.0	6.0.0
RFC4552	Authentication / Confidentiality for OSPF v3	No	No	No	5.0.0	5.0.0	6.0.0
RFC4601	PIM/SM Protocol Specification	No	No	No	4.0.1	4.0.1	6.0.0
RFC4724	Graceful Restart Mechanism for BGP	No	No	No	5.0.0	5.0.0	6.0.0
RFC4732	BGP MPLS-based Ethernet VPN	No	No	No	7.0.0	7.0.0	7.0.0
RFC4893	BGP Support for Four-Octet AS Number Space	No	No	No	4.0.0	4.0.0	6.0.0
RFC5065	Autonomous System Confederations for BGP	No	No	No	5.0.0	5.0.0	6.0.0
RFC5082	BGP GTSM	No	No	No	7.0.0	7.0.0	7.0.0
RFC5187	OSPFv3 Graceful Restart (Helper Only)	No	No	5.0.0	5.0.0	6.0.0	6.0.0
RFC5340	OSPF for IPv6	No	No	No	5.0.0	5.0.0	6.0.0
RFC5492	Capabilities Advertisement with BGP-4	No	No	No	5.0.0	5.0.0	6.0.0
RFC5798	VRRP Version 3 for IPv4 and IPv6	No	No	No	5.0.0	5.0.0	6.0.0
RFC5880	Bidirectional Forwarding Detection (BFD)	No	No	No	6.0.1	6.0.1	6.0.1
RFC5881	Bidirectional Forwarding Detection (BFD) for IPv4 and IPv6 (Single Hop)	No	No	No	6.0.1	6.0.1	6.0.1
RFC5882	Generic Application of Bidirectional Forwarding Detection (BFD)	No	No	No	6.0.1	6.0.1	6.0.1
RFC5883	Bidirectional Forwarding Detection (BFD) for Multihop Paths	No	No	No	6.0.1	6.0.1	6.0.1



# Network OS IEEE standards compliance

## NOTE

The following products are not supported on Network OS 5.0.0 or later: Brocade VDX 6710, Brocade VDX 6720, and Brocade VDX 6730.

IEEE standard number	IEEE standard name	Brocade VDX 6710	Brocade VDX 6720	Brocade VDX 6730	Brocade VDX 6740, 6740T, and 6740T-1G	Brocade VDX 8770	Brocade VDX 6940
IEEE 802.1D	Spanning Tree Protocol	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
IEEE 802.1s	Multiple Spanning Tree	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
IEEE 802.1w	Rapid Reconfiguration of Spanning Tree Protocol	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
IEEE 802.3	Ethernet	No	No	3.0.0	4.0.0	3.0.0	6.0.0
IEEE 802.3ad	Link Aggregation with LACP	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
IEEE 802.3ae	10G Ethernet	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
IEEE 802.1Q	VLAN Tagging	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
IEEE 802.1p	Class of Service Prioritization and Tagging	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
IEEE 802.1v	VLAN Classification by Protocol and Port	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
IEEE 802.1AB	Link Layer Discovery Protocol (LLDP)	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
IEEE 802.3x	Flow Control (Pause Frames)	3.0.0	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
IEEE 802.3ab	1000BASE-T	3.0.0	3.0.0	3.0.0	4.0.0	No	6.0.0
IEEE 802.3z	1000BASE-X	3.0.0	3.0.0	3.0.0	4.0.0	No	6.0.0
IEEE 802.1Qbb	Priority-based Flow Control	No	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
IEEE 802.1Qaz	Enhanced Transmission Selection	No	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0
IEEE 802.1 DCB	Capability Exchange Protocol (Proposed under the DCB Task Group of IEEE 802.1 Working Group)	No	3.0.0	3.0.0	4.0.0	3.0.0	6.0.0