

Extreme Networks AI-TH14035 Panel Antenna

AI-TH14035 is a dual polarized 6x6 MIMO panel antenna with nominal 35° H x 35° V beamwidths. This antenna is well suited for 2.4GHz, 5GHz, and 6GHz sector coverage for access points. It is supported on AP4020FX and ships with a mounting bracket. It can be mounted on a pole or a wall. Cable straps ordered separaretly.

TECHNICAL SPECIFICATIONS

FREQUENCY/MAXIMUM GAIN

- 2.4-2.5 GHz/12dBi
- 5.15-5.85 GHz/11.5dBi
- 5.925-7.125 GHz/11.5dBi

DIMENSIONS

• 370 mm x 370 mm x 25 mm

POLARIZATION

· Vertical + Horizontal

WEIGHT

· 2.34 kg (5.16 lbs)

BEAMWIDTH

Horizontal plane: 35°/40°
Vertical plane: 35°/40°

HOUSING

Housing: Aluminum Radome: Plastic

VSWR

• 2:1 max

INSTALLATION HARDWARE

· Azimuth/elevation mount kit for pole

IMPEDANCE

• 50 ohms

PIGTAILS

SMA Female*6

MAXIMUM INPUT POWER


• 50 watts

OPERATING TEMPERATURE


• -40° C to +70° C (-40° F to +158° F)




ANTENNA PATTERN PLOTS VERTICAL PATTERNS



2.4 GHz




6 GHz




5 GHz




HORIZONTAL PATTERNS



2.4 GHz



5GHz



PURCHASE INFORMATION


Cable straps are ordered separaretly.

ORDERING INFORMATION	
Part Number	Description
AI-TH14035	35 degree indoor Antenna 2.4GHz-12dBi, 5GHz-11.5dBi, 6GHz-11.5dBi with SMA Female* 6port for AP4020FX
	0-7GHz black 5D-FB Cable=1m SMA Male to RP SMA Male for AP4020FX. Mount included.



MOUNTING BRACKET

Bracket





LEGAL

Copyright © 2025 Extreme Networks, Inc. All rights reserved.

Legal Notice

Extreme Networks, Inc. reserves the right to make changes in specifications and other information contained in this document and its website without prior notice. The reader should in all cases consult representatives of Extreme Networks to determine whether any such changes have been made. The hardware, firmware, software or any specifications described or referred to in this document are subject to change without notice.

Trademarks

Extreme Networks and the Extreme Networks logo are trademarks or registered trademarks of Extreme Networks, Inc. in the United States and/or other countries. All other names (including any product names) mentioned in this document are the property of their respective owners and may be trademarks or registered trademarks of their respective companies/owners. For additional information on Extreme Networks trademarks, see: http://www.extremenetworks.com/ company/legal/trademarks.

Open Source Declarations

Some software files have been licensed under certain open source or third-party licenses. End-user license agreements and open source declarations can be found at: https://www.extremenetworks.com/support/policies/open-source-declaration/.