

# Extreme Networks AI-TQ06120 Panel Antenna

AI-TQ06120 is a vertical polarized 4x4 MIMO panel antenna with nominal 120° H x 60° V beamwidths. This antenna is well suited for 2.4GHz, 5GHz, and 6GHz sector coverage for access. It is supported on AP4020X

and AP2020FX, and ships with a mounting bracket. It can be mounted on a pole or a wall. Cable straps ordered separaretly.

### **TECHNICAL SPECIFICATIONS**

### FREQUENCY/MAXIMUM GAIN

- · 2.4-2.5 GHz/6dBi
- 5.15-5.85 GHz/6dBi
- · 5.925-7.215 GHz/6dBi

### **DIMENSIONS**

• 250 mm x 250 mm x 25 mm (9.84 inches x 9.84 inches x .98 inches)

### **POLARIZATION**

Vertical

### **WEIGHT**

• 0.72 kg (1.59 lbs)

### **BEAMWIDTH**

Horizontal plane: 120°/120°
Vertical plane: 60°/50°

### HOUSING

Housing: AluminumRadome: Plastic

### **VSWR**

• 2:1 max

### **INSTALLATION HARDWARE**

· Azimuth/elevation mount kit for pole

### **IMPEDANCE**

• 50 ohms

### **PIGTAILS**

• 1 meter / RP-SMA Male\*4

### **MAXIMUM INPUT POWER**


• 50 watts

### **OPERATING TEMPERATURE**


• -40° C to +70° C (-40° F to +158° F)




## ANTENNA PATTERN PLOTS VERTICAL PATTERNS



2.4 GHz




6 GHz




5 GHz




### **HORIZONTAL PATTERNS**







5GHz



6GHz

### **PURCHASE INFORMATION**

Cable straps are ordered separaretly.

ORDERING INFORMATION	
Part Number	Description
AI-TQ06120	120 degree indoor Antenna 2.4GHz-6dBi, 5GHz-6dBi, 6GHz-6dBi RG58=1m White Cable with RP-SMA-male*4port for AP4020X & AP4020FX. Mount included.



### **MOUNTING BRACKET**

# Bracket -IMETER LONG WITH RPRAMS ONNECTOR - SEAR OF ANTENNAS WITH INTEGRAL CABLES | SANTON | SANTON



### **LEGAL**

Copyright © 2025 Extreme Networks, Inc. All rights reserved.

### **Legal Notice**

Extreme Networks, Inc. reserves the right to make changes in specifications and other information contained in this document and its website without prior notice. The reader should in all cases consult representatives of Extreme Networks to determine whether any such changes have been made. The hardware, firmware, software or any specifications described or referred to in this document are subject to change without notice.

### **Trademarks**

Extreme Networks and the Extreme Networks logo are trademarks or registered trademarks of Extreme Networks, Inc. in the United States and/or other countries. All other names (including any product names) mentioned in this document are the property of their respective owners and may be trademarks or registered trademarks of their respective companies/owners. For additional information on Extreme Networks trademarks, see: <a href="http://www.extremenetworks.com/company/legal/trademarks">http://www.extremenetworks.com/company/legal/trademarks</a>.

### **Open Source Declarations**

Some software files have been licensed under certain open source or third-party licenses. End-user license agreements and open source declarations can be found at: https://www.extremenetworks.com/support/policies/open-source-declaration/.