



VOSS Feature Support Matrix

For VOSS Release 8.6

9037341-00 Rev AC
May 2022



Copyright © 2022 Extreme Networks, Inc.

Legal Notice

Extreme Networks, Inc. reserves the right to make changes in specifications and other information contained in this document and its website without prior notice. The reader should in all cases consult representatives of Extreme Networks to determine whether any such changes have been made.

The hardware, firmware, software or any specifications described or referred to in this document are subject to change without notice.

Trademarks

Extreme Networks and the Extreme Networks logo are trademarks or registered trademarks of Extreme Networks, Inc. in the United States and/or other countries.

All other names (including any product names) mentioned in this document are the property of their respective owners and may be trademarks or registered trademarks of their respective companies/owners.

For additional information on Extreme Networks trademarks, see: www.extremenetworks.com/company/legal/trademarks

Open Source Declarations

Some software files have been licensed under certain open source or third-party licenses. End-user license agreements and open source declarations can be found at: <https://www.extremenetworks.com/support/policies/open-source-declaration/>



Table of Contents

About this Document.....	4
Purpose.....	4
Documentation and Training.....	5
Help and Support.....	5
Subscribe to Product Announcements.....	6
Send Feedback.....	6
VOSS Features A to C.....	8
VOSS Features D to F.....	26
VOSS Features G to I.....	51
VOSS Features J to L.....	64
VOSS Features M to O.....	72
VOSS Features P to R.....	81
VOSS Features S to U.....	93
VOSS Features V to X.....	104
VOSS Features Y and Z.....	110



About this Document

[Purpose](#) on page 4

[Documentation and Training](#) on page 5

[Help and Support](#) on page 5

[Send Feedback](#) on page 6

This section discusses the purpose of this document, ways to provide feedback, additional help, and information regarding other Extreme Networks publications.

Purpose

This document provides information on features in VSP Operating System Software (VOSS). VOSS runs on the following product families:

- ExtremeSwitching VSP 4450 Series
- ExtremeSwitching VSP 4900 Series
- ExtremeSwitching VSP 7200 Series
- ExtremeSwitching VSP 7400 Series
- ExtremeSwitching VSP 8200 Series
- ExtremeSwitching VSP 8400 Series
- ExtremeSwitching VSP 8600 Series
- ExtremeSwitching XA1400 Series



Note

VOSS is licensed on the XA1400 Series as a Fabric Connect VPN (FCVPN) application, which includes a subset of VOSS features. FCVPN transparently extends Fabric Connect services over third-party provider networks.

This document identifies the release that first introduced feature support on a hardware product. Each new release includes all the features from previous releases unless specifically stated otherwise. Use this document to determine if features are supported on your product.

**Note**

Release 4.1 was the first VOSS release. Release numbers earlier than 4.1 are releases specific to the particular product, for example, VSP 4000 4.0.

Releases that are not part of the main VOSS release cycle begin with the product name, for example, VSP 8600 6.3.

Different models within a product family can be introduced in different software releases. The tables in this document include the earliest release number. To understand which release is the minimum software release for each model, see [VOSS Release Notes](#).

This document arranges the features alphabetically, based on how those features are included in the [VOSS User Guide](#). For example, [Table 19](#) on page 26 includes both Directed Broadcast and High Secure Mode.

The tables in this document also appear in the conceptual feature content of the [VOSS User Guide](#).

This document distinguishes between hardware that is not capable of supporting a feature (Not Applicable) and hardware that is capable of supporting a feature but does not (Not Supported).

**Note**

Prior to Fabric Engine 8.6, 5520 Series and 5420 Series platforms ran VOSS. VOSS support ends for these platforms with VOSS 8.5.x.

For information about feature support on Fabric Engine products, see [Fabric Engine Feature Support Matrix](#).

Documentation and Training

Find Extreme Networks product information at the following locations:

[Current Product Documentation](#)

[Release Notes](#)

[Hardware and software compatibility](#) for Extreme Networks products

[Extreme Optics Compatibility](#)

[Other resources](#) such as white papers, data sheets, and case studies

Extreme Networks offers product training courses, both online and in person, as well as specialized certifications. For details, visit www.extremenetworks.com/education/.

Help and Support

If you require assistance, contact Extreme Networks using one of the following methods:

[Extreme Portal](#)

Search the GTAC (Global Technical Assistance Center) knowledge base; manage support cases and service contracts; download software; and obtain product licensing, training, and certifications.

The Hub

A forum for Extreme Networks customers to connect with one another, answer questions, and share ideas and feedback. This community is monitored by Extreme Networks employees, but is not intended to replace specific guidance from GTAC.

Call GTAC

For immediate support: (800) 998 2408 (toll-free in U.S. and Canada) or 1 (408) 579 2826. For the support phone number in your country, visit: www.extremenetworks.com/support/contact

Before contacting Extreme Networks for technical support, have the following information ready:

- Your Extreme Networks service contract number, or serial numbers for all involved Extreme Networks products
- A description of the failure
- A description of any actions already taken to resolve the problem
- A description of your network environment (such as layout, cable type, other relevant environmental information)
- Network load at the time of trouble (if known)
- The device history (for example, if you have returned the device before, or if this is a recurring problem)
- Any related RMA (Return Material Authorization) numbers

Subscribe to Product Announcements

You can subscribe to email notifications for product and software release announcements, Field Notices, and Vulnerability Notices.

1. Go to [The Hub](#).
2. In the list of categories, expand the **Product Announcements** list.
3. Select a product for which you would like to receive notifications.
4. Select **Subscribe**.
5. To select additional products, return to the **Product Announcements** list and repeat steps 3 and 4.

You can modify your product selections or unsubscribe at any time.

Send Feedback

The Information Development team at Extreme Networks has made every effort to ensure that this document is accurate, complete, and easy to use. We strive to improve our documentation to help you in your work, so we want to hear from you. We welcome all feedback, but we especially want to know about:

- Content errors, or confusing or conflicting information.
- Improvements that would help you find relevant information.
- Broken links or usability issues.

To send feedback, do either of the following:

- Access the feedback form at <https://www.extremenetworks.com/documentation-feedback/>.
- Email us at documentation@extremenetworks.com.

Provide the publication title, part number, and as much detail as possible, including the topic heading and page number if applicable, as well as your suggestions for improvement.



VOSS Features A to C

Table 1: Access Control Entry product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Platform specific considerations for ACL and ACE behavior are documented in ACL Filters Behavior Differences, which is in VOSS User Guide .		
QoS Access Control Entries (ACE)	VSP 4450 Series	VSP 4000 4.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VSP 8200 4.0
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 6.2
	XA1400 Series	VOSS 8.0.50
Security ACEs	VSP 4450 Series	VSP 4000 4.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VSP 8200 4.0
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	VOSS 8.0.50
Filter enhancement - Apply ACE to Routed Packets only	VSP 4450 Series	VOSS 8.4
	VSP 4900 Series	VOSS 8.4
	VSP 7200 Series	VOSS 8.4
	VSP 7400 Series	VOSS 8.4
	VSP 8200 Series	VOSS 8.4
	VSP 8400 Series	VOSS 8.4
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported

Table 1: Access Control Entry product support (continued)

Feature	Product	Release introduced
Policy Based Routing (redirect-next-hop)	VSP 4450 Series	VSP 4450 3.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VSP 8200 4.0
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	VOSS 8.0.50
Policy Based Routing (redirect-next-hop) with VRF support	VSP 4450 Series	VOSS 6.1
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 6.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 6.1
	VSP 8400 Series	VOSS 6.1
	VSP 8600 Series	VSP 8600 8.0 demonstration feature
	XA1400 Series	Not Supported

Table 2: Access Control List product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Platform specific considerations for ACL and ACE behavior are documented in ACL Filters Behavior Differences, which is in VOSS User Guide .		
Access Control List (ACL)-based filtering, including egress ACLs, ingress ACLs, Layer 2 to Layer 4 filtering, port-based, and VLAN-based	VSP 4450 Series	VSP 4000 4.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VSP 8200 4.0
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	VOSS 8.0.50

Table 2: Access Control List product support (continued)

Feature	Product	Release introduced
InVSN Filter	VSP 4450 Series	VOSS 7.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 7.0
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 7.0
	VSP 8400 Series	VOSS 7.0
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported
IPv6 ingress filters	VSP 4450 Series	VOSS 4.1
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 4.1
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 6.2
	XA1400 Series	Not Supported
IPv6 egress filters	VSP 4450 Series	VOSS 7.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 7.0
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 7.0
	VSP 8400 Series	VOSS 7.0
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported

Table 2: Access Control List product support (continued)

Feature	Product	Release introduced
IPv6 ACL DSCP Remarking	VSP 4450 Series	Not Supported
	VSP 4900 Series	VOSS 8.5
	VSP 7200 Series	Not Supported
	VSP 7400 Series	VOSS 8.5
	VSP 8200 Series	Not Supported
	VSP 8400 Series	VOSS 8.5 Switch model: VSP 8404C
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported

Table 3: Address Resolution Protocol product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Address Resolution Protocol (ARP) including Proxy ARP and Static ARP	VSP 4450 Series	VSP 4000 4.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VSP 8200 4.0
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	VOSS 8.0.50
Gratuitous ARP filtering	VSP 4450 Series	VOSS 4.2
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 4.2
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	VOSS 8.0.50

Table 4: Advanced Feature Bandwidth Reservation product support

Feature	Product	Release introduced
---------	---------	--------------------

Table 4: Advanced Feature Bandwidth Reservation product support (continued)

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Advanced Feature Bandwidth Reservation Note: If your switch does not have this boot flag, it is because the hardware reserves the bandwidth automatically with no user interaction.	VSP 4450 Series	Not Supported
	VSP 4900 Series	Not Supported
	VSP 7200 Series	Not Supported
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	Not Supported
	VSP 8400 Series	Not Supported
	VSP 8600 Series	Not Supported
	XA1400 Series	VOSS 8.0.50 XA1480 only- demonstration feature

Table 5: Alternative routes product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Alternative routes for IPv4	VSP 4450 Series	VSP 4000 4.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VSP 8200 4.0
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	VOSS 8.0.50
Alternative routes for IPv6	VSP 4450 Series	VOSS 5.1
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 5.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 5.1
	VSP 8400 Series	VOSS 5.1
	VSP 8600 Series	VSP 8600 6.2
	XA1400 Series	Not Supported

Table 6: Application Telemetry product support

Feature	Product	Release introduced
---------	---------	--------------------

Table 6: Application Telemetry product support (continued)

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Application Telemetry	VSP 4450 Series	VOSS 7.1
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 7.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 7.1
	VSP 8400 Series	VOSS 7.1
	VSP 8600 Series	VSP 8600 6.2
	XA1400 Series	Not Supported
Application Telemetry Host Monitoring	VSP 4450 Series	VOSS 8.0.5
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 8.0.5
	VSP 7400 Series	VOSS 8.0.5
	VSP 8200 Series	VOSS 8.0.5
	VSP 8400 Series	VOSS 8.0.5
	VSP 8600 Series	VSP 8600 8.0
	XA1400 Series	Not Supported

Table 7: Authentication for Privileged EXEC Mode product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Authentication for Privileged EXEC CLI Command Mode	VSP 4450 Series	VOSS 8.2
	VSP 4900 Series	VOSS 8.2
	VSP 7200 Series	VOSS 8.2
	VSP 7400 Series	VOSS 8.2
	VSP 8200 Series	VOSS 8.2
	VSP 8400 Series	VOSS 8.2
	VSP 8600 Series	VSP 8600 8.0
	XA1400 Series	VOSS 8.2

Table 8: Auto-Negotiation product support

Feature	Product	Release introduced
---------	---------	--------------------

Table 8: Auto-Negotiation product support (continued)

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Auto-Negotiation	VSP 4450 Series	VSP 4000 4.0
	VSP 4900 Series	VOSS 8.1 Switch models: <ul style="list-style-type: none"> VSP4900-24S and VSP4900-48P - all fixed ports VSP4900-12MXU-12XE - all fixed ports, with ports 13 to 24 at 1 Gbps only VSP4900-24XE - all fixed ports at 1 Gbps only VIM5-4XE at 1 Gbps only and VIM5-4YE at 25 Gbps only
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VSP 8200 4.0
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	VOSS 8.0.50

Table 9: Auto-sense product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Auto-sense	VSP 4450 Series	VOSS 8.3
	VSP 4900 Series	VOSS 8.3
	VSP 7200 Series	VOSS 8.3
	VSP 7400 Series	VOSS 8.3
	VSP 8200 Series	VOSS 8.3
	VSP 8400 Series	VOSS 8.3
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported

Table 9: Auto-sense product support (continued)

Feature	Product	Release introduced
Auto-sense ports can apply Fabric Attach (FA)-specific configuration	VSP 4450 Series	VOSS 8.4.2
	VSP 4900 Series	VOSS 8.4.2
	VSP 7200 Series	VOSS 8.4.2
	VSP 7400 Series	VOSS 8.4.2
	VSP 8200 Series	VOSS 8.4.2
	VSP 8400 Series	VOSS 8.4.2
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported

Table 10: Bidirectional Forwarding Detection (BFD) product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
BFD (IPv4)	VSP 4450 Series	VOSS 8.1
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 8.1
	VSP 7400 Series	VOSS 8.1
	VSP 8200 Series	VOSS 8.1
	VSP 8400 Series	VOSS 8.1
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported
BFD (IPv6)	VSP 4450 Series	VOSS 8.1 demonstration feature
	VSP 4900 Series	VOSS 8.1 demonstration feature
	VSP 7200 Series	VOSS 8.1 demonstration feature
	VSP 7400 Series	VOSS 8.1 demonstration feature
	VSP 8200 Series	VOSS 8.1 demonstration feature
	VSP 8400 Series	VOSS 8.1 demonstration feature
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported

Table 10: Bidirectional Forwarding Detection (BFD) product support (continued)

Feature	Product	Release introduced
BFD over Fabric Extend Tunnels (IPv4)	VSP 4450 Series	Not Supported
	VSP 4900 Series	VOSS 8.2
	VSP 7200 Series	VOSS 8.2
	VSP 7400 Series	VOSS 8.2
	VSP 8200 Series	VOSS 8.2
	VSP 8400 Series	VOSS 8.2
	VSP 8600 Series	Not supported
	XA1400 Series	VOSS 8.2

Table 11: Border Gateway Protocol product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Border Gateway Protocol for IPv4 (BGPv4)	VSP 4450 Series	VSP 4000 4.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 4.1
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	VOSS 8.0.50
BGP+ (BGPv4 for IPv6).	VSP 4450 Series	VOSS 5.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 5.0
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 5.0
	VSP 8400 Series	VOSS 5.0
	VSP 8600 Series	VSP 8600 6.2
	XA1400 Series	Not Supported

Table 11: Border Gateway Protocol product support (continued)

Feature	Product	Release introduced
BGPv6	VSP 4450 Series	VOSS 7.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 7.0
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 7.0
	VSP 8400 Series	VOSS 7.0
	VSP 8600 Series	VSP 8600 8.0
	XA1400 Series	Not Supported
External BGP (eBGP)	VSP 4450 Series	VSP 4000 4.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 4.1
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	VOSS 8.0.50
Internal BPG (iBGP)	VSP 4450 Series	VOSS 4.2
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 4.2
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	VOSS 8.0.50
Route metric for BGP route redistribution	VSP 4450 Series	VOSS 6.1
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 6.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 6.1
	VSP 8400 Series	VOSS 6.1
	VSP 8600 Series	VSP 8600 8.0
	XA1400 Series	VOSS 8.0.50

Table 11: Border Gateway Protocol product support (continued)

Feature	Product	Release introduced
iBGP over user-created VRFs	VSP 4450 Series	VOSS 8.1
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 8.1
	VSP 7400 Series	VOSS 8.1
	VSP 8200 Series	VOSS 8.1
	VSP 8400 Series	VOSS 8.1
	VSP 8600 Series	VSP 8600 8.0 - demonstration feature
	XA1400 Series	Not Supported

Table 12: Bridge Protocol Data Unit (BPDU) Guard product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Bridge Protocol Data Unit (BPDU) Guard	VSP 4450 Series	VOSS 6.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 6.0
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 6.0
	VSP 8400 Series	VOSS 6.0
	VSP 8600 Series	VSP 8600 6.2
	XA1400 Series	Not Supported

Table 13: Certificate order priority product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Certificate order priority Note:	VSP 4450 Series	VOSS 5.1.2
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 5.1.2
	VSP 7400 Series	VOSS 8.0

Table 13: Certificate order priority product support (continued)

Feature	Product	Release introduced
VOSS Releases 6.0 and 6.0.1 do not support this feature.	VSP 8200 Series	VOSS 5.1.2
	VSP 8400 Series	VOSS 5.1.2
	VSP 8600 Series	Not Supported
	XA1400 Series	VOSS 8.0.50

Table 14: Channelization product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Channelization of 40 Gbps ports	VSP 4450 Series	Not Applicable
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0 VSP 7432CQ only
	VSP 8200 Series	VOSS 4.2
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 6.1
	XA1400 Series	Not Applicable
Channelization of 100 Gbps ports	VSP 4450 Series	Not Applicable
	VSP 4900 Series	Not Applicable
	VSP 7200 Series	Not Applicable
	VSP 7400 Series	VOSS 8.0 VSP 7432CQ only
	VSP 8200 Series	Not Applicable
	VSP 8400 Series	Not Supported
	VSP 8600 Series	VSP 8600 6.2
	XA1400 Series	Not Applicable

Table 15: Client and Server product support

Feature	Product	Release introduced	Release deprecated
---------	---------	--------------------	--------------------

Table 15: Client and Server product support (continued)

Feature	Product	Release introduced	Release deprecated
For configuration details, see VOSS User Guide .			
File Transfer Protocol (FTP) server and client (IPv4)	VSP 4450 Series	VSP 4000 4.0	Not Applicable
	VSP 4900 Series	VOSS 8.1	Not Applicable
	VSP 7200 Series	VOSS 4.2.1	Not Applicable
	VSP 7400 Series	VOSS 8.0	Not Applicable
	VSP 8200 Series	VSP 8200 4.0	Not Applicable
	VSP 8400 Series	VOSS 4.2	Not Applicable
	VSP 8600 Series	VSP 8600 4.5	Not Applicable
	XA1400 Series	VOSS 8.0.50	Not Applicable
File Transfer Protocol (FTP) server and client (IPv6)	VSP 4450 Series	VOSS 4.1	Not Applicable
	VSP 4900 Series	VOSS 8.1	Not Applicable
	VSP 7200 Series	VOSS 4.2.1	Not Applicable
	VSP 7400 Series	VOSS 8.0	Not Applicable
	VSP 8200 Series	VOSS 4.1	Not Applicable
	VSP 8400 Series	VOSS 4.2	Not Applicable
	VSP 8600 Series	VSP 8600 6.2	Not Applicable
	XA1400 Series	Not Supported	Not Applicable
Hypertext Transfer Protocol (HTTP) and Hypertext Transfer Protocol Secure (HTTPS) (IPv4)	VSP 4450 Series	VOSS 4.1	Not Applicable
	VSP 4900 Series	VOSS 8.1	Not Applicable
	VSP 7200 Series	VOSS 4.2.1	Not Applicable
	VSP 7400 Series	VOSS 8.0	Not Applicable
	VSP 8200 Series	VSP 8200 4.0	Not Applicable
	VSP 8400 Series	VOSS 4.2	Not Applicable
	VSP 8600 Series	VSP 8600 4.5	Not Applicable
	XA1400 Series	VOSS 8.0.50	Not Applicable
Hypertext Transfer Protocol (HTTP) and Hypertext Transfer Protocol Secure (HTTPS) (IPv6)	VSP 4450 Series	VOSS 4.1	Not Applicable
	VSP 4900 Series	VOSS 8.1	Not Applicable
	VSP 7200 Series	VOSS 4.2.1	Not Applicable
	VSP 7400 Series	VOSS 8.0	Not Applicable
	VSP 8200 Series	VOSS 4.1	Not Applicable
	VSP 8400 Series	VOSS 4.2	Not Applicable
	VSP 8600 Series	VSP 8600 6.2	Not Applicable
	XA1400 Series	Not Supported	Not Applicable

Table 15: Client and Server product support (continued)

Feature	Product	Release introduced	Release deprecated
Remote Login (Rlogin) server/client (IPv4)	VSP 4450 Series	VSP 4000 4.0	VOSS 8.2
	VSP 4900 Series	VOSS 8.1	VOSS 8.2
	VSP 7200 Series	VOSS 4.2.1	VOSS 8.2
	VSP 7400 Series	VOSS 8.0	VOSS 8.2
	VSP 8200 Series	VSP 8200 4.0	VOSS 8.2
	VSP 8400 Series	VOSS 4.2	VOSS 8.2
	VSP 8600 Series	VSP 8600 4.5	Not Applicable
	XA1400 Series	VOSS 8.0.50	VOSS 8.2
Rlogin server (IPv6)	VSP 4450 Series	VOSS 4.1	VOSS 8.2
	VSP 4900 Series	VOSS 8.1	VOSS 8.2
	VSP 7200 Series	VOSS 4.2.1	VOSS 8.2
	VSP 7400 Series	VOSS 8.0	VOSS 8.2
	VSP 8200 Series	VOSS 4.1	VOSS 8.2
	VSP 8400 Series	VOSS 4.2	VOSS 8.2
	VSP 8600 Series	VSP 8600 6.2	Not Applicable
	XA1400 Series	Not Supported	VOSS 8.2
Rlogin client (IPv6)	VSP 4450 Series	VOSS 7.0	VOSS 8.2
	VSP 4900 Series	VOSS 8.1	VOSS 8.2
	VSP 7200 Series	VOSS 7.0	VOSS 8.2
	VSP 7400 Series	VOSS 8.0	VOSS 8.2
	VSP 8200 Series	VOSS 7.0	VOSS 8.2
	VSP 8400 Series	VOSS 7.0	VOSS 8.2
	VSP 8600 Series	VSP 8600 8.0	Not Applicable
	XA1400 Series	Not Supported	VOSS 8.2
Remote Shell (RSH) server/client	VSP 4450 Series	VSP 4000 4.0	VOSS 8.2
	VSP 4900 Series	VOSS 8.1	VOSS 8.2
	VSP 7200 Series	VOSS 4.2.1	VOSS 8.2
	VSP 7400 Series	VOSS 8.0	VOSS 8.2
	VSP 8200 Series	VSP 8200 4.0	VOSS 8.2
	VSP 8400 Series	VOSS 4.2	VOSS 8.2
	VSP 8600 Series	VSP 8600 4.5	Not Applicable
	XA1400 Series	VOSS 8.0.50	VOSS 8.2

Table 15: Client and Server product support (continued)

Feature	Product	Release introduced	Release deprecated
Secure Copy (SCP) Note: The switch does not support the WinSCP client.	VSP 4450 Series	VSP 4000 4.0	Not Applicable
	VSP 4900 Series	VOSS 8.1	Not Applicable
	VSP 7200 Series	VOSS 5.0	Not Applicable
	VSP 7400 Series	VOSS 8.0	Not Applicable
	VSP 8200 Series	VSP 8200 4.0	Not Applicable
	VSP 8400 Series	VOSS 5.0	Not Applicable
	VSP 8600 Series	VSP 8600 4.5	Not Applicable
	XA1400 Series	VOSS 8.0.50	Not Applicable
Secure File Transfer Protocol (SFTP) server (IPv4)	VSP 4450 Series	VOSS 4.2	Not Applicable
	VSP 4900 Series	VOSS 8.1	Not Applicable
	VSP 7200 Series	VOSS 4.2.1	Not Applicable
	VSP 7400 Series	VOSS 8.0	Not Applicable
	VSP 8200 Series	VOSS 4.2	Not Applicable
	VSP 8400 Series	VOSS 4.2	Not Applicable
	VSP 8600 Series	VSP 8600 4.5	Not Applicable
	XA1400 Series	VOSS 8.0.50	Not Applicable
Secure File Transfer Protocol (SFTP) server (IPv6)	VSP 4450 Series	VOSS 4.2	Not Applicable
	VSP 4900 Series	VOSS 8.1	Not Applicable
	VSP 7200 Series	VOSS 4.2.1	Not Applicable
	VSP 7400 Series	VOSS 8.0	Not Applicable
	VSP 8200 Series	VOSS 4.2	Not Applicable
	VSP 8400 Series	VOSS 4.2	Not Applicable
	VSP 8600 Series	VSP 8600 6.2	Not Applicable
	XA1400 Series	Not Supported	Not Applicable
Telnet server and client (IPv4)	VSP 4450 Series	VSP 4000 4.0	Not Applicable
	VSP 4900 Series	VOSS 8.1	Not Applicable
	VSP 7200 Series	VOSS 4.2.1	Not Applicable
	VSP 7400 Series	VOSS 8.0	Not Applicable
	VSP 8200 Series	VSP 8200 4.0	Not Applicable
	VSP 8400 Series	VOSS 4.2	Not Applicable
	VSP 8600 Series	VSP 8600 4.5	Not Applicable
	XA1400 Series	VOSS 8.0.50	Not Applicable

Table 15: Client and Server product support (continued)

Feature	Product	Release introduced	Release deprecated
Telnet server and client (IPv6)	VSP 4450 Series	VOSS 4.1	Not Applicable
	VSP 4900 Series	VOSS 8.1	Not Applicable
	VSP 7200 Series	VOSS 4.2.1	Not Applicable
	VSP 7400 Series	VOSS 8.0	Not Applicable
	VSP 8200 Series	VOSS 4.1	Not Applicable
	VSP 8400 Series	VOSS 4.2	Not Applicable
	VSP 8600 Series	VSP 8600 6.2	Not Applicable
	XA1400 Series	Not Supported	Not Applicable
Trivial File Transfer Protocol (TFTP) server and client (IPv4)	VSP 4450 Series	VSP 4000 4.0	Not Applicable
	VSP 4900 Series	VOSS 8.1	Not Applicable
	VSP 7200 Series	VOSS 4.2.1	Not Applicable
	VSP 7400 Series	VOSS 8.0	Not Applicable
	VSP 8200 Series	VSP 8200 4.0	Not Applicable
	VSP 8400 Series	VOSS 4.2	Not Applicable
	VSP 8600 Series	VSP 8600 4.5	Not Applicable
	XA1400 Series	VOSS 8.0.50	Not Applicable
TFTP server (IPv6)	VSP 4450 Series	VOSS 4.1	Not Applicable
	VSP 4900 Series	VOSS 8.1	Not Applicable
	VSP 7200 Series	VOSS 4.2.1	Not Applicable
	VSP 7400 Series	VOSS 8.0	Not Applicable
	VSP 8200 Series	VOSS 4.1	Not Applicable
	VSP 8400 Series	VOSS 4.2	Not Applicable
	VSP 8600 Series	VSP 8600 6.2	Not Applicable
	XA1400 Series	Not Supported	Not Applicable

Table 15: Client and Server product support (continued)

Feature	Product	Release introduced	Release deprecated
TFTP client (IPv6)	VSP 4450 Series	VOSS 7.0	Not Applicable
	VSP 4900 Series	VOSS 8.1	Not Applicable
	VSP 7200 Series	VOSS 7.0	Not Applicable
	VSP 7400 Series	VOSS 8.0	Not Applicable
	VSP 8200 Series	VOSS 7.0	Not Applicable
	VSP 8400 Series	VOSS 7.0	Not Applicable
	VSP 8600 Series	VSP 8600 8.0	Not Applicable
	XA1400 Series	Not Supported	Not Applicable

Table 16: Command Line Interface product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Command Line Interface (CLI)	VSP 4450 Series	VSP 4000 4.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VSP 4200 4.0
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	VOSS 8.0.50

Table 17: Connectivity Fault Management product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
IEEE 802.1ag Connectivity Fault Management (CFM): <ul style="list-style-type: none"> • Layer 2 Ping • TraceRoute • TraceTree 	VSP 4450 Series	VSP 4000 4.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VSP 8200 4.0
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	VOSS 8.0.50 Layer 2 Ping only

Table 17: Connectivity Fault Management product support (continued)

Feature	Product	Release introduced
CFM configuration on C-VLANs	VSP 4450 Series	VSP 4000 4.0
	VSP 4900 Series	Not Supported
	VSP 7200 Series	Not Supported
	VSP 7400 Series	Not Supported
	VSP 8200 Series	Not Supported
	VSP 8400 Series	Not Supported
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported

Table 18: Custom Logon Banner product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Custom logon banner	VSP 4450 Series	VSP 4000 4.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VSP 8200 4.0
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 4.5 Note: Configurable using CLI only.
	XA1400 Series	VOSS 8.0.50



VOSS Features D to F

Table 19: Denial-of-service attack prevention product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Directed Broadcast	VSP 4450 Series	VOSS 5.1.1
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 5.1.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 5.1.1
	VSP 8400 Series	VOSS 5.1.1
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported
High Secure mode (hsecure boot configuration flag)	VSP 4450 Series	VSP 4450 4.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VSP 8200 4.0
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	VOSS 8.0.50

Table 20: DHCPv6 Guard product support

Feature	Product	Release introduced
---------	---------	--------------------

Table 20: DHCPv6 Guard product support (continued)

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
DHCPv6 Guard	VSP 4450 Series	VOSS 5.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 5.0
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 5.0
	VSP 8400 Series	VOSS 5.0
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported

Table 21: Differentiated Services product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Differentiated Services (DiffServ) including Per-Hop Behavior	VSP 4450 Series	VSP 4000 4.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VSP 8200 4.0
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	VOSS 8.0.50

Table 22: Digital Certificate/PKI product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Digital Certificate/PKI Note: VOSS Releases 6.0 and 6.0.1 do not support this feature.	VSP 4450 Series	VOSS 5.1.2
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 5.1.2
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 5.1.2
	VSP 8400 Series	VOSS 5.1.2
	VSP 8600 Series	VSP 8600 6.1
	XA1400 Series	VOSS 8.0.50

Table 22: Digital Certificate/PKI product support (continued)

Feature	Product	Release introduced
Subject alternative name	VSP 4450 Series	VOSS 7.1.3
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 7.1.3
	VSP 7400 Series	VOSS 8.0.6
	VSP 8200 Series	VOSS 7.1.3
	VSP 8400 Series	VOSS 7.1.3
	VSP 8600 Series	Not Supported
	XA1400 Series	VOSS 8.1
Certificate fingerprint validation	VSP 4450 Series	VOSS 8.3
	VSP 4900 Series	VOSS 8.3
	VSP 7200 Series	VOSS 8.3
	VSP 7400 Series	VOSS 8.3
	VSP 8200 Series	VOSS 8.3
	VSP 8400 Series	VOSS 8.3
	VSP 8600 Series	Not Supported
	XA1400 Series	VOSS 8.3
Multiple CA Trustpoints and multiple Certificate Identities	VSP 4450 Series	VOSS 8.5
	VSP 4900 Series	VOSS 8.5
	VSP 7200 Series	VOSS 8.5
	VSP 7400 Series	VOSS 8.5
	VSP 8200 Series	VOSS 8.5
	VSP 8400 Series	VOSS 8.5
	VSP 8600 Series	Not Supported
	XA1400 Series	VOSS 8.5

Table 23: Distributed Virtual Routing Controller product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
DvR Controller Important: Because of a change in VOSS 6.0.1.2, the best practice is to use	VSP 4450 Series	Not Supported
	VSP 4900 Series	VOSS 8.1.5 VSP4900-12MXU-12XE, VSP4900-24S, and VSP4900-24XE only
	VSP 7200 Series	VOSS 6.0.1

Table 23: Distributed Virtual Routing Controller product support (continued)

Feature	Product	Release introduced
a minimum software version of 6.0.1.2 in DvR deployments.	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 6.0.1
	VSP 8400 Series	VOSS 6.0.1
	VSP 8600 Series	VSP 8600 8.0
	XA1400 Series	Not Supported
dvr-one-ip	VSP 4450 Series	Not Supported
	VSP 4900 Series	VOSS 8.3
	VSP 7200 Series	VOSS 8.3
	VSP 7400 Series	VOSS 8.3
	VSP 8200 Series	VOSS 8.3
	VSP 8400 Series	VOSS 8.3
	VSP 8600 Series	VSP 8600 8.0
	XA1400 Series	Not Supported
DvR In-band Management	VSP 4450 Series	Not Supported
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 6.0.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 6.0.1
	VSP 8400 Series	VOSS 6.0.1
	VSP 8600 Series	Not supported
	XA1400 Series	Not Supported

Table 24: Distributed Virtual Routing Leaf product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
DvR Leaf Important: Because of a change in VOSS 6.0.1.2, the best practice is to use a minimum software version of 6.0.1.2 in DvR deployments.	VSP 4450 Series	VOSS 6.1
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 6.0.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 6.0.1
	VSP 8400 Series	VOSS 6.0.1
	VSP 8600 Series	Not supported
	XA1400 Series	Not Supported

Table 24: Distributed Virtual Routing Leaf product support (continued)

Feature	Product	Release introduced
DvR In-band Management	VSP 4450 Series	VOSS 6.1
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 6.0.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 6.0.1
	VSP 8400 Series	VOSS 6.0.1
	VSP 8600 Series	Not supported
	XA1400 Series	Not Supported
Management I-SID Assignment to DvR Leaf	VSP 4450 Series	VOSS 8.5
	VSP 4900 Series	VOSS 8.5
	VSP 7200 Series	VOSS 8.5
	VSP 7400 Series	VOSS 8.5
	VSP 8200 Series	VOSS 8.5
	VSP 8400 Series	VOSS 8.5
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported

Table 25: Domain Name Service product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Domain Name Service (DNS) client (IPv4)	VSP 4450 Series	VSP 4000 4.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VSP 8200 4.0
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	VOSS 8.0.50

Table 25: Domain Name Service product support (continued)

Feature	Product	Release introduced
DNS client (IPv6)	VSP 4450 Series	VOSS 4.1
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 4.1
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 6.2
	XA1400 Series	Not Supported

Table 26: Dynamic ARP Inspection (DAI) product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Dynamic ARP Inspection (DAI)	VSP 4450 Series	VOSS 6.1
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 6.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 6.1
	VSP 8400 Series	VOSS 6.1
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported

Table 27: Dynamic Host Configuration Protocol product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Dynamic Host Configuration Protocol (DHCP) Relay	VSP 4450 Series	VSP 4000 4.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VSP 8200 4.0
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	VOSS 8.0.50

Table 27: Dynamic Host Configuration Protocol product support (continued)

Feature	Product	Release introduced
DHCP Option 82	VSP 4450 Series	VSP 4000 4.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VSP 8200 4.0
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	VOSS 8.0.50

Table 28: Dynamic Host Configuration Protocol Relay for IPv6 product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
IPv6 DHCP Relay	VSP 4450 Series	VOSS 4.1
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 4.1
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 6.2
	XA1400 Series	Not Supported

Table 29: Dynamic Host Configuration Protocol Snooping and Neighbor Discovery Inspection product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
DHCP Snooping(IPv4)	VSP 4450 Series	VOSS 6.1
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 6.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 6.1
	VSP 8400 Series	VOSS 6.1
	VSP 8600 Series	Not Supported
	XA1400 Series	VOSS 8.0.50

Table 29: Dynamic Host Configuration Protocol Snooping and Neighbor Discovery Inspection product support (continued)

Feature	Product	Release introduced
DHCP Snooping (IPv6)	VSP 4450 Series	VOSS 5.1
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 5.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 5.1
	VSP 8400 Series	VOSS 5.1
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported
Neighbor Discovery Inspection (IPv6)	VSP 4450 Series	VOSS 5.1
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 5.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 5.1
	VSP 8400 Series	VOSS 5.1
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported

Table 30: Dynamic Nickname Assignment product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Dynamic Nickname Assignment	VSP 4450 Series	VOSS 7.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 7.0
	VSP 7400 Series	VOSS 8.0.5
	VSP 8200 Series	VOSS 7.0
	VSP 8400 Series	VOSS 7.0
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported

Table 30: Dynamic Nickname Assignment product support (continued)

Feature	Product	Release introduced
Extends the assignment behavior with a <i>prefix</i> parameter	VSP 4450 Series	VOSS 8.3
	VSP 4900 Series	VOSS 8.3
	VSP 7200 Series	VOSS 8.3
	VSP 7400 Series	VOSS 8.3
	VSP 8200 Series	VOSS 8.3
	VSP 8400 Series	VOSS 8.3
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported

Table 31: Egress Tunnel Shaping product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Egress Tunnel Shaping	VSP 4450 Series	Not Supported
	VSP 4900 Series	Not Supported
	VSP 7200 Series	Not Supported
	VSP 7400 Series	Not Supported
	VSP 8200 Series	Not Supported
	VSP 8400 Series	Not Supported
	VSP 8600 Series	Not Supported
	XA1400 Series	VOSS 8.1
Egress Shaper for Fabric Extend tunnels on Fabric IPsec Gateway virtual machine	VSP 4450 Series	Not Supported
	VSP 4900 Series	VOSS 8.3.1
	VSP 7200 Series	Not Supported
	VSP 7400 Series	VOSS 8.3.1
	VSP 8200 Series	Not Supported
	VSP 8400 Series	Not Supported
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported

Table 32: Endpoint Tracking product support

Feature	Product	Release introduced
---------	---------	--------------------

Table 32: Endpoint Tracking product support (continued)

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Endpoint Tracking	VSP 4450 Series	Not Supported
	VSP 4900 Series	Not Supported
	VSP 7200 Series	VOSS 8.1.1
	VSP 7400 Series	VOSS 8.1.1
	VSP 8200 Series	VOSS 8.1.1
	VSP 8400 Series	VOSS 8.1.1
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported

Table 33: Energy Efficient Ethernet product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Energy Efficient Ethernet (EEE)	VSP 4450 Series	Not Supported
	VSP 4900 Series	VOSS 8.1 All fixed ports on VSP4900-48P and ports 1/1-1/12 on VSP4900-12MXU-12XE
	VSP 7200 Series	Not Supported
	VSP 7400 Series	Not Supported
	VSP 8200 Series	Not Supported
	VSP 8400 Series	VOSS 8.1 8424GT ESM only
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported

Table 34: Energy Saver product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Energy Saver	VSP 4450 Series	VOSS 7.0
	VSP 4900 Series	VOSS 8.1 VSP4900-48P and ports 1/1 to 1/12 on VSP4900-12MXU-12XE only
	VSP 7200 Series	VOSS 7.0

Table 34: Energy Saver product support (continued)

Feature	Product	Release introduced
		VSP 7254XTQ only
	VSP 7400 Series	Not Supported
	VSP 8200 Series	Not Supported
	VSP 8400 Series	VOSS 7.0
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported

Table 35: Enhanced Secure Mode product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Enhanced Secure mode	VSP 4450 Series	VOSS 4.2
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 4.2
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	VOSS 8.0.50
Enhanced Secure mode for JITC and non-JITC sub-modes.	VSP 4450 Series	VOSS 5.1
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 5.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 5.1
	VSP 8400 Series	VOSS 5.1
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	Not Supported

Table 35: Enhanced Secure Mode product support (continued)

Feature	Product	Release introduced
Enhanced Secure mode - sensitive file protection	VSP 4450 Series	VOSS 8.5
	VSP 4900 Series	VOSS 8.5
	VSP 7200 Series	VOSS 8.5
	VSP 7400 Series	VOSS 8.5
	VSP 8200 Series	VOSS 8.5
	VSP 8400 Series	VOSS 8.5
	VSP 8600 Series	Not supported
	XA1400 Series	VOSS 8.5

Table 36: Enterprise Device Manager product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Enterprise Device Manager (EDM)	VSP 4450 Series	VSP 4000 4.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VSP 8200 4.0
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	VOSS 8.0.50
Read-Only user for EDM	VSP 4450 Series	VOSS 7.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 7.0
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 7.0
	VSP 8400 Series	VOSS 7.0
	VSP 8600 Series	VSP 8600 8.0 demo feature
	XA1400 Series	VOSS 8.0.50

Table 37: Entity MIB product support

Feature	Product	Release introduced
---------	---------	--------------------

Table 37: Entity MIB product support (continued)

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Entity MIB - Physical Table	VSP 4450 Series	VOSS 6.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 6.0
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 6.0
	VSP 8400 Series	VOSS 6.0
	VSP 8600 Series	VSP 8600 6.1
	XA1400 Series	VOSS 8.0.50
Entity MIB enhancements and integration for the following: <ul style="list-style-type: none"> Physical Table Alias Mapping Table Physical Contains Table Last Change Time object 	VSP 4450 Series	VOSS 6.1.2
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 6.1.2
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 6.1.2
	VSP 8400 Series	VOSS 6.1.2
	VSP 8600 Series	VSP 8600 6.1
	XA1400 Series	VOSS 8.0.50
Entity MIB - Logical Table includes the following logical interface entities: <ul style="list-style-type: none"> VLANs MLTs Circuitless IP (CLIP) Fabric Extend interfaces (logical layer 2 and layer 3 IS-IS interfaces) 	VSP 4450 Series	VOSS 8.4
	VSP 4900 Series	VOSS 8.4
	VSP 7200 Series	VOSS 8.4
	VSP 7400 Series	VOSS 8.4
	VSP 8200 Series	VOSS 8.4
	VSP 8400 Series	VOSS 8.4
	VSP 8600 Series	Not supported
	XA1400 Series	VOSS 8.4

Table 38: Equal Cost Multiple Path for IPv4 product support

Feature	Product	Release introduced
---------	---------	--------------------

Table 38: Equal Cost Multiple Path for IPv4 product support (continued)

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Equal Cost Multiple Path (ECMP) for IPv4	VSP 4450 Series	VSP 4000 4.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VSP 8200 4.0
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	VOSS 8.0.50

Table 39: Equal Cost Multiple Path for IPv6 product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
ECMP for IPv6	VSP 4450 Series	VOSS 5.1
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 5.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 5.1
	VSP 8400 Series	VOSS 5.1
	VSP 8600 Series	VSP 8600 6.2
	XA1400 Series	Not Supported

Table 40: ECMP Pathlist with Fabric Connect product support

Feature	Product	Release introduced
---------	---------	--------------------

Table 40: ECMP Pathlist with Fabric Connect product support (continued)

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
ECMP Pathlist with Fabric Connect (IS-IS routes)	VSP 4450 Series	VOSS 8.1.5
	VSP 4900 Series	VOSS 8.1.5
	VSP 7200 Series	VOSS 8.1.5
	VSP 7400 Series	VOSS 8.1.5
	VSP 8200 Series	VOSS 8.1.5
	VSP 8400 Series	VOSS 8.1.5
	VSP 8600 Series	Not Supported
	XA1400 Series	VOSS 8.1.5

Table 41: E-Tree and Private VLANs product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
E-Tree and private VLANs	VSP 4450 Series	VSP 4000 4.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 4.1
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported
Routing on Private VLANs	VSP 4450 Series	Not Supported
	VSP 4900 Series	VOSS 8.5
	VSP 7200 Series	VOSS 8.5
	VSP 7400 Series	VOSS 8.5
	VSP 8200 Series	VOSS 8.5
	VSP 8400 Series	VOSS 8.5
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported

Table 42: Extensible Authentication Protocol over LAN product support

Feature	Product	Release introduced
---------	---------	--------------------

Table 42: Extensible Authentication Protocol over LAN product support (continued)

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Extensible Authentication Protocol (EAP) and EAP over LAN (EAPoL)	VSP 4450 Series	VOSS 4.1
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 4.1
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported
EAPoL MHMA-MV	VSP 4450 Series	VOSS 5.1
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 5.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 5.1
	VSP 8400 Series	VOSS 5.1
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported
EAPoL enhancements: Enhanced MHMV, Fail Open VLAN, Guest VLAN	VSP 4450 Series	VOSS 6.1
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 6.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 6.1
	VSP 8400 Series	VOSS 6.1
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported
EAP enhancements: EAP on Flex UNI ports, Auto-sense ports, auto-isid-offset	VSP 4450 Series	Not Supported
	VSP 4900 Series	VOSS 8.3
	VSP 7200 Series	VOSS 8.3
	VSP 7400 Series	VOSS 8.3
	VSP 8200 Series	VOSS 8.3
	VSP 8400 Series	VOSS 8.3
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported

Table 42: Extensible Authentication Protocol over LAN product support (continued)

Feature	Product	Release introduced
EAP enhancements: Wake on LAN, Guest I-SID, Fail Open I-SID	VSP 4450 Series	VOSS 8.3
	VSP 4900 Series	VOSS 8.3
	VSP 7200 Series	VOSS 8.3
	VSP 7400 Series	VOSS 8.3
	VSP 8200 Series	VOSS 8.3
	VSP 8400 Series	VOSS 8.3
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported
Non EAPoL MAC RADIUS authentication	VSP 4450 Series	VOSS 4.2.1
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 4.2.1
	VSP 8400 Series	VOSS 4.2.1
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported
QoS Priority Assignment	VSP 4450 Series	VOSS 7.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 7.0
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 7.0
	VSP 8400 Series	VOSS 7.0
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported
RADIUS Dynamic User-Based Policies	VSP 4450 Series	Not Supported
	VSP 4900 Series	VOSS 8.3
	VSP 7200 Series	VOSS 8.3
	VSP 7400 Series	VOSS 8.3
	VSP 8200 Series	VOSS 8.3
	VSP 8400 Series	VOSS 8.3
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported

Table 42: Extensible Authentication Protocol over LAN product support (continued)

Feature	Product	Release introduced
RADIUS Port and VLAN based Attributes	VSP 4450 Series	VOSS 8.4
	VSP 4900 Series	VOSS 8.4
	VSP 7200 Series	VOSS 8.4
	VSP 7400 Series	VOSS 8.4
	VSP 8200 Series	VOSS 8.4
	VSP 8400 Series	VOSS 8.4
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported
Continuity Mode for Fail Open VLAN and Fail Open I-SID	VSP 4450 Series	VOSS 8.6
	VSP 4900 Series	VOSS 8.6
	VSP 7200 Series	VOSS 8.6
	VSP 7400 Series	VOSS 8.6
	VSP 8200 Series	VOSS 8.6
	VSP 8400 Series	VOSS 8.6
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported

Table 43: Extreme Integrated Application Hosting product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Extreme Integrated Application Hosting	VSP 4450 Series	Not Supported
	VSP 4900 Series	VOSS 8.1.5 VSP4900-12MXU-12XE and VSP4900-24XE only
	VSP 7200 Series	Not Supported
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	Not Supported
	VSP 8400 Series	Not Supported
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported

Table 43: Extreme Integrated Application Hosting product support (continued)

Feature	Product	Release introduced
Fabric IPsec Gateway virtual machine	VSP 4450 Series	Not Supported
	VSP 4900 Series	VOSS 8.3
	VSP 7200 Series	Not Supported
	VSP 7400 Series	VOSS 8.2
	VSP 8200 Series	Not Supported
	VSP 8400 Series	Not Supported
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported
Egress Shaper for Fabric Extend tunnels on Fabric IPsec Gateway virtual machine	VSP 4450 Series	Not Supported
	VSP 4900 Series	VOSS 8.3.1
	VSP 7200 Series	Not Supported
	VSP 7400 Series	VOSS 8.3.1
	VSP 8200 Series	Not Supported
	VSP 8400 Series	Not Supported
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported

Table 44: Extreme Management Center or ExtremeCloud IQ - Site Engine backup configuration ZIP file product support

Feature	Product	Release introduced
Extreme Management Center or ExtremeCloud IQ - Site Engine backup configuration ZIP file For more information, see Extreme Management Center or ExtremeCloud IQ - Site Engine documentation.	VSP 4450 Series	VOSS 6.1.2
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 6.1.2
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 6.1.2
	VSP 8400 Series	VOSS 6.1.2
	VSP 8600 Series	VSP 8600 6.1
	XA1400 Series	VOSS 8.0.50

Table 45: Fabric Attach product support

Feature	Product	Release introduced
---------	---------	--------------------

Table 45: Fabric Attach product support (continued)

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Fabric Attach Server	VSP 4450 Series	VOSS 5.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 5.0
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 5.0
	VSP 8400 Series	VOSS 5.0
	VSP 8600 Series	VSP 8600 6.3
	XA1400 Series	Not Supported

Table 46: Fabric Attach Zero Touch Client Attachment product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Fabric Attach Zero Touch Client Attachment	VSP 4450 Series	VOSS 6.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 6.0
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 6.0
	VSP 8400 Series	VOSS 6.0
	VSP 8600 Series	VSP 8600 6.3
	XA1400 Series	Not Supported

Table 47: Fabric Extend product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Fabric Extend *Platforms require an Open Networking Adapter (ONA).	VSP 4450 Series	VOSS 5.0*
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 5.0
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 5.0
	VSP 8400 Series	VOSS 5.0
	VSP 8600 Series	Not Supported
	XA1400 Series	VOSS 8.0.50

Table 47: Fabric Extend product support (continued)

Feature	Product	Release introduced
Fabric Extend over IPsec	VSP 4450 Series	Not Supported
	VSP 4900 Series	VOSS 8.3 through Fabric IPsec Gateway
	VSP 7200 Series	Not Supported
	VSP 7400 Series	VOSS 8.2 through Fabric IPsec Gateway
	VSP 8200 Series	Not Supported
	VSP 8400 Series	Not Supported
	VSP 8600 Series	Not Supported
	XA1400 Series	VOSS 8.0.50
Digital Certificate Authentication for Fabric Extend over IPsec	VSP 4450 Series	Not Supported
	VSP 4900 Series	VOSS 8.3 through Fabric IPsec Gateway
	VSP 7200 Series	Not Supported
	VSP 7400 Series	VOSS 8.3 through Fabric IPsec Gateway
	VSP 8200 Series	Not Supported
	VSP 8400 Series	Not Supported
	VSP 8600 Series	Not Supported
	XA1400 Series	VOSS 8.3
ECMP support for Fabric Extend	VSP 4450 Series	Not Supported
	VSP 4900 Series	Not Supported
	VSP 7200 Series	VOSS 6.0
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 6.0
	VSP 8400 Series	VOSS 6.0
	VSP 8600 Series	Not Supported
	XA1400 Series	VOSS 8.0.50
IPsec compression	VSP 4450 Series	Not Supported
	VSP 4900 Series	Not Supported
	VSP 7200 Series	Not Supported
	VSP 7400 Series	Not Supported
	VSP 8200 Series	Not Supported
	VSP 8400 Series	Not Supported
	VSP 8600 Series	Not Supported
	XA1400 Series	VOSS 8.1.8

Table 47: Fabric Extend product support (continued)

Feature	Product	Release introduced
Ability to adjust the maximum segment size (MSS)	VSP 4450 Series	Not Supported
	VSP 4900 Series	VOSS 8.3.1
	VSP 7200 Series	Not Supported
	VSP 7400 Series	VOSS 8.3.1
	VSP 8200 Series	Not Supported
	VSP 8400 Series	Not Supported
	VSP 8600 Series	Not Supported
	XA1400 Series	VOSS 8.1.8
IS-IS hello padding	VSP 4450 Series	VOSS 8.2.7
	VSP 4900 Series	VOSS 8.2.7
	VSP 7200 Series	VOSS 8.2.7
	VSP 7400 Series	VOSS 8.2.7
	VSP 8200 Series	VOSS 8.2.7
	VSP 8400 Series	VOSS 8.2.7
	VSP 8600 Series	Not Supported
	XA1400 Series	VOSS 8.2.7
IPsec fragmentation before encryption	VSP 4450 Series	Not Supported
	VSP 4900 Series	VOSS 8.3.1 using Fabric IPsec Gateway
	VSP 7200 Series	Not Supported
	VSP 7400 Series	VOSS 8.3.1 using Fabric IPsec Gateway
	VSP 8200 Series	Not Supported
	VSP 8400 Series	Not Supported
	VSP 8600 Series	Not Supported
	XA1400 Series	VOSS 8.2.7

Table 47: Fabric Extend product support (continued)

Feature	Product	Release introduced
Ability to configure a specific IPsec source IP per tunnel	VSP 4450 Series	Not Supported
	VSP 4900 Series	Not Supported
	VSP 7200 Series	Not Supported
	VSP 7400 Series	Not Supported
	VSP 8200 Series	Not Supported
	VSP 8400 Series	Not Supported
	VSP 8600 Series	Not Supported
	XA1400 Series	VOSS 8.3.1

Table 48: Fabric Mode product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Fabric BCB mode	VSP 4450 Series	VSP 4000 4.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VSP 8200 4.0
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	VOSS 8.0.50
Fabric BEB mode	VSP 4450 Series	VSP 4000 4.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VSP 8200 4.0
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 6.1
	XA1400 Series	VOSS 8.0.50

Table 49: Fabric RSPAN product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Fabric RSPAN (Mirror to I-SID)	VSP 4450 Series	VOSS 6.0

Table 49: Fabric RSPAN product support (continued)

Feature	Product	Release introduced
		Flow-based mirroring into single I-SID only
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 6.0
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 6.0
	VSP 8400 Series	VOSS 6.0
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported

Table 50: FDB Protected by Port product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
FDB protected by port (MAC security limit-learning)	VSP 4450 Series	VSP 4000 4.0
	VSP 4900 Series	VOSS 8.3
	VSP 7200 Series	Not Supported
	VSP 7400 Series	Not Supported
	VSP 8200 Series	Not Supported
	VSP 8400 Series	Not Supported
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported

Table 51: Flight Recorder product support

Feature	Product	Release introduced
---------	---------	--------------------

Table 51: Flight Recorder product support (continued)

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Flight Recorder for system health monitoring	VSP 4450 Series	VSP 4000 4.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VSP 8200 4.0
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	VOSS 8.0.50

Table 52: Forward Error Correction product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Forward Error Correction (FEC) (configurable)	VSP 4450 Series	Not Applicable
	VSP 4900 Series	VOSS 8.1 VIM5-4YE at 25 Gbps
	VSP 7200 Series	Not Applicable
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	Not Supported
	VSP 8400 Series	VOSS 8.0
	VSP 8600 Series	VSP 8600 6.2
	XA1400 Series	Not Applicable



VOSS Features G to I

Table 53: High-Availability product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
High Availability-CPU (HA-CPU) for a standalone switch	VSP 4450 Series	Not Applicable
	VSP 4900 Series	Not Applicable
	VSP 7200 Series	Not Applicable
	VSP 7400 Series	Not Applicable
	VSP 8200 Series	Not Applicable
	VSP 8400 Series	Not Applicable
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	Not Applicable
High Availability-CPU (HA-CPU) for Layer 2 with Simplified vIST	VSP 4450 Series	Not Applicable
	VSP 4900 Series	Not Applicable
	VSP 7200 Series	Not Applicable
	VSP 7400 Series	Not Applicable
	VSP 8200 Series	Not Applicable
	VSP 8400 Series	Not Applicable
	VSP 8600 Series	VSP 8600 6.3
	XA1400 Series	Not Applicable

Table 53: High-Availability product support (continued)

Feature	Product	Release introduced
High Availability-CPU (HA-CPU) for Layer 3 with Simplified vIST	VSP 4450 Series	Not Applicable
	VSP 4900 Series	Not Applicable
	VSP 7200 Series	Not Applicable
	VSP 7400 Series	Not Applicable
	VSP 8200 Series	Not Applicable
	VSP 8400 Series	Not Applicable
	VSP 8600 Series	VSP 8600 6.3
	XA1400 Series	Not Applicable

Table 54: IEEE 802.3X Pause Frame Transmit product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
IEEE 802.3X Pause frame transmit	VSP 4450 Series	VOSS 6.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 6.0
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 6.0
	VSP 8400 Series	VOSS 6.0
	VSP 8600 Series	Not Supported
	XA1400 Series	VOSS 8.1.50

Table 55: Internet Control Message Protocol product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Internet Control Message Protocol (ICMP)	VSP 4450 Series	VSP 4000 4.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VSP 8200 4.0
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	VOSS 8.0.50

Table 55: Internet Control Message Protocol product support (continued)

Feature	Product	Release introduced
ICMP broadcast and multicast enable or disable	VSP 4450 Series	VOSS 5.1
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 5.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 5.1
	VSP 8400 Series	VOSS 5.1
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	Not Supported
Fragmented ICMP Packet Filtering for IPv4	VSP 4450 Series	VOSS 8.5
	VSP 4900 Series	VOSS 8.5
	VSP 7200 Series	VOSS 8.5
	VSP 7400 Series	VOSS 8.5
	VSP 8200 Series	VOSS 8.5
	VSP 8400 Series	VOSS 8.5
	VSP 8600 Series	Not supported
	XA1400 Series	VOSS 8.5
Fragmented ICMP Packet Filtering for IPv6	VSP 4450 Series	VOSS 8.5
	VSP 4900 Series	VOSS 8.5
	VSP 7200 Series	VOSS 8.5
	VSP 7400 Series	VOSS 8.5
	VSP 8200 Series	VOSS 8.5
	VSP 8400 Series	VOSS 8.5
	VSP 8600 Series	Not supported
	XA1400 Series	Not supported

Table 56: Internet Group Management Protocol product support

Feature	Product	Release introduced
---------	---------	--------------------

Table 56: Internet Group Management Protocol product support (continued)

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Internet Group Management Protocol (IGMP), including virtualization	VSP 4450 Series	VSP 4000 4.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VSP 8200 4.0.1
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	Not Supported

Table 57: Internet Key Exchange product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Internet Key Exchange (IKE) v2 Note: VOSS Releases 6.0 and 6.0.1 do not support this feature.	VSP 4450 Series	VOSS 5.1.2
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 5.1.2
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 5.1.2
	VSP 8400 Series	VOSS 5.1.2
	VSP 8600 Series	VSP 8600 8.0 demonstration feature
	XA1400 Series	VOSS 8.0.50

Table 58: Internet Protocol Flow Information eXport (IPFIX) product support

Feature	Product	Release introduced
---------	---------	--------------------

Table 58: Internet Protocol Flow Information eXport (IPFIX) product support (continued)

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Internet Protocol Flow Information eXport (IPFIX)	VSP 4450 Series	Not Supported
	VSP 4900 Series	Not Supported
	VSP 7200 Series	Not Supported
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	Not Supported
	VSP 8400 Series	Not Supported
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported

Table 59: Inter-VSN Routing product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Inter-VSN routing (IPv4)	VSP 4450 Series	VSP 4000 4.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VSP 8200 4.0
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 6.1
	XA1400 Series	VOSS 8.0.50
Inter-VSN routing (IPv6)	VSP 4450 Series	VOSS 4.1
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 4.1
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 8.0
	XA1400 Series	Not Supported

Table 60: IOC Module Preconfiguration

Feature	Product	Release introduced
---------	---------	--------------------

Table 60: IOC Module Preconfiguration (continued)

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
IOC Module Preconfiguration	VSP 4450 Series	Not Applicable
	VSP 4900 Series	Not Applicable
	VSP 7200 Series	Not Applicable
	VSP 7400 Series	Not Applicable
	VSP 8200 Series	Not Applicable
	VSP 8600 Series	VSP 8600 8.0
	XA1400 Series	Not Applicable

Table 61: IP Phone product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
IP Phone Support	VSP 4450 Series	VOSS 8.3
	VSP 4900 Series	VOSS 8.3
	VSP 7200 Series	VOSS 8.3
	VSP 7400 Series	VOSS 8.3
	VSP 8200 Series	VOSS 8.3
	VSP 8400 Series	VOSS 8.3
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported

Table 62: IP Multicast over Fabric Connect product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
IP Multicast over Fabric Connect	VSP 4450 Series	VSP 4000 4.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 4.1
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 6.2
	XA1400 Series	Not Supported

Table 62: IP Multicast over Fabric Connect product support (continued)

Feature	Product	Release introduced
Universal Plug and Play (uPnP) Filtering	VSP 4450 Series	VOSS 8.3
	VSP 4900 Series	VOSS 8.3
	VSP 7200 Series	VOSS 8.3
	VSP 7400 Series	VOSS 8.3
	VSP 8200 Series	VOSS 8.3
	VSP 8400 Series	VOSS 8.3
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported

Table 63: IP Route Policies product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
IP route policies	VSP 4450 Series	VSP 4000 4.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VSP 8200 4.0
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	VOSS 8.0.50

Table 64: IP Shortcuts product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
IP Shortcut routing including ECMP	VSP 4450 Series	VSP 4000 4.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VSP 8200 4.0
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 6.1
	XA1400 Series	VOSS 8.0.50

Table 64: IP Shortcuts product support (continued)

Feature	Product	Release introduced
IPv6 Shortcut routing	VSP 4450 Series	VOSS 4.1
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 4.1
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 8.0
	XA1400 Series	Not Supported
IPv4 IS-IS accept policies	VSP 4450 Series	VOSS 4.1
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 4.1
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 6.1
	XA1400 Series	VOSS 8.0.50
IPv6 IS-IS accept policies	VSP 4450 Series	VOSS 8.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 8.0
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 8.0
	VSP 8400 Series	VOSS 8.0
	VSP 8600 Series	VSP 8600 8.0
	XA1400 Series	Not Supported

Table 65: IP Source Guard product support

Feature	Product	Release introduced
---------	---------	--------------------

Table 65: IP Source Guard product support (continued)

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
IP Source Guard (IPv4)	VSP 4450 Series	VOSS 6.1
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 6.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 6.1
	VSP 8400 Series	VOSS 6.1
	VSP 8600 Series	Not Supported
	XA1400 Series	VOSS 8.0.50
IP Source Guard (IPv6)	VSP 4450 Series	VOSS 6.1
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 6.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 6.1
	VSP 8400 Series	VOSS 6.1
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported

Table 66: IP Source Routing product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
IP Source Routing enable or disable	VSP 4450 Series	VOSS 5.1
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 5.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 5.1
	VSP 8400 Series	VOSS 5.1
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	Not Supported

Table 67: IPsec product support

Feature	Product	Release introduced	Release deprecated
---------	---------	--------------------	--------------------

Table 67: IPsec product support (continued)

Feature	Product	Release introduced	Release deprecated
For configuration details, see VOSS User Guide .			
IPsec NAT-T	VSP 4450 Series	Not Supported	Not Applicable
	VSP 4900 Series	Not Supported	Not Applicable
	VSP 7200 Series	Not Supported	Not Applicable
	VSP 7400 Series	Not Supported	Not Applicable
	VSP 8200 Series	Not Supported	Not Applicable
	VSP 8400 Series	Not Supported	Not Applicable
	VSP 8600 Series	Not Supported	Not Applicable
	XA1400 Series	VOSS 8.1.50	Not Applicable
IPsec transport mode	VSP 4450 Series	VOSS 4.2	Not Applicable
	VSP 4900 Series	VOSS 8.1	Not Applicable
	VSP 7200 Series	VOSS 4.2.1	Not Applicable
	VSP 7400 Series	VOSS 8.0	Not Applicable
	VSP 8200 Series	VOSS 4.2	Not Applicable
	VSP 8400 Series	VOSS 4.2	Not Applicable
	VSP 8600 Series	Not Supported	Not Applicable
	XA1400 Series	Not Supported	Not Applicable
IPsec tunnel mode	VSP 4450 Series	Not Supported	Not Applicable
	VSP 4900 Series	Not Supported	Not Applicable
	VSP 7200 Series	Not Supported	Not Applicable
	VSP 7400 Series	Not Supported	Not Applicable
	VSP 8200 Series	Not Supported	Not Applicable
	VSP 8400 Series	Not Supported	Not Applicable
	VSP 8600 Series	Not Supported	Not Applicable
	XA1400 Series	VOSS 8.0.50	Not Applicable
IPsec for the Out-of-band management port (IPv4)	VSP 4450 Series	VOSS 4.2	VOSS 8.2
	VSP 4900 Series	VOSS 8.1	VOSS 8.2
	VSP 7200 Series	VOSS 4.2.1	VOSS 8.2
	VSP 7400 Series	VOSS 8.0	VOSS 8.2
	VSP 8200 Series	VOSS 4.2	VOSS 8.2
	VSP 8400 Series	VOSS 4.2	VOSS 8.2
	VSP 8600 Series	VSP 8600 6.2	Not Applicable
	XA1400 Series	Not Applicable	Not Applicable

Table 67: IPsec product support (continued)

Feature	Product	Release introduced	Release deprecated
IPsec for the Out-of-band management port (IPv6)	VSP 4450 Series	VOSS 6.0	VOSS 8.2
	VSP 4900 Series	VOSS 8.1	VOSS 8.2
	VSP 7200 Series	VOSS 6.0	VOSS 8.2
	VSP 7400 Series	VOSS 8.0	VOSS 8.2
	VSP 8200 Series	VOSS 6.0	VOSS 8.2
	VSP 8400 Series	VOSS 6.0	VOSS 8.2
	VSP 8600 Series	VSP 8600 6.2	Not Applicable
	XA1400 Series	Not Applicable	Not Applicable
Digital Certificates for IPsec Authentication	VSP 4450 Series	Not Supported	Not Applicable
	VSP 4900 Series	VOSS 8.3 for Fabric Extend over IPsec	Not Applicable
	VSP 7200 Series	Not Supported	Not Applicable
	VSP 7400 Series	VOSS 8.3 for Fabric Extend over IPsec	Not Applicable
	VSP 8200 Series	Not Supported	Not Applicable
	VSP 8400 Series	Not Supported	Not Applicable
	VSP 8600 Series	Not Supported	Not Applicable
	XA1400 Series	VOSS 8.3 for Fabric Extend over IPsec	Not Applicable

Table 68: IPv6-in-IPv4 tunnels product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
IPv6-in-IPv4 tunnels	VSP 4450 Series	VOSS 4.1
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 4.1
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 6.2
	XA1400 Series	Not Supported

Table 69: IPv6 Router Advertisement (RA) Guard product support

Feature	Product	Release introduced
---------	---------	--------------------

Table 69: IPv6 Router Advertisement (RA) Guard product support (continued)

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
IPv6 Router Advertisement (RA) Guard	VSP 4450 Series	VOSS 5.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 5.0
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 5.0
	VSP 8400 Series	VOSS 5.0
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported

Table 70: IQ Agent product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
ExtremeCloud IQ Agent	VSP 4450 Series	Not supported
	VSP 4900 Series	VOSS 8.2 <ul style="list-style-type: none"> VSP4900-48P VIMs: VIM5-4YE, VIM5-4X, VIM5-4XE, and VIM5-2Y VOSS 8.2.5 <ul style="list-style-type: none"> VSP4900-24S VSP4900-24XE VSP4900-12MXU-12XE VIMs: VIM5-4Y
	VSP 7200 Series	Not supported
	VSP 7400 Series	VOSS 8.2
	VSP 8200 Series	Not supported
	VSP 8400 Series	Not supported
	VSP 8600 Series	Not supported
	XA1400 Series	VOSS 8.2

Table 71: IS-IS product support

Feature	Product	Release introduced
---------	---------	--------------------

Table 71: IS-IS product support (continued)

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
IS-IS authentication with SHA-256	VSP 4450 Series	VOSS 7.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 7.0
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 7.0
	VSP 8400 Series	VOSS 7.0
	VSP 8600 Series	VSP 8600 6.1
	XA1400 Series	VOSS 8.0.50
Suspend duplicate system ID detection	VSP 4450 Series	VOSS 6.1
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 6.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 6.1
	VSP 8400 Series	VOSS 6.1
	VSP 8600 Series	VSP 8600 6.1
	XA1400 Series	VOSS 8.0.50
Multiple IS-IS parallel adjacencies	VSP 4450 Series	VOSS 7.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 7.0
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 7.0
	VSP 8400 Series	VOSS 7.0
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported



VOSS Features J to L

Table 72: Key Health Indicator product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Key Health Indicator (KHI)	VSP 4450 Series	VSP 4000 4.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VSP 8200 4.0
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	VOSS 8.0.50

Table 73: Layer 2 Video Surveillance install script product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Layer 2 Video Surveillance install script	VSP 4450 Series	VOSS 6.1
	VSP 4900 Series	VOSS 8.1 To support this feature, VIM installation is mandatory in VSP4900-48P.
	VSP 7200 Series	Not Supported
	VSP 7400 Series	Not Supported
	VSP 8200 Series	Not Supported
	VSP 8400 Series	Not Supported
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported

Table 74: Layer 2 VSN product support

Feature	Product	Release introduced
---------	---------	--------------------

Table 74: Layer 2 VSN product support (continued)

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Equal Cost Trees (ECT)	VSP 4450 Series	VSP 4000 4.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VSP 8200 4.0
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	VOSS 8.0.50
Layer 2 Virtual Service Network (VSN)	VSP 4450 Series	VSP 4000 4.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VSP 8200 4.0
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	VOSS 8.0.50
Switched UNI	VSP 4450 Series	VOSS 5.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 5.0
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 5.0
	VSP 8400 Series	VOSS 5.0
	VSP 8600 Series	VSP 8600 6.3
	XA1400 Series	Not Supported

Table 74: Layer 2 VSN product support (continued)

Feature	Product	Release introduced
Transparent Port UNI (T-UNI)	VSP 4450 Series	VSP 4000 4.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 4.2.1
	VSP 8400 Series	VOSS 4.2.1
	VSP 8600 Series	VSP 8600 6.3
	XA1400 Series	Not Supported

Table 75: Layer 3 Video Surveillance install script product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Layer 3 Video Surveillance install script (formerly known as the run vms endura script)	VSP 4450 Series	VOSS 4.1
	VSP 4900 Series	VOSS 8.1 To support this feature, VIM installation is mandatory in VSP4900-48P.
	VSP 7200 Series	Not Supported
	VSP 7400 Series	Not Supported
	VSP 8200 Series	Not Supported
	VSP 8400 Series	Not Supported
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported

Table 76: Layer 3 VSN product support

Feature	Product	Release introduced
---------	---------	--------------------

Table 76: Layer 3 VSN product support (continued)

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Layer 3 VSN	VSP 4450 Series	VSP 4000 4.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 4.1
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 6.1
	XA1400 Series	VOSS 8.0.50

Table 77: Licensing product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
License files signed using Extreme Networks signature.	VSP 4450 Series	VOSS 6.1.2
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 6.1.2
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 6.1.2
	VSP 8400 Series	VOSS 6.1.2
	VSP 8600 Series	VSP 8600 6.1
	XA1400 Series	VOSS 8.0.50
Subscription-based licenses	VSP 4450 Series	Not Supported
	VSP 4900 Series	Not Supported
	VSP 7200 Series	Not Supported
	VSP 7400 Series	Not Supported
	VSP 8200 Series	Not Supported
	VSP 8400 Series	Not Supported
	VSP 8600 Series	Not Supported
	XA1400 Series	VOSS 8.0.50

Table 77: Licensing product support (continued)

Feature	Product	Release introduced
Ability to extend the Factory Default Premier Trial License	VSP 4450 Series	VOSS 8.4
	VSP 4900 Series	VOSS 8.4
	VSP 7200 Series	VOSS 8.4
	VSP 7400 Series	VOSS 8.4
	VSP 8200 Series	VOSS 8.4
	VSP 8400 Series	VOSS 8.4
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported

Table 78: Link Debounce for WAN Links

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Link Debounce	VSP 4450 Series	VOSS 8.4.2
	VSP 4900 Series	VOSS 8.4.2
	VSP 7200 Series	VOSS 8.5
	VSP 7400 Series	VOSS 8.4.2
	VSP 8200 Series	VOSS 8.5
	VSP 8400 Series	VOSS 8.5
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported

Table 79: Link Layer Discovery Protocol product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Industry Standard Discovery Protocol (ISDP) (CDP compatible)	VSP 4450 Series	VOSS 6.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 6.0
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 6.0
	VSP 8400 Series	VOSS 6.0
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported

Table 79: Link Layer Discovery Protocol product support (continued)

Feature	Product	Release introduced
Link Layer Discovery Protocol (LLDP)	VSP 4450 Series	VOSS 6.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 6.0
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 6.0
	VSP 8400 Series	VOSS 6.0
	VSP 8600 Series	VSP 8600 6.1
	XA1400 Series	VOSS 8.0.50
Link Layer Discovery Protocol-Media Endpoint Discovery (LLDP-MED)	VSP 4450 Series	VOSS 7.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 7.0
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 7.0
	VSP 8400 Series	VOSS 7.0
	VSP 8600 Series	VSP 8600 8.0
	XA1400 Series	VOSS 8.0.50

Table 80: Link-state tracking (LST) product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Link-state tracking (LST)	VSP 4450 Series	VOSS 7.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 7.0
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 7.0
	VSP 8400 Series	VOSS 7.0
	VSP 8600 Series	VSP 8600 8.0 demonstration feature
	XA1400 Series	Not Supported

Table 81: Linux kernel version product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Linux kernel version	VSP 4450 Series	4.9 as of VOSS 7.0

Table 81: Linux kernel version product support (continued)

Feature	Product	Release introduced
Important: For VSP 4450 Series, VSP 7200 Series, VSP 8200, and VSP 8400 Series, kernel version 4.9 has special upgrade considerations the first time you upgrade to a release that supports it. You must first upgrade to a stepping-stone release, 6.1.x , before you upgrade to the release with the new kernel.	VSP 4900 Series	5.4 as of VOSS 8.6
	VSP 7200 Series	4.9 as of VOSS 7.0
	VSP 7400 Series	5.4 as of VOSS 8.6
	VSP 8200 Series	4.9 as of VOSS 7.0
	VSP 8400 Series	4.9 as of VOSS 7.0
	VSP 8600 Series	4.9 as of VSP 8600 8.0
	XA1400 Series	5.4 as of VOSS 8.6

Table 82: Logs and traps product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Logging to a file and syslog (IPv4)	VSP 4450 Series	VSP 4000 4.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VSP 8200 4.0
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	VOSS 8.0.50
Logging to a file and syslog (IPv6)	VSP 4450 Series	VOSS 4.1
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 4.1
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 6.2
	XA1400 Series	Not Supported

Table 82: Logs and traps product support (continued)

Feature	Product	Release introduced
Simple Mail Transfer Protocol (SMTP) for log notification	VSP 4450 Series	VOSS 6.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 6.0
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 6.0
	VSP 8400 Series	VOSS 6.0
	VSP 8600 Series	VSP 8600 6.1
	XA1400 Series	VOSS 8.0.50
System Logging compliance with RFC 5424 and RFC 3339	VSP 4450 Series	VOSS 6.1.2
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 6.1.2
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 6.1.2
	VSP 8400 Series	VOSS 6.1.2
	VSP 8600 Series	VSP 8600 6.1
	XA1400 Series	VOSS 8.0.50
TLS client for secure syslog Note: VOSS Releases 6.0 and 6.0.1 do not support this feature.	VSP 4450 Series	VOSS 5.1.2
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 5.1.2
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 5.1.2
	VSP 8400 Series	VOSS 5.1.2
	VSP 8600 Series	VSP 8600 8.0 demo feature
	XA1400 Series	VOSS 8.0.50



VOSS Features M to O

Table 83: MACsec product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
MACsec 2AN mode (static) Note: VOSS 5.0 officially removed the replay protection commands. Do not use replay protection in earlier releases.	VSP 4450 Series	VSP 4000 4.0
	VSP 4900 Series	VOSS 8.5
	VSP 7200 Series	VOSS 4.2.1 VSP 7254XTQ only
	VSP 7400 Series	Not Supported
	VSP 8200 Series	VOSS 4.1
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported
MACsec 4AN mode (static)	VSP 4450 Series	VOSS 6.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 6.0 VSP 7254XTQ only
	VSP 7400 Series	Not Supported
	VSP 8200 Series	VOSS 6.0
	VSP 8400 Series	VOSS 6.0
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	Not Supported

Table 83: MACsec product support (continued)

Feature	Product	Release introduced
MACsec encryption cipher suites	VSP 4450 Series	VOSS 8.1 128 bits only
	VSP 4900 Series	VOSS 8.1 <ul style="list-style-type: none"> VSP4900-48P supports 128-bit on all fixed ports. VSP4900-24XE supports 128-bit and 256-bit on all fixed ports. VSP4900-12MXU-12XE supports 128-bit and 256-bit on the SFP+ ports. VIM5-4XE and VIM5-4YE supports 128-bit and 256-bit cipher suite.
	VSP 7200 Series	VOSS 8.1 128 bits only
	VSP 7400 Series	Not Supported
	VSP 8200 Series	VOSS 8.1 128 bits only
	VSP 8400 Series	VOSS 8.1 128 bits only
	VSP 8600 Series	VSP 8600 6.2 8624XS supports 128 bits only. 8606CQ supports 128 bits and 256 bits.
	XA1400 Series	Not Supported
MACsec Key Agreement (MKA)	VSP 4450 Series	Not Supported
	VSP 4900 Series	VOSS 8.5
	VSP 7200 Series	Not Supported
	VSP 7400 Series	Not Supported
	VSP 8200 Series	Not Supported
	VSP 8400 Series	VOSS 8.1
	VSP 8600 Series	VSP 8600 8.1
	XA1400 Series	Not Supported

Table 84: Mroute statistics product support

Feature	Product	Release introduced
---------	---------	--------------------

Table 84: Mroute statistics product support (continued)

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Multicast route (mroute) statistics for IPv4 and IPv6	VSP 4450 Series	Not Supported
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 5.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 5.1
	VSP 8400 Series	VOSS 5.1
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported

Table 85: MSTP-Fabric Connect Multi Homing product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
MSTP-Fabric Connect Multi Homing	VSP 4450 Series	VOSS 7.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 7.0
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 7.0
	VSP 8400 Series	VOSS 7.0
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported

Table 86: Multi-area SPB

Feature	Product	Release introduced
---------	---------	--------------------

Table 86: Multi-area SPB (continued)

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Multi-area SPB Boundary Node	VSP 4450 Series	Not Supported
	VSP 4900 Series	Not Supported
	VSP 7200 Series	Not Supported
	VSP 7400 Series	VOSS 8.4
	VSP 8200 Series	Not Supported
	VSP 8400 Series	Not Supported
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported

Table 87: Multicast Listener Discovery product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Multicast Listener Discovery (MLD)	VSP 4450 Series	VOSS 5.1
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 5.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 5.1
	VSP 8400 Series	VOSS 5.1
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported

Table 88: MultiLink Trunking product support

Feature	Product	Release introduced
---------	---------	--------------------

Table 88: MultiLink Trunking product support (continued)

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
MultiLink Trunking (MLT) / Link Aggregation Group (LAG)	VSP 4450 Series	VSP 4000 4.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VSP 8200 4.0
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	VOSS 8.0.50

Table 89: Multiple CLI Users product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Multiple CLI users per role	VSP 4450 Series	VOSS 7.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 7.0
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 7.0
	VSP 8400 Series	VOSS 7.0
	VSP 8600 Series	VSP 8600 8.0 demonstration feature
	XA1400 Series	VOSS 8.0.50

Table 90: Network Load Balancing product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Network Load Balancing (NLB) - multicast operation	VSP 4450 Series	Not Supported
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 6.0
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 6.0
	VSP 8400 Series	VOSS 6.0
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported

Table 90: Network Load Balancing product support (continued)

Feature	Product	Release introduced
Network Load Balancing (NLB) - unicast operation	VSP 4450 Series	Not Supported
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 4.0
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	Not Supported

Table 91: Network operating system personality product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Dual-boot personalities	VSP 4450 Series	Not Applicable
	VSP 4900 Series	Not Applicable
	VSP 7200 Series	Not Applicable
	VSP 7400 Series	Not Applicable
	VSP 8200 Series	Not Applicable
	VSP 8400 Series	Not Applicable
	VSP 8600 Series	Not Applicable
	XA1400 Series	Not Applicable

Table 92: Network Time Protocol product support

Feature	Product	Release introduced	Release deprecated
For configuration details, see VOSS User Guide .			
NTPv3 client	VSP 4450 Series	VSP 4000 4.0	VOSS 8.2
	VSP 4900 Series	VOSS 8.1	VOSS 8.2
	VSP 7200 Series	VOSS 4.2.1	VOSS 8.2
	VSP 7400 Series	VOSS 8.0	VOSS 8.2
	VSP 8200 Series	VSP 8200 4.0	VOSS 8.2
	VSP 8400 Series	VOSS 4.2	VOSS 8.2
	VSP 8600 Series	VSP 8600 4.5	Not Applicable
	XA1400 Series	VOSS 8.0.50	VOSS 8.2

Table 92: Network Time Protocol product support (continued)

Feature	Product	Release introduced	Release deprecated
NTPv3 with SHA authentication	VSP 4450 Series	VOSS 5.1	VOSS 8.2
	VSP 4900 Series	VOSS 8.1	VOSS 8.2
	VSP 7200 Series	VOSS 5.1	VOSS 8.2
	VSP 7400 Series	VOSS 8.0	VOSS 8.2
	VSP 8200 Series	VOSS 5.1	VOSS 8.2
	VSP 8400 Series	VOSS 5.1	VOSS 8.2
	VSP 8600 Series	VSP 8600 4.5	Not Applicable
	XA1400 Series	VOSS 8.0.50	VOSS 8.2
NTPv4 client for IPv4	VSP 4450 Series	VOSS 7.0	Not Applicable
	VSP 4900 Series	VOSS 8.1	Not Applicable
	VSP 7200 Series	VOSS 7.0	Not Applicable
	VSP 7400 Series	VOSS 8.0	Not Applicable
	VSP 8200 Series	VOSS 7.0	Not Applicable
	VSP 8400 Series	VOSS 7.0	Not Applicable
	VSP 8600 Series	VSP 8600 8.0	Not Applicable
	XA1400 Series	Not Supported	Not Applicable
NTPv4 client for IPv6	VSP 4450 Series	VOSS 7.0	Not Applicable
	VSP 4900 Series	VOSS 8.1	Not Applicable
	VSP 7200 Series	VOSS 7.0	Not Applicable
	VSP 7400 Series	VOSS 8.0	Not Applicable
	VSP 8200 Series	VOSS 7.0	Not Applicable
	VSP 8400 Series	VOSS 7.0	Not Applicable
	VSP 8600 Series	VSP 8600 8.0	Not Applicable
	XA1400 Series	Not Supported	Not Applicable

Table 92: Network Time Protocol product support (continued)

Feature	Product	Release introduced	Release deprecated
NTPv4 master and restrict	VSP 4450 Series	VOSS 8.0	Not Applicable
	VSP 4900 Series	VOSS 8.1	Not Applicable
	VSP 7200 Series	VOSS 8.0	Not Applicable
	VSP 7400 Series	VOSS 8.0	Not Applicable
	VSP 8200 Series	VOSS 8.0	Not Applicable
	VSP 8400 Series	VOSS 8.0	Not Applicable
	VSP 8600 Series	VSP 8600 8.0 demonstration feature	Not Applicable
	XA1400 Series	Not Supported	Not Applicable

Table 93: nni-mstp boot flag product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
nni-mstp boot flag (boot config flags nni-mstp)	VSP 4450 Series	VOSS 6.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 6.0
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 6.0
	VSP 8400 Series	VOSS 6.0
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported

Table 94: OSPF product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Open Shortest Path First (OSPF)	VSP 4450 Series	VSP 4000 4.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VSP 8200 4.0
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	VOSS 8.0.50

Table 94: OSPF product support (continued)

Feature	Product	Release introduced
Secure hash algorithm 1 (SHA-1) and SHA-2	VSP 4450 Series	VOSS 4.2
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 4.2
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	VOSS 8.0.50

Table 95: OSPFv3 product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
OSPFv3	VSP 4450 Series	VOSS 4.1
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 4.1
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 6.2
	XA1400 Series	Not Supported
OSPFv3 support for CLIP interfaces	VSP 4450 Series	Not Supported
	VSP 4900 Series	Not Supported
	VSP 7200 Series	Not Supported
	VSP 7400 Series	Not Supported
	VSP 8200 Series	Not Supported
	VSP 8400 Series	Not Supported
	VSP 8600 Series	VSP 8600 8.1
	XA1400 Series	Not Supported



VOSS Features P to R

Table 96: PIM over IPv6 product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
PIM over IPv6	VSP 4450 Series	VOSS 5.1
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 5.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 5.1
	VSP 8400 Series	VOSS 5.1
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported

Table 97: Port-Based Rate Limiting, Policing, and Shaping product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Platform specific considerations for QoS behavior are documented in QoS Behavior Differences, which is in VOSS User Guide .		
Egress port shaper	VSP 4450 Series	VSP 4000 4.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VSP 8200 4.0
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	Not Supported

Table 97: Port-Based Rate Limiting, Policing, and Shaping product support (continued)

Feature	Product	Release introduced
Ingress dual rate port policers	VSP 4450 Series	VSP 4000 4.0
	VSP 4900 Series	Not Supported
	VSP 7200 Series	Not Supported
	VSP 7400 Series	Not Supported
	VSP 8200 Series	Not Supported
	VSP 8400 Series	Not Supported
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	Not Supported
Ingress policer and port rate limiter	VSP 4450 Series	Not Supported
	VSP 4900 Series	VOSS 8.5
	VSP 7200 Series	Not Supported
	VSP 7400 Series	VOSS 8.5
	VSP 8200 Series	Not Supported
	VSP 8400 Series	Not Supported
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported
QoS ingress port rate limiter	VSP 4450 Series	Not Supported
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	Not Supported
	VSP 8200 Series	VSP 8200 4.0
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	Not Supported
	XA1400 Series	VOSS 8.1.50

Table 98: Port Mirroring product support

Feature	Product	Release introduced
---------	---------	--------------------

Table 98: Port Mirroring product support (continued)

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Ingress mirroring (port and flow-based)	VSP 4450 Series	VSP 4000 4.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VSP 8200 4.0
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	VOSS 8.0.50
Egress mirroring (port-based)	VSP 4450 Series	VSP 4000 4.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VSP 8200 4.0
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	VOSS 8.0.50

Table 99: Power Manager product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Power Management	VSP 4450 Series	Not Supported
	VSP 4900 Series	Not Supported
	VSP 7200 Series	Not Supported
	VSP 7400 Series	Not Supported
	VSP 8200 Series	Not Supported
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	Not Supported

Table 100: Power over Ethernet product support

Feature	Product	Release introduced
---------	---------	--------------------

Table 100: Power over Ethernet product support (continued)

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Power over Ethernet (PoE)	VSP 4450 Series	VSP 4000 4.0
	VSP 4900 Series	VOSS 8.1 VSP4900-48P and first 12 ports of VSP4900-12MXU-12XE only
	VSP 7200 Series	Not Applicable
	VSP 7400 Series	Not Applicable
	VSP 8200 Series	Not Applicable
	VSP 8400 Series	Not Applicable
	VSP 8600 Series	Not Applicable
	XA1400 Series	Not Supported
PoE/PoE+ allocation using LLDP	VSP 4450 Series	VOSS 5.1
	VSP 4900 Series	VOSS 8.1 VSP4900-48P and first 12 ports of VSP4900-12MXU-12XE only
	VSP 7200 Series	Not Applicable
	VSP 7400 Series	Not Applicable
	VSP 8200 Series	Not Applicable
	VSP 8400 Series	Not Applicable
	VSP 8600 Series	Not Applicable
	XA1400 Series	Not Supported
Fast PoE	VSP 4450 Series	Not Applicable
	VSP 4900 Series	VOSS 8.1 VSP4900-48P and first 12 ports of VSP4900-12MXU-12XE only
	VSP 7200 Series	Not Applicable
	VSP 7400 Series	Not Applicable
	VSP 8200 Series	Not Applicable
	VSP 8400 Series	Not Applicable
	VSP 8600 Series	Not Applicable
	XA1400 Series	Not Supported

Table 100: Power over Ethernet product support (continued)

Feature	Product	Release introduced
Perpetual PoE	VSP 4450 Series	Not Applicable
	VSP 4900 Series	VOSS 8.1 VSP4900-48P and first 12 ports of VSP4900-12MXU-12XE only.
	VSP 7200 Series	Not Applicable
	VSP 7400 Series	Not Applicable
	VSP 8200 Series	Not Applicable
	VSP 8400 Series	Not Applicable
	VSP 8600 Series	Not Applicable
	XA1400 Series	Not Supported

Table 101: Protocol Independent Multicast-Source Specific Mode product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
PIM-Source Specific Mode (PIM-SSM) for IPv4	VSP 4450 Series	VOSS 4.1
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 4.0.1
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	Not Supported

Table 102: Protocol Independent Multicast - Sparse Mode product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Protocol Independent Multicast-Sparse Mode (PIM-SM) for IPv4	VSP 4450 Series	VOSS 4.1
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 4.0.1
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	Not Supported

Table 102: Protocol Independent Multicast - Sparse Mode product support (continued)

Feature	Product	Release introduced
PIM Infinite Threshold for IPv4 and IPv6	VSP 4450 Series	VOSS 8.5
	VSP 4900 Series	VOSS 8.5
	VSP 7200 Series	VOSS 8.5
	VSP 7400 Series	VOSS 8.5
	VSP 8200 Series	VOSS 8.5
	VSP 8400 Series	VOSS 8.5
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported

Table 103: QoS and VoIP product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Platform specific considerations for QoS behavior are documented in QoS Behavior Differences, which is in VOSS User Guide .		
Automatic QoS	VSP 4450 Series	VSP 4000 4.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VSP 8200 4.0
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	VOSS 8.0.50

Table 104: Queue Profiles product support

Feature	Product	Release introduced
---------	---------	--------------------

Table 104: Queue Profiles product support (continued)

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
QoS per queue rate limiting	VSP 4450 Series	VOSS 5.1
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 5.1.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 5.1.1
	VSP 8400 Series	VOSS 5.1.1
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported

Table 105: RADIUS product support

Feature	Product	Release introduced	Release deprecated
For configuration details, see VOSS User Guide .			
RADIUS (IPv6)	VSP 4450 Series	VOSS 4.1	Not Applicable
	VSP 4900 Series	VOSS 8.1	Not Applicable
	VSP 7200 Series	VOSS 4.2.1	Not Applicable
	VSP 7400 Series	VOSS 8.0	Not Applicable
	VSP 8200 Series	VOSS 4.1	Not Applicable
	VSP 8400 Series	VOSS 4.2	Not Applicable
	VSP 8600 Series	VSP 8600 6.2	Not Applicable
	XA1400 Series	Not Supported	Not Applicable
RADIUS attributes: <ul style="list-style-type: none"> • Acct-Terminate-Cause • Event-Timestamp • Service Type 	VSP 4450 Series	VOSS 7.0	Not Applicable
	VSP 4900 Series	VOSS 8.1	Not Applicable
	VSP 7200 Series	VOSS 7.0	Not Applicable
	VSP 7400 Series	VOSS 8.0	Not Applicable
	VSP 8200 Series	VOSS 7.0	Not Applicable
	VSP 8400 Series	VOSS 7.0	Not Applicable
	VSP 8600 Series	VSP 8600 8.0	Not Applicable
	XA1400 Series	Not Supported	Not Applicable

Table 105: RADIUS product support (continued)

Feature	Product	Release introduced	Release deprecated
RADIUS, community-based users (IPv4)	VSP 4450 Series	VSP 4000 4.0	Not Applicable
	VSP 4900 Series	VOSS 8.1	Not Applicable
	VSP 7200 Series	VOSS 4.2.1	Not Applicable
	VSP 7400 Series	VOSS 8.0	Not Applicable
	VSP 8200 Series	VSP 8200 4.0	Not Applicable
	VSP 8400 Series	VOSS 4.2	Not Applicable
	VSP 8600 Series	VSP 8600 4.5	Not Applicable
	XA1400 Series	VOSS 8.0.50	Not Applicable
RADIUS secure communication using IPSec for IPv4 Note: VOSS Releases 6.0 and 6.0.1 do not support this feature.	VSP 4450 Series	VOSS 5.1.2	VOSS 8.2
	VSP 4900 Series	VOSS 8.1	VOSS 8.2
	VSP 7200 Series	VOSS 5.1.2	VOSS 8.2
	VSP 7400 Series	VOSS 8.0	VOSS 8.2
	VSP 8200 Series	VOSS 5.1.2	VOSS 8.2
	VSP 8400 Series	VOSS 5.1.2	VOSS 8.2
	VSP 8600 Series	VSP 8600 8.0 demonstration feature	Not Applicable
	XA1400 Series	VOSS 8.0.50	VOSS 8.2
RADIUS secure communication using IPSec for IPv6 Note: VOSS Releases 6.0 and 6.0.1 do not support this feature.	VSP 4450 Series	VOSS 5.1.2	VOSS 8.2
	VSP 4900 Series	VOSS 8.1	VOSS 8.2
	VSP 7200 Series	VOSS 5.1.2	VOSS 8.2
	VSP 7400 Series	VOSS 8.0	VOSS 8.2
	VSP 8200 Series	VOSS 5.1.2	VOSS 8.2
	VSP 8400 Series	VOSS 5.1.2	VOSS 8.2
	VSP 8600 Series	VSP 8600 8.0 demonstration feature	Not Applicable
	XA1400 Series	Not Supported	Not Applicable
RADIUS Security (RADSec)	VSP 4450 Series	VOSS 8.2	Not Applicable
	VSP 4900 Series	VOSS 8.2	Not Applicable
	VSP 7200 Series	VOSS 8.2	Not Applicable
	VSP 7400 Series	VOSS 8.2	Not Applicable
	VSP 8200 Series	VOSS 8.2	Not Applicable
	VSP 8400 Series	VOSS 8.2	Not Applicable
	VSP 8600 Series	Not Supported	Not Applicable
	XA1400 Series	VOSS 8.2	Not Applicable

Table 105: RADIUS product support (continued)

Feature	Product	Release introduced	Release deprecated
RFC 5176 – Dynamic Authorization Extensions to RADIUS	VSP 4450 Series	VOSS 7.0	Not Applicable
	VSP 4900 Series	VOSS 8.1	Not Applicable
	VSP 7200 Series	VOSS 7.0	Not Applicable
	VSP 7400 Series	VOSS 8.0	Not Applicable
	VSP 8200 Series	VOSS 7.0	Not Applicable
	VSP 8400 Series	VOSS 7.0	Not Applicable
	VSP 8600 Series	Not supported	Not Applicable
	XA1400 Series	VOSS 8.0.50	Not Applicable
RFC 5997 – RADIUS Reachability Server Status	VSP 4450 Series	VOSS 7.0	Not Applicable
	VSP 4900 Series	VOSS 8.1	Not Applicable
	VSP 7200 Series	VOSS 7.0	Not Applicable
	VSP 7400 Series	VOSS 8.0	Not Applicable
	VSP 8200 Series	VOSS 7.0	Not Applicable
	VSP 8400 Series	VOSS 7.0	Not Applicable
	VSP 8600 Series	Not supported	Not Applicable
	XA1400 Series	VOSS 8.0.50	Not Applicable

Table 106: Remote Monitoring product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Remote Monitoring 1 (RMON1) for Layer 1 and Layer 2 Note: VOSS Release 5.0 and 5.1 do not support RMON1.	VSP 4450 Series	VSP 4000 4.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VSP 8200 4.0
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	Not Supported

Table 106: Remote Monitoring product support (continued)

Feature	Product	Release introduced
Remote Monitoring 2 (RMON2) for network and application layer protocols	VSP 4450 Series	VOSS 4.2
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 4.2
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	Not Supported
	XA1400 Series	VOSS 8.2

Table 107: Representational State Transfer Configuration Protocol (RESTCONF) product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Representational State Transfer Configuration Protocol (RESTCONF)	VSP 4450 Series	VOSS 8.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 8.0
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 8.0
	VSP 8400 Series	VOSS 8.0
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported

Table 108: RIPng product support

Feature	Product	Release introduced
---------	---------	--------------------

Table 108: RIPng product support (continued)

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
RIPng	VSP 4450 Series	VOSS 5.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 5.0
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 5.0
	VSP 8400 Series	VOSS 5.0
	VSP 8600 Series	VSP 8600 6.2
	XA1400 Series	Not Supported

Table 109: Routing Information Protocol product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Routing Information Protocol (RIP)	VSP 4450 Series	VSP 4000 4.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VSP 8200 4.0
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	VOSS 8.0.50

Table 110: RSMLT for IPv4 product support

Feature	Product	Release introduced
---------	---------	--------------------

Table 110: RSMLT for IPv4 product support (continued)

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
IPv4 RSMLT	VSP 4450 Series	VOSS 4.1
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VSP 8200 4.0
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	Not Supported

Table 111: RSMLT for IPv6 product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
IPv6 RSMLT	VSP 4450 Series	VOSS 4.1
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 4.1
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 6.2
	XA1400 Series	Not Supported

Table 112: run spbm installation script product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
run spbm installation script	VSP 4450 Series	VOSS 4.1
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 4.1
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 8.0
	XA1400 Series	Not Supported



VOSS Features S to U

Table 113: Secure Shell product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Secure Shell (SSH) server (IPv4)	VSP 4450 Series	VSP 4000 4.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VSP 8200 4.0
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	VOSS 8.0.50
Secure Shell (SSH) client (IPv4)	VSP 4450 Series	VSP 4000 4.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VSP 8200 4.0
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	VOSS 8.0.50
Secure Sockets Layer (SSL) certificate management	VSP 4450 Series	VOSS 4.1
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 4.1
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	VOSS 8.0.50

Table 113: Secure Shell product support (continued)

Feature	Product	Release introduced
SSH server (IPv6)	VSP 4450 Series	VOSS 4.1
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 4.1
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 6.2
	XA1400 Series	Not Supported
SSH client (IPv6)	VSP 4450 Series	VOSS 7.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 7.0
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 7.0
	VSP 8400 Series	VOSS 7.0
	VSP 8600 Series	VSP 8600 8.0
	XA1400 Series	Not Supported
SSH client disable	VSP 4450 Series	VOSS 6.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 6.0
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 6.0
	VSP 8400 Series	VOSS 6.0
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	VOSS 8.0.50
SSH key sizes in multiples of 1024 Note: VOSS Releases 6.0 and 6.0.1 do not support this change.	VSP 4450 Series	VOSS 5.1.2
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 5.1.2
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 5.1.2
	VSP 8400 Series	VOSS 5.1.2
	VSP 8600 Series	VSP 8600 6.1
	XA1400 Series	VOSS 8.0.50

Table 113: Secure Shell product support (continued)

Feature	Product	Release introduced
SSH rekey	VSP 4450 Series	VOSS 5.1
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 5.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 5.1
	VSP 8400 Series	VOSS 5.1
	VSP 8600 Series	VSP 8600 6.1
	XA1400 Series	VOSS 8.1

Table 114: Segmented Management Instance product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Segmented Management Instance - Management Interface CLIP	VSP 4450 Series	VOSS 7.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 7.0
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 7.0
	VSP 8400 Series	VOSS 7.0
	VSP 8600 Series	VSP 8600 8.0
	XA1400 Series	VOSS 8.1.1 - IPv4 only Note: VOSS 8.1.50 does not support this feature.
Segmented Management Instance - Management Interface OOB	VSP 4450 Series	Not Supported
	VSP 4900 Series	VOSS 8.2
	VSP 7200 Series	VOSS 8.2
	VSP 7400 Series	VOSS 8.2
	VSP 8400 Series	VOSS 8.2
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported

Table 114: Segmented Management Instance product support (continued)

Feature	Product	Release introduced
Segmented Management Instance - Management Interface VLAN	VSP 4450 Series	VOSS 7.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 7.0
	VSP 7400 Series	VOSS 8.0
	VSP 8400 Series	VOSS 7.0
	VSP 8600 Series	Not Supported
	XA1400 Series	VOSS 8.1.1 - IPv4 only VOSS 8.2 added IPv6 Note: VOSS 8.1.50 does not support this feature.
Segmented Management Instance — ability to migrate VLAN or loopback IP address	VSP 4450 Series	VOSS 8.2
	VSP 4900 Series	VOSS 8.2
	VSP 7200 Series	VOSS 8.2
	VSP 7400 Series	VOSS 8.2
	VSP 8200 Series	VOSS 8.2
	VSP 8400 Series	VOSS 8.2
	VSP 8600 Series	Not Supported
Segmented Management Instance — DHCP Client for Management Interface OOB or Management Interface VLAN	VSP 4450 Series	VOSS 8.2 OOB not supported
	VSP 4900 Series	VOSS 8.2
	VSP 7200 Series	VOSS 8.2
	VSP 7400 Series	VOSS 8.2
	VSP 8200 Series	VOSS 8.2
	VSP 8400 Series	VOSS 8.2
	VSP 8600 Series	Not Supported
XA1400 Series	VOSS 8.2 OOB not supported	

Table 115: sFlow product support

Feature	Product	Release introduced
---------	---------	--------------------

Table 115: sFlow product support (continued)

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
sFlow	VSP 4450 Series	VOSS 6.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 6.0
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 6.0
	VSP 8400 Series	VOSS 6.0
	VSP 8600 Series	VSP 8600 6.2
	XA1400 Series	Not Supported
sFlow collector reachability on user-created VRFs	VSP 4450 Series	Not Supported
	VSP 4900 Series	Not Supported
	VSP 7200 Series	Not Supported
	VSP 7400 Series	Not Supported
	VSP 8200 Series	Not Supported
	VSP 8400 Series	Not Supported
	VSP 8600 Series	VSP 8600 6.2
	XA1400 Series	Not Supported

Table 116: Simple Loop Prevention Protocol product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Simple Loop Prevention Protocol (SLPP)	VSP 4450 Series	VSP 4000 4.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VSP 8200 4.0
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	VOSS 8.0.50

Table 117: Simple Network Management Protocol product support

Feature	Product	Release introduced
---------	---------	--------------------

Table 117: Simple Network Management Protocol product support (continued)

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Simple Network Management Protocol (SNMP) v1/2/3 (IPv4)	VSP 4450 Series	VSP 4000 4.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VSP 8200 4.0
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	VOSS 8.0.50
SNMP (IPv6)	VSP 4450 Series	VOSS 4.1
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 4.1
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 6.2
	XA1400 Series	Not Supported

Table 118: SLA Mon product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
SLA Mon	VSP 4450 Series	VOSS 4.1
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 6.0
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 4.1
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	Not Supported

Table 119: SLPP Guard product support

Feature	Product	Release introduced
---------	---------	--------------------

Table 119: SLPP Guard product support (continued)

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
SLPP Guard	VSP 4450 Series	VOSS 6.1
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 6.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 6.1
	VSP 8400 Series	VOSS 6.1
	VSP 8600 Series	VSP 8600 6.2
	XA1400 Series	VOSS 8.0.50

Table 120: SONMP product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
SONMP	VSP 4450 Series	VSP 4000 4.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VSP 8200 4.0
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	VOSS 8.0.50

Table 121: Spanning Tree Protocol product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Spanning Tree Protocol (STP): • Multiple STP (MSTP)	VSP 4450 Series	VSP 4000 4.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1

Table 121: Spanning Tree Protocol product support (continued)

Feature	Product	Release introduced
<ul style="list-style-type: none"> Rapid STP (RSTP) 	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VSP 8200 4.0
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	VOSS 8.0.50

Table 122: spbm-config-mode product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
spbm-config-mode (boot config flags spbm-config-mode)	VSP 4450 Series	VOSS 4.1
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VSP 8200 4.0.1
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	Not Supported

Table 123: SPB-PIM Gateway product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
SPB-PIM Gateway controller node	VSP 4450 Series	VOSS 6.0
	VSP 4900 Series	VOSS 8.1.5 VSP4900-12MXU-12XE, VSP4900-24S, and VSP4900-24XE only
	VSP 7200 Series	VOSS 6.0
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 6.0
	VSP 8400 Series	VOSS 6.0
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported

Table 123: SPB-PIM Gateway product support (continued)

Feature	Product	Release introduced
SPB-PIM Gateway interface	VSP 4450 Series	VOSS 6.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 6.0
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 6.0
	VSP 8400 Series	VOSS 6.0
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported

Table 124: Static routing product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Static routing	VSP 4450 Series	VSP 4000 4.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VSP 8200 4.0
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	VOSS 8.0.50

Table 125: TACACS+ product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
TACACS+	VSP 4450 Series	VSP 4000 4.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 4.1
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	VOSS 8.0.50

Table 125: TACACS+ product support (continued)

Feature	Product	Release introduced
TACACS+ secure communication using IPSec for IPv4 Note: VOSS Releases 6.0 and 6.0.1 do not support this feature.	VSP 4450 Series	VOSS 5.1.2
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 5.1.2
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 5.1.2
	VSP 8400 Series	VOSS 5.1.2
	VSP 8600 Series	VSP 8600 8.0 demonstration feature
	XA1400 Series	VOSS 8.0.50

Table 126: TLS server for secure HTTPS product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
TLS server for secure HTTPS Note: VOSS Releases 6.0 and 6.0.1 do not support this feature.	VSP 4450 Series	VOSS 5.1.2
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 5.1.2
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 5.1.2
	VSP 8400 Series	VOSS 5.1.2
	VSP 8600 Series	VSP 8600 6.1
	XA1400 Series	VOSS 8.0.50

Table 127: Two-Factor Authentication for SSH product support

Feature	Product	Release introduced
---------	---------	--------------------

Table 127: Two-Factor Authentication for SSH product support (continued)

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Two-Factor Authentication for SSH	VSP 4450 Series	VOSS 8.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 8.0
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 8.0
	VSP 8400 Series	VOSS 8.0
	VSP 8600 Series	VSP 8600 8.0 demo feature
	XA1400 Series	VOSS 8.0.50

Table 128: Unicast Reverse Path Forwarding product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Unicast Reverse Path Forwarding (URPF) checking (IPv4)	VSP 4450 Series	VOSS 5.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 5.0
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 5.0
	VSP 8400 Series	VOSS 5.0
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	Not Supported
Unicast Reverse Path Forwarding (URPF) checking (IPv6)	VSP 4450 Series	VOSS 5.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 5.0
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 5.0
	VSP 8400 Series	VOSS 5.0
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	Not Supported



VOSS Features V to X

Table 129: Virtual Inter-Switch Trunk product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Switch cluster (multi-chassis LAG) -Virtual Inter-Switch Trunk (vIST)	VSP 4450 Series	VOSS 4.1
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VSP 8200 4.0
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 6.1
	XA1400 Series	Not Supported

Table 130: Virtual Link Aggregation Control Protocol (VLACP) product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Virtual Link Aggregation Control Protocol (VLACP)	VSP 4450 Series	VSP 4000 4.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VSP 8200 4.0
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	VOSS 8.0.50

Table 130: Virtual Link Aggregation Control Protocol (VLACP) product support (continued)

Feature	Product	Release introduced
VLACP Flap Detect and Damping	VSP 4450 Series	VOSS 7.1.5
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 8.1
	VSP 7400 Series	VOSS 8.1
	VSP 8200 Series	VOSS 8.1
	VSP 8400 Series	VOSS 8.1
	VSP 8600 Series	VSP 8600 8.0
	XA1400 Series	VOSS 8.1

Table 131: Virtual Router Redundancy Protocol product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Virtual Router Redundancy Protocol (VRRP)	VSP 4450 Series	VSP 4000 4.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VSP 8200 4.0
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	VOSS 8.0.50
VRRPv3 for IPv4	VSP 4450 Series	VOSS 5.1
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 5.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 5.1
	VSP 8400 Series	VOSS 5.1
	VSP 8600 Series	VSP 8600 6.1
	XA1400 Series	VOSS 8.0.50

Table 132: Virtual Router Redundancy Protocol for IPv6 product support

Feature	Product	Release introduced
---------	---------	--------------------

Table 132: Virtual Router Redundancy Protocol for IPv6 product support (continued)

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
IPv6 VRRP	VSP 4450 Series	VOSS 4.1
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 4.1
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 6.2
	XA1400 Series	Not Supported
VRRPv3 for IPv6	VSP 4450 Series	VOSS 5.1
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 5.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 5.1
	VSP 8400 Series	VOSS 5.1
	VSP 8600 Series	VSP 8600 6.2
	XA1400 Series	Not Supported

Table 133: Virtual Routing and Forwarding product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Virtualization with IPv4 Virtual Routing and Forwarding (VRF) <ul style="list-style-type: none"> • ARP • DHCP Relay • Inter-VRF Routing (static, dynamic, and policy) • Local routing • OSPFv2 • RIPv1 and v2 • Route policies • Static routing • VRRP 	VSP 4450 Series	VSP 4000 4.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VSP 8200 4.0
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	VOSS 8.0.50

Table 133: Virtual Routing and Forwarding product support (continued)

Feature	Product	Release introduced
Increased VRF and Layer 3 VSN scaling	VSP 4450 Series	VOSS 6.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 6.0
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 6.0
	VSP 8400 Series	VOSS 6.0
	VSP 8600 Series	VSP 8600 8.0
	XA1400 Series	Not Supported
IBGP over user-created VRFs	VSP 4450 Series	VOSS 8.1
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 8.1
	VSP 7400 Series	VOSS 8.1
	VSP 8200 Series	VOSS 8.1
	VSP 8400 Series	VOSS 8.1
	VSP 8600 Series	VSP 8600 8.0 demonstration feature
	XA1400 Series	Not Supported
IPv6 Virtualization for the following features and functions: <ul style="list-style-type: none"> • IPv6 Interfaces and IPv6 Static Routes in VRFs and Layer 3 VSNs • ECMP and Alternative route • Route redistribution for static and direct routes • VRRPv3 for IPv6 • DHCP Relay • IPv6 Reverse Path Forwarding • ICMP Ping and Traceroute 	VSP 4450 Series	VOSS 7.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 7.0
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 7.0
	VSP 8400 Series	VOSS 7.0
	VSP 8600 Series	VSP 8600 8.0
	XA1400 Series	Not Supported

Table 133: Virtual Routing and Forwarding product support (continued)

Feature	Product	Release introduced
IPv6 Virtualization for the following features and functions: <ul style="list-style-type: none"> • Open Shortest Path First for IPv6 (OSPFv3) • IPv6 Border Gateway Protocol (IPv6 BGP) • IPv6 route redistribution enhancements 	VSP 4450 Series	VOSS 8.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 8.0
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 8.0
	VSP 8400 Series	VOSS 8.0
	VSP 8600 Series	VSP 8600 8.0
	XA1400 Series	Not Supported

Table 134: VXLAN Gateway product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
VXLAN Gateway	VSP 4450 Series	Not Supported
	VSP 4900 Series	Not Supported
	VSP 7200 Series	VOSS 6.0
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 6.0
	VSP 8400 Series	VOSS 6.0
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported
OVSDB protocol support for VXLAN Gateway	VSP 4450 Series	Not Supported
	VSP 4900 Series	Not Supported
	VSP 7200 Series	VOSS 7.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 7.1
	VSP 8400 Series	VOSS 7.1
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported

Table 134: VXLAN Gateway product support (continued)

Feature	Product	Release introduced
ECMP support for VXLAN Gateway	VSP 4450 Series	Not Supported
	VSP 4900 Series	Not Supported
	VSP 7200 Series	VOSS 6.0
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 6.0
	VSP 8400 Series	VOSS 6.0
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported



VOSS Features Y and Z

Table 135: Zero Touch Deployment product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Zero Touch Deployment	VSP 4450 Series	VOSS 8.2
	VSP 4900 Series	VOSS 8.2 VIMs: VIM5-4YE, VIM5-4X, VIM5-4XE, and VIM5-2Y only
	VSP 7200 Series	VOSS 8.2
	VSP 7400 Series	VOSS 8.2
	VSP 8200 Series	VOSS 8.2
	VSP 8400 Series	VOSS 8.2
	VSP 8600 Series	Not supported
	XA1400 Series	VOSS 8.2

Table 136: Zero Touch Fabric Configuration product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Zero Touch Fabric Configuration	VSP 4450 Series	VOSS 7.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 7.0
	VSP 7400 Series	VOSS 8.0.5
	VSP 8200 Series	VOSS 7.0
	VSP 8400 Series	VOSS 7.0
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported

Table 136: Zero Touch Fabric Configuration product support (continued)

Feature	Product	Release introduced
LLDP Fabric Connect TLV	VSP 4450 Series	VOSS 8.3
	VSP 4900 Series	VOSS 8.3
	VSP 7200 Series	VOSS 8.3
	VSP 7400 Series	VOSS 8.3
	VSP 8200 Series	VOSS 8.3
	VSP 8400 Series	VOSS 8.3
	VSP 8600 Series	VSP 8600 8.1
	XA1400 Series	Not Supported

Table 137: Zero Touch Provisioning Plus product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Zero Touch Provisioning Plus	VSP 4450 Series	VOSS 8.2.5
	VSP 4900 Series	VOSS 8.2.5
	VSP 7200 Series	VOSS 8.2.5
	VSP 7400 Series	VOSS 8.2.5
	VSP 8200 Series	VOSS 8.2.5
	VSP 8400 Series	VOSS 8.2.5
	VSP 8600 Series	Not Supported
	XA1400 Series	VOSS 8.2.5