



VOSS Feature Support Matrix

For VSP 8600 Release 8.1

9037146-00 Rev AB
August 2022



Copyright © 2022 Extreme Networks, Inc.

Legal Notice

Extreme Networks, Inc. reserves the right to make changes in specifications and other information contained in this document and its website without prior notice. The reader should in all cases consult representatives of Extreme Networks to determine whether any such changes have been made.

The hardware, firmware, software or any specifications described or referred to in this document are subject to change without notice.

Trademarks

Extreme Networks and the Extreme Networks logo are trademarks or registered trademarks of Extreme Networks, Inc. in the United States and/or other countries.

All other names (including any product names) mentioned in this document are the property of their respective owners and may be trademarks or registered trademarks of their respective companies/owners.

For additional information on Extreme Networks trademarks, see: www.extremenetworks.com/company/legal/trademarks

Open Source Declarations

Some software files have been licensed under certain open source or third-party licenses. End-user license agreements and open source declarations can be found at: <https://www.extremenetworks.com/support/policies/open-source-declaration/>



Table of Contents

About this Document.....	4
Purpose.....	4
Documentation and Training.....	5
Help and Support.....	5
Subscribe to Product Announcements.....	6
Send Feedback.....	6
VOSS Features A to C.....	7
VOSS Features D to F.....	30
VOSS Features G to I.....	62
VOSS Features J to L.....	79
VOSS Features M to O.....	89
VOSS Features P to R.....	101
VOSS Features S to U.....	118
VOSS Features V to X.....	133
VOSS Features Y and Z.....	139



About this Document

[Purpose](#) on page 4

[Documentation and Training](#) on page 5

[Help and Support](#) on page 5

[Send Feedback](#) on page 6

This section discusses the purpose of this document, ways to provide feedback, additional help, and information regarding other Extreme Networks publications.

Purpose

This document provides information on features in VSP Operating System Software (VOSS). VOSS runs on the following product families:

- ExtremeSwitching 5420 Series
- ExtremeSwitching 5520 Series
- ExtremeSwitching VSP 4450 Series
- ExtremeSwitching VSP 4900 Series
- ExtremeSwitching VSP 7200 Series
- ExtremeSwitching VSP 7400 Series
- ExtremeSwitching VSP 8200 Series
- ExtremeSwitching VSP 8400 Series
- ExtremeSwitching VSP 8600 Series
- ExtremeSwitching XA1400 Series



Note

VOSS is licensed on the XA1400 Series as a Fabric Connect VPN (FCVPN) application, which includes a subset of VOSS features. FCVPN transparently extends Fabric Connect services over third-party provider networks.

This document identifies the release that first introduced feature support on a hardware product. Each new release includes all the features from previous releases unless specifically stated otherwise. Use this document to determine if features are supported on your product.

**Note**

Release 4.1 was the first VOSS release. Release numbers earlier than 4.1 are releases specific to the particular product, for example, VSP 4000 4.0.

Releases that are not part of the main VOSS release cycle begin with the product name, for example, VSP 8600 6.3.

Different models within a product family can be introduced in different software releases. The tables in this document include the earliest release number. To understand which release is the minimum software release for each model, see [VSP 8600 Release Notes](#).

This document arranges the features alphabetically, based on how those features are included in the [VOSS User Guide](#). For example, [Table 19](#) on page 30 includes both Directed Broadcast and High Secure Mode.

The tables in this document also appear in the conceptual feature content of the [VOSS User Guide](#).

This document distinguishes between hardware that is not capable of supporting a feature (Not Applicable) and hardware that is capable of supporting a feature but does not (Not Supported).

Documentation and Training

Find Extreme Networks product information at the following locations:

[Current Product Documentation](#)

[Release Notes](#)

[Hardware and software compatibility](#) for Extreme Networks products

[Extreme Optics Compatibility](#)

[Other resources](#) such as white papers, data sheets, and case studies

Extreme Networks offers product training courses, both online and in person, as well as specialized certifications. For details, visit www.extremenetworks.com/education/.

Help and Support

If you require assistance, contact Extreme Networks using one of the following methods:

Extreme Portal

Search the GTAC (Global Technical Assistance Center) knowledge base; manage support cases and service contracts; download software; and obtain product licensing, training, and certifications.

The Hub

A forum for Extreme Networks customers to connect with one another, answer questions, and share ideas and feedback. This community is monitored by Extreme Networks employees, but is not intended to replace specific guidance from GTAC.

Call GTAC

For immediate support: (800) 998 2408 (toll-free in U.S. and Canada) or 1 (408) 579 2826. For the support phone number in your country, visit: www.extremenetworks.com/support/contact

Before contacting Extreme Networks for technical support, have the following information ready:

- Your Extreme Networks service contract number, or serial numbers for all involved Extreme Networks products
- A description of the failure
- A description of any actions already taken to resolve the problem
- A description of your network environment (such as layout, cable type, other relevant environmental information)
- Network load at the time of trouble (if known)
- The device history (for example, if you have returned the device before, or if this is a recurring problem)
- Any related RMA (Return Material Authorization) numbers

Subscribe to Product Announcements

You can subscribe to email notifications for product and software release announcements, Field Notices, and Vulnerability Notices.

1. Go to [The Hub](#).
2. In the list of categories, expand the **Product Announcements** list.
3. Select a product for which you would like to receive notifications.
4. Select **Subscribe**.
5. To select additional products, return to the **Product Announcements** list and repeat steps 3 and 4.

You can modify your product selections or unsubscribe at any time.

Send Feedback

The Information Development team at Extreme Networks has made every effort to ensure that this document is accurate, complete, and easy to use. We strive to improve our documentation to help you in your work, so we want to hear from you. We welcome all feedback, but we especially want to know about:

- Content errors, or confusing or conflicting information.
- Improvements that would help you find relevant information.
- Broken links or usability issues.

To send feedback, do either of the following:

- Access the feedback form at <https://www.extremenetworks.com/documentation-feedback/>.
- Email us at documentation@extremenetworks.com.

Provide the publication title, part number, and as much detail as possible, including the topic heading and page number if applicable, as well as your suggestions for improvement.



VOSS Features A to C

Table 1: Access Control Entry product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Platform specific considerations for ACL and ACE behavior are documented in ACL Filters Behavior Differences, which is in VOSS User Guide .		
QoS Access Control Entries (ACE)	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VSP 4000 4.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VSP 8200 4.0
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 6.2
	XA1400 Series	VOSS 8.0.50
Security ACEs	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VSP 4000 4.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VSP 8200 4.0
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	VOSS 8.0.50

Table 1: Access Control Entry product support (continued)

Feature	Product	Release introduced
Filter enhancement - Apply ACE to Routed Packets only	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.4
	VSP 4450 Series	VOSS 8.4
	VSP 4900 Series	VOSS 8.4
	VSP 7200 Series	VOSS 8.4
	VSP 7400 Series	VOSS 8.4
	VSP 8200 Series	VOSS 8.4
	VSP 8400 Series	VOSS 8.4
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported
Policy Based Routing (redirect-next-hop)	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VSP 4450 3.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VSP 8200 4.0
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	VOSS 8.0.50
Policy Based Routing (redirect-next-hop) with VRF support	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VOSS 6.1
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 6.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 6.1
	VSP 8400 Series	VOSS 6.1
	VSP 8600 Series	VSP 8600 8.0 demonstration feature
	XA1400 Series	Not Supported

Table 2: Access Control List product support

Feature	Product	Release introduced
---------	---------	--------------------

Table 2: Access Control List product support (continued)

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Platform specific considerations for ACL and ACE behavior are documented in ACL Filters Behavior Differences, which is in VOSS User Guide .		
Access Control List (ACL)-based filtering, including egress ACLs, ingress ACLs, Layer 2 to Layer 4 filtering, port-based, and VLAN-based	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VSP 4000 4.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VSP 8200 4.0
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	VOSS 8.0.50
InVSN Filter	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VOSS 7.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 7.0
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 7.0
	VSP 8400 Series	VOSS 7.0
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported
IPv6 ingress filters	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VOSS 4.1
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 4.1
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 6.2
	XA1400 Series	Not Supported

Table 2: Access Control List product support (continued)

Feature	Product	Release introduced
IPv6 egress filters	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VOSS 7.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 7.0
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 7.0
	VSP 8400 Series	VOSS 7.0
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported
IPv6 ACL DSCP Remarking	5420 Series	VOSS 8.5
	5520 Series	VOSS 8.5
	VSP 4450 Series	Not Supported
	VSP 4900 Series	VOSS 8.5
	VSP 7200 Series	Not Supported
	VSP 7400 Series	VOSS 8.5
	VSP 8200 Series	Not Supported
	VSP 8400 Series	VOSS 8.5 Switch model: VSP 8404C
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported

Table 3: Address Resolution Protocol product support

Feature	Product	Release introduced
---------	---------	--------------------

Table 3: Address Resolution Protocol product support (continued)

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Address Resolution Protocol (ARP) including Proxy ARP and Static ARP	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VSP 4000 4.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VSP 8200 4.0
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	VOSS 8.0.50
Gratuitous ARP filtering	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VOSS 4.2
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 4.2
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	VOSS 8.0.50

Table 4: Advanced Feature Bandwidth Reservation product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Advanced Feature Bandwidth Reservation Note: If your switch does not have this boot flag, it is because the hardware reserves the	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	Not Supported
	VSP 4900 Series	Not Supported
	VSP 7200 Series	Not Supported
	VSP 7400 Series	VOSS 8.0

Table 4: Advanced Feature Bandwidth Reservation product support (continued)

Feature	Product	Release introduced
bandwidth automatically with no user interaction.	VSP 8200 Series	Not Supported
	VSP 8400 Series	Not Supported
	VSP 8600 Series	Not Supported
	XA1400 Series	VOSS 8.0.50 XA1480 only- demonstration feature

Table 5: Alternative routes product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Alternative routes for IPv4	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VSP 4000 4.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VSP 8200 4.0
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	VOSS 8.0.50
Alternative routes for IPv6	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VOSS 5.1
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 5.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 5.1
	VSP 8400 Series	VOSS 5.1
	VSP 8600 Series	VSP 8600 6.2
	XA1400 Series	Not Supported

Table 6: Application Telemetry product support

Feature	Product	Release introduced
---------	---------	--------------------

Table 6: Application Telemetry product support (continued)

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Application Telemetry	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VOSS 7.1
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 7.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 7.1
	VSP 8400 Series	VOSS 7.1
	VSP 8600 Series	VSP 8600 6.2
	XA1400 Series	Not Supported
Application Telemetry Host Monitoring	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VOSS 8.0.5
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 8.0.5
	VSP 7400 Series	VOSS 8.0.5
	VSP 8200 Series	VOSS 8.0.5
	VSP 8400 Series	VOSS 8.0.5
	VSP 8600 Series	VSP 8600 8.0
	XA1400 Series	Not Supported

Table 7: Authentication for Privileged EXEC Mode product support

Feature	Product	Release introduced
---------	---------	--------------------

Table 7: Authentication for Privileged EXEC Mode product support (continued)

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Authentication for Privileged EXEC CLI Command Mode	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VOSS 8.2
	VSP 4900 Series	VOSS 8.2
	VSP 7200 Series	VOSS 8.2
	VSP 7400 Series	VOSS 8.2
	VSP 8200 Series	VOSS 8.2
	VSP 8400 Series	VOSS 8.2
	VSP 8600 Series	VSP 8600 8.0
	XA1400 Series	VOSS 8.2

Table 8: Auto-Negotiation product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Auto-Negotiation	5420 Series	VOSS 8.4 Switch models: <ul style="list-style-type: none"> 5420F-24T-4XE, 5420F-24P-4XE, 5420F-48T-4XE, 5420F-48P-4XE, 5420F-48P-4XL, 5420F-24S-4XE, 5420F-8W-16P-4XE, 5420F-16W-32P-4XE, 5420F-16MW-32P-4XE, 5420M-24W-4YE, 5420M-48W-4YE, 5420M-24T-4YE, 5420M-48T-4YE, 5420M-16MW-32P-4YE <p>Note: SFP-DD ports are only available if you disable Advanced Feature Bandwidth Reservation.</p>
	5520 Series	VOSS 8.2.5 Switch models: <ul style="list-style-type: none"> 5520-24T, 5520-24W, 5520-48T, 5520-48W, 5520-12MW-36W

Table 8: Auto-Negotiation product support (continued)

Feature	Product	Release introduced
		<ul style="list-style-type: none"> 5520-48SE QSFP28/QSFP+ ports, and all fixed fiber ports, at 1 Gbps only <p>Note: QSFP28 ports are only available if you disable Advanced Feature Bandwidth Reservation.</p> <p>5520-VIM-4XE at 1 Gbps only and 5520-VIM-4YE at 25 Gbps only</p>
	VSP 4450 Series	VSP 4000 4.0
	VSP 4900 Series	VOSS 8.1 Switch models: <ul style="list-style-type: none"> VSP4900-24S and VSP4900-48P - all fixed ports VSP4900-12MXU-12XE - all fixed ports, with ports 13 to 24 at 1 Gbps only VSP4900-24XE - all fixed ports at 1 Gbps only VIM5-4XE at 1 Gbps only and VIM5-4YE at 25 Gbps only
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VSP 8200 4.0
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	VOSS 8.0.50

Table 9: Auto-sense product support

Feature	Product	Release introduced
---------	---------	--------------------

Table 9: Auto-sense product support (continued)

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Auto-sense	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.3
	VSP 4450 Series	VOSS 8.3
	VSP 4900 Series	VOSS 8.3
	VSP 7200 Series	VOSS 8.3
	VSP 7400 Series	VOSS 8.3
	VSP 8200 Series	VOSS 8.3
	VSP 8400 Series	VOSS 8.3
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported
Auto-sense ports can apply Fabric Attach (FA)-specific configuration	5420 Series	VOSS 8.4.2
	5520 Series	VOSS 8.4.2
	VSP 4450 Series	VOSS 8.4.2
	VSP 4900 Series	VOSS 8.4.2
	VSP 7200 Series	VOSS 8.4.2
	VSP 7400 Series	VOSS 8.4.2
	VSP 8200 Series	VOSS 8.4.2
	VSP 8400 Series	VOSS 8.4.2
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported

Table 10: Bidirectional Forwarding Detection (BFD) product support

Feature	Product	Release introduced
---------	---------	--------------------

Table 10: Bidirectional Forwarding Detection (BFD) product support (continued)

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
BFD (IPv4)	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VOSS 8.1
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 8.1
	VSP 7400 Series	VOSS 8.1
	VSP 8200 Series	VOSS 8.1
	VSP 8400 Series	VOSS 8.1
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported
BFD (IPv6)	5420 Series	VOSS 8.4 demonstration feature
	5520 Series	VOSS 8.2.5 demonstration feature
	VSP 4450 Series	VOSS 8.1 demonstration feature
	VSP 4900 Series	VOSS 8.1 demonstration feature
	VSP 7200 Series	VOSS 8.1 demonstration feature
	VSP 7400 Series	VOSS 8.1 demonstration feature
	VSP 8200 Series	VOSS 8.1 demonstration feature
	VSP 8400 Series	VOSS 8.1 demonstration feature
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported

Table 10: Bidirectional Forwarding Detection (BFD) product support (continued)

Feature	Product	Release introduced
BFD over Fabric Extend Tunnels (IPv4)	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	Not Supported
	VSP 4900 Series	VOSS 8.2
	VSP 7200 Series	VOSS 8.2
	VSP 7400 Series	VOSS 8.2
	VSP 8200 Series	VOSS 8.2
	VSP 8400 Series	VOSS 8.2
	VSP 8600 Series	Not supported
	XA1400 Series	VOSS 8.2

Table 11: Border Gateway Protocol product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Border Gateway Protocol for IPv4 (BGPv4)	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VSP 4000 4.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 4.1
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	VOSS 8.0.50
BGP+ (BGPv4 for IPv6).	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VOSS 5.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 5.0
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 5.0
	VSP 8400 Series	VOSS 5.0
	VSP 8600 Series	VSP 8600 6.2
	XA1400 Series	Not Supported

Table 11: Border Gateway Protocol product support (continued)

Feature	Product	Release introduced
BGPv6	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VOSS 7.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 7.0
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 7.0
	VSP 8400 Series	VOSS 7.0
	VSP 8600 Series	VSP 8600 8.0
	XA1400 Series	Not Supported
External BGP (eBGP)	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VSP 4000 4.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 4.1
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	VOSS 8.0.50
Internal BPG (iBGP)	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VOSS 4.2
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 4.2
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	VOSS 8.0.50

Table 11: Border Gateway Protocol product support (continued)

Feature	Product	Release introduced
Route metric for BGP route redistribution	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VOSS 6.1
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 6.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 6.1
	VSP 8400 Series	VOSS 6.1
	VSP 8600 Series	VSP 8600 8.0
	XA1400 Series	VOSS 8.0.50
iBGP over user-created VRFs	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VOSS 8.1
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 8.1
	VSP 7400 Series	VOSS 8.1
	VSP 8200 Series	VOSS 8.1
	VSP 8400 Series	VOSS 8.1
	VSP 8600 Series	VSP 8600 8.0 - demonstration feature
	XA1400 Series	Not Supported

Table 12: Bridge Protocol Data Unit (BPDU) Guard product support

Feature	Product	Release introduced
---------	---------	--------------------

Table 12: Bridge Protocol Data Unit (BPDU) Guard product support (continued)

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Bridge Protocol Data Unit (BPDU) Guard	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VOSS 6.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 6.0
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 6.0
	VSP 8400 Series	VOSS 6.0
	VSP 8600 Series	VSP 8600 6.2
	XA1400 Series	Not Supported

Table 13: Certificate order priority product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Certificate order priority Note: VOSS Releases 6.0 and 6.0.1 do not support this feature.	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VOSS 5.1.2
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 5.1.2
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 5.1.2
	VSP 8400 Series	VOSS 5.1.2
	VSP 8600 Series	Not Supported
	XA1400 Series	VOSS 8.0.50

Table 14: Channelization product support

Feature	Product	Release introduced
---------	---------	--------------------

Table 14: Channelization product support (continued)

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Channelization of 40 Gbps ports	5420 Series	Not Applicable
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	Not Applicable
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0 VSP 7432CQ only
	VSP 8200 Series	VOSS 4.2
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 6.1
	XA1400 Series	Not Applicable
Channelization of 100 Gbps ports	5420 Series	Not Applicable
	5520 Series	Not Applicable
	VSP 4450 Series	Not Applicable
	VSP 4900 Series	Not Applicable
	VSP 7200 Series	Not Applicable
	VSP 7400 Series	VOSS 8.0 VSP 7432CQ only
	VSP 8200 Series	Not Applicable
	VSP 8400 Series	Not Supported
	VSP 8600 Series	VSP 8600 6.2
	XA1400 Series	Not Applicable

Table 15: Client and Server product support

Feature	Product	Release introduced	Release deprecated
---------	---------	--------------------	--------------------

Table 15: Client and Server product support (continued)

Feature	Product	Release introduced	Release deprecated
For configuration details, see VOSS User Guide .			
File Transfer Protocol (FTP) server and client (IPv4)	5420 Series	VOSS 8.4	Not Applicable
	5520 Series	VOSS 8.2.5	Not Applicable
	VSP 4450 Series	VSP 4000 4.0	Not Applicable
	VSP 4900 Series	VOSS 8.1	Not Applicable
	VSP 7200 Series	VOSS 4.2.1	Not Applicable
	VSP 7400 Series	VOSS 8.0	Not Applicable
	VSP 8200 Series	VSP 8200 4.0	Not Applicable
	VSP 8400 Series	VOSS 4.2	Not Applicable
	VSP 8600 Series	VSP 8600 4.5	Not Applicable
	XA1400 Series	VOSS 8.0.50	Not Applicable
File Transfer Protocol (FTP) server and client (IPv6)	5420 Series	VOSS 8.4	Not Applicable
	5520 Series	VOSS 8.2.5	Not Applicable
	VSP 4450 Series	VOSS 4.1	Not Applicable
	VSP 4900 Series	VOSS 8.1	Not Applicable
	VSP 7200 Series	VOSS 4.2.1	Not Applicable
	VSP 7400 Series	VOSS 8.0	Not Applicable
	VSP 8200 Series	VOSS 4.1	Not Applicable
	VSP 8400 Series	VOSS 4.2	Not Applicable
	VSP 8600 Series	VSP 8600 6.2	Not Applicable
	XA1400 Series	Not Supported	Not Applicable
Hypertext Transfer Protocol (HTTP) and Hypertext Transfer Protocol Secure (HTTPS) (IPv4)	5420 Series	VOSS 8.4	Not Applicable
	5520 Series	VOSS 8.2.5	Not Applicable
	VSP 4450 Series	VOSS 4.1	Not Applicable
	VSP 4900 Series	VOSS 8.1	Not Applicable
	VSP 7200 Series	VOSS 4.2.1	Not Applicable
	VSP 7400 Series	VOSS 8.0	Not Applicable
	VSP 8200 Series	VSP 8200 4.0	Not Applicable
	VSP 8400 Series	VOSS 4.2	Not Applicable
	VSP 8600 Series	VSP 8600 4.5	Not Applicable
	XA1400 Series	VOSS 8.0.50	Not Applicable

Table 15: Client and Server product support (continued)

Feature	Product	Release introduced	Release deprecated
Hypertext Transfer Protocol (HTTP) and Hypertext Transfer Protocol Secure (HTTPS) (IPv6)	5420 Series	VOSS 8.4	Not Applicable
	5520 Series	VOSS 8.2.5	Not Applicable
	VSP 4450 Series	VOSS 4.1	Not Applicable
	VSP 4900 Series	VOSS 8.1	Not Applicable
	VSP 7200 Series	VOSS 4.2.1	Not Applicable
	VSP 7400 Series	VOSS 8.0	Not Applicable
	VSP 8200 Series	VOSS 4.1	Not Applicable
	VSP 8400 Series	VOSS 4.2	Not Applicable
	VSP 8600 Series	VSP 8600 6.2	Not Applicable
	XA1400 Series	Not Supported	Not Applicable
Remote Login (Rlogin) server/client (IPv4)	5420 Series	Not Supported	Not Applicable
	5520 Series	Not Supported	Not Applicable
	VSP 4450 Series	VSP 4000 4.0	VOSS 8.2
	VSP 4900 Series	VOSS 8.1	VOSS 8.2
	VSP 7200 Series	VOSS 4.2.1	VOSS 8.2
	VSP 7400 Series	VOSS 8.0	VOSS 8.2
	VSP 8200 Series	VSP 8200 4.0	VOSS 8.2
	VSP 8400 Series	VOSS 4.2	VOSS 8.2
	VSP 8600 Series	VSP 8600 4.5	Not Applicable
	XA1400 Series	VOSS 8.0.50	VOSS 8.2
Rlogin server (IPv6)	5420 Series	Not Supported	Not Applicable
	5520 Series	Not Supported	Not Applicable
	VSP 4450 Series	VOSS 4.1	VOSS 8.2
	VSP 4900 Series	VOSS 8.1	VOSS 8.2
	VSP 7200 Series	VOSS 4.2.1	VOSS 8.2
	VSP 7400 Series	VOSS 8.0	VOSS 8.2
	VSP 8200 Series	VOSS 4.1	VOSS 8.2
	VSP 8400 Series	VOSS 4.2	VOSS 8.2
	VSP 8600 Series	VSP 8600 6.2	Not Applicable
	XA1400 Series	Not Supported	VOSS 8.2

Table 15: Client and Server product support (continued)

Feature	Product	Release introduced	Release deprecated
Rlogin client (IPv6)	5420 Series	Not Supported	Not Applicable
	5520 Series	Not Supported	Not Applicable
	VSP 4450 Series	VOSS 7.0	VOSS 8.2
	VSP 4900 Series	VOSS 8.1	VOSS 8.2
	VSP 7200 Series	VOSS 7.0	VOSS 8.2
	VSP 7400 Series	VOSS 8.0	VOSS 8.2
	VSP 8200 Series	VOSS 7.0	VOSS 8.2
	VSP 8400 Series	VOSS 7.0	VOSS 8.2
	VSP 8600 Series	VSP 8600 8.0	Not Applicable
	XA1400 Series	Not Supported	VOSS 8.2
Remote Shell (RSH) server/client	5420 Series	Not Supported	Not Applicable
	5520 Series	Not Supported	Not Applicable
	VSP 4450 Series	VSP 4000 4.0	VOSS 8.2
	VSP 4900 Series	VOSS 8.1	VOSS 8.2
	VSP 7200 Series	VOSS 4.2.1	VOSS 8.2
	VSP 7400 Series	VOSS 8.0	VOSS 8.2
	VSP 8200 Series	VSP 8200 4.0	VOSS 8.2
	VSP 8400 Series	VOSS 4.2	VOSS 8.2
	VSP 8600 Series	VSP 8600 4.5	Not Applicable
	XA1400 Series	VOSS 8.0.50	VOSS 8.2
Secure Copy (SCP) Note: The switch does not support the WinSCP client.	5420 Series	VOSS 8.4	Not Applicable
	5520 Series	VOSS 8.2.5	Not Applicable
	VSP 4450 Series	VSP 4000 4.0	Not Applicable
	VSP 4900 Series	VOSS 8.1	Not Applicable
	VSP 7200 Series	VOSS 5.0	Not Applicable
	VSP 7400 Series	VOSS 8.0	Not Applicable
	VSP 8200 Series	VSP 8200 4.0	Not Applicable
	VSP 8400 Series	VOSS 5.0	Not Applicable
	VSP 8600 Series	VSP 8600 4.5	Not Applicable
	XA1400 Series	VOSS 8.0.50	Not Applicable

Table 15: Client and Server product support (continued)

Feature	Product	Release introduced	Release deprecated
Secure File Transfer Protocol (SFTP) server (IPv4)	5420 Series	VOSS 8.4	Not Applicable
	5520 Series	VOSS 8.2.5	Not Applicable
	VSP 4450 Series	VOSS 4.2	Not Applicable
	VSP 4900 Series	VOSS 8.1	Not Applicable
	VSP 7200 Series	VOSS 4.2.1	Not Applicable
	VSP 7400 Series	VOSS 8.0	Not Applicable
	VSP 8200 Series	VOSS 4.2	Not Applicable
	VSP 8400 Series	VOSS 4.2	Not Applicable
	VSP 8600 Series	VSP 8600 4.5	Not Applicable
	XA1400 Series	VOSS 8.0.50	Not Applicable
Secure File Transfer Protocol (SFTP) server (IPv6)	5420 Series	VOSS 8.4	Not Applicable
	5520 Series	VOSS 8.2.5	Not Applicable
	VSP 4450 Series	VOSS 4.2	Not Applicable
	VSP 4900 Series	VOSS 8.1	Not Applicable
	VSP 7200 Series	VOSS 4.2.1	Not Applicable
	VSP 7400 Series	VOSS 8.0	Not Applicable
	VSP 8200 Series	VOSS 4.2	Not Applicable
	VSP 8400 Series	VOSS 4.2	Not Applicable
	VSP 8600 Series	VSP 8600 6.2	Not Applicable
	XA1400 Series	Not Supported	Not Applicable
Telnet server and client (IPv4)	5420 Series	VOSS 8.4	Not Applicable
	5520 Series	VOSS 8.2.5	Not Applicable
	VSP 4450 Series	VSP 4000 4.0	Not Applicable
	VSP 4900 Series	VOSS 8.1	Not Applicable
	VSP 7200 Series	VOSS 4.2.1	Not Applicable
	VSP 7400 Series	VOSS 8.0	Not Applicable
	VSP 8200 Series	VSP 8200 4.0	Not Applicable
	VSP 8400 Series	VOSS 4.2	Not Applicable
	VSP 8600 Series	VSP 8600 4.5	Not Applicable
	XA1400 Series	VOSS 8.0.50	Not Applicable

Table 15: Client and Server product support (continued)

Feature	Product	Release introduced	Release deprecated
Telnet server and client (IPv6)	5420 Series	VOSS 8.4	Not Applicable
	5520 Series	VOSS 8.2.5	Not Applicable
	VSP 4450 Series	VOSS 4.1	Not Applicable
	VSP 4900 Series	VOSS 8.1	Not Applicable
	VSP 7200 Series	VOSS 4.2.1	Not Applicable
	VSP 7400 Series	VOSS 8.0	Not Applicable
	VSP 8200 Series	VOSS 4.1	Not Applicable
	VSP 8400 Series	VOSS 4.2	Not Applicable
	VSP 8600 Series	VSP 8600 6.2	Not Applicable
	XA1400 Series	Not Supported	Not Applicable
Trivial File Transfer Protocol (TFTP) server and client (IPv4)	5420 Series	VOSS 8.4	Not Applicable
	5520 Series	VOSS 8.2.5	Not Applicable
	VSP 4450 Series	VSP 4000 4.0	Not Applicable
	VSP 4900 Series	VOSS 8.1	Not Applicable
	VSP 7200 Series	VOSS 4.2.1	Not Applicable
	VSP 7400 Series	VOSS 8.0	Not Applicable
	VSP 8200 Series	VSP 8200 4.0	Not Applicable
	VSP 8400 Series	VOSS 4.2	Not Applicable
	VSP 8600 Series	VSP 8600 4.5	Not Applicable
	XA1400 Series	VOSS 8.0.50	Not Applicable
TFTP server (IPv6)	5420 Series	VOSS 8.4	Not Applicable
	5520 Series	VOSS 8.2.5	Not Applicable
	VSP 4450 Series	VOSS 4.1	Not Applicable
	VSP 4900 Series	VOSS 8.1	Not Applicable
	VSP 7200 Series	VOSS 4.2.1	Not Applicable
	VSP 7400 Series	VOSS 8.0	Not Applicable
	VSP 8200 Series	VOSS 4.1	Not Applicable
	VSP 8400 Series	VOSS 4.2	Not Applicable
	VSP 8600 Series	VSP 8600 6.2	Not Applicable
	XA1400 Series	Not Supported	Not Applicable

Table 15: Client and Server product support (continued)

Feature	Product	Release introduced	Release deprecated
TFTP client (IPv6)	5420 Series	VOSS 8.4	Not Applicable
	5520 Series	VOSS 8.2.5	Not Applicable
	VSP 4450 Series	VOSS 7.0	Not Applicable
	VSP 4900 Series	VOSS 8.1	Not Applicable
	VSP 7200 Series	VOSS 7.0	Not Applicable
	VSP 7400 Series	VOSS 8.0	Not Applicable
	VSP 8200 Series	VOSS 7.0	Not Applicable
	VSP 8400 Series	VOSS 7.0	Not Applicable
	VSP 8600 Series	VSP 8600 8.0	Not Applicable
	XA1400 Series	Not Supported	Not Applicable

Table 16: Command Line Interface product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Command Line Interface (CLI)	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VSP 4000 4.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VSP 4200 4.0
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	VOSS 8.0.50

Table 17: Connectivity Fault Management product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
IEEE 802.1ag Connectivity Fault Management (CFM): <ul style="list-style-type: none"> • Layer 2 Ping • TraceRoute 	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VSP 4000 4.0
	VSP 4900 Series	VOSS 8.1

Table 17: Connectivity Fault Management product support (continued)

Feature	Product	Release introduced
• TraceTree	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VSP 8200 4.0
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	VOSS 8.0.50 Layer 2 Ping only
CFM configuration on C-VLANs	5420 Series	Not Supported
	5520 Series	Not Supported
	VSP 4450 Series	VSP 4000 4.0
	VSP 4900 Series	Not Supported
	VSP 7200 Series	Not Supported
	VSP 7400 Series	Not Supported
	VSP 8200 Series	Not Supported
	VSP 8400 Series	Not Supported
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported

Table 18: Custom Logon Banner product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Custom logon banner	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VSP 4000 4.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VSP 8200 4.0
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	VOSS 8.0.50



VOSS Features D to F

Table 19: Denial-of-service attack prevention product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Directed Broadcast	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VOSS 5.1.1
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 5.1.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 5.1.1
	VSP 8400 Series	VOSS 5.1.1
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported
High Secure mode (hsecure boot configuration flag)	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VSP 4450 4.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VSP 8200 4.0
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	VOSS 8.0.50

Table 20: DHCPv6 Guard product support

Feature	Product	Release introduced
---------	---------	--------------------

Table 20: DHCPv6 Guard product support (continued)

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
DHCPv6 Guard	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VOSS 5.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 5.0
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 5.0
	VSP 8400 Series	VOSS 5.0
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported

Table 21: Differentiated Services product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Differentiated Services (DiffServ) including Per-Hop Behavior	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VSP 4000 4.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VSP 8200 4.0
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	VOSS 8.0.50

Table 22: Digital Certificate/PKI product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Digital Certificate/PKI	5420 Series	VOSS 8.4
Note:	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VOSS 5.1.2
	VSP 4900 Series	VOSS 8.1

Table 22: Digital Certificate/PKI product support (continued)

Feature	Product	Release introduced
VOSS Releases 6.0 and 6.0.1 do not support this feature.	VSP 7200 Series	VOSS 5.1.2
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 5.1.2
	VSP 8400 Series	VOSS 5.1.2
	VSP 8600 Series	VSP 8600 6.1
	XA1400 Series	VOSS 8.0.50
Subject alternative name	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VOSS 7.1.3
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 7.1.3
	VSP 7400 Series	VOSS 8.0.6
	VSP 8200 Series	VOSS 7.1.3
	VSP 8400 Series	VOSS 7.1.3
	VSP 8600 Series	Not Supported
	XA1400 Series	VOSS 8.1
Certificate fingerprint validation	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.3
	VSP 4450 Series	VOSS 8.3
	VSP 4900 Series	VOSS 8.3
	VSP 7200 Series	VOSS 8.3
	VSP 7400 Series	VOSS 8.3
	VSP 8200 Series	VOSS 8.3
	VSP 8400 Series	VOSS 8.3
	VSP 8600 Series	Not Supported
	XA1400 Series	VOSS 8.3

Table 22: Digital Certificate/PKI product support (continued)

Feature	Product	Release introduced
Multiple CA Trustpoints and multiple Certificate Identities	5420 Series	VOSS 8.5
	5520 Series	VOSS 8.5
	VSP 4450 Series	VOSS 8.5
	VSP 4900 Series	VOSS 8.5
	VSP 7200 Series	VOSS 8.5
	VSP 7400 Series	VOSS 8.5
	VSP 8200 Series	VOSS 8.5
	VSP 8400 Series	VOSS 8.5
	VSP 8600 Series	Not Supported
	XA1400 Series	VOSS 8.5

Table 23: Distributed Virtual Routing product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Distributed Virtual Routing (DvR) Controller Important: Because of a change in VOSS 6.0.1.2, the best practice is to use a minimum software version of 6.0.1.2 in DvR deployments.	5420 Series	Not Supported
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	Not Supported
	VSP 4900 Series	VOSS 8.1.5 VSP4900-12MXU-12XE, VSP4900-24S, and VSP4900-24XE only
	VSP 7200 Series	VOSS 6.0.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 6.0.1
	VSP 8400 Series	VOSS 6.0.1
	VSP 8600 Series	VSP 8600 8.0
	XA1400 Series	Not Supported

Table 23: Distributed Virtual Routing product support (continued)

Feature	Product	Release introduced
Distributed Virtual Routing (DvR) Leaf Important: Because of a change in VOSS 6.0.1.2, the best practice is to use a minimum software version of 6.0.1.2 in DvR deployments.	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VOSS 6.1
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 6.0.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 6.0.1
	VSP 8400 Series	VOSS 6.0.1
	VSP 8600 Series	Not supported
	XA1400 Series	Not Supported
Distributed Virtual Routing (DvR) dvr-one-ip	5420 Series	Not Supported
	5520 Series	VOSS 8.3
	VSP 4450 Series	Not Supported
	VSP 4900 Series	VOSS 8.3
	VSP 7200 Series	VOSS 8.3
	VSP 7400 Series	VOSS 8.3
	VSP 8200 Series	VOSS 8.3
	VSP 8400 Series	VOSS 8.3
	VSP 8600 Series	VSP 8600 8.0
XA1400 Series	Not Supported	
Distributed Virtual Routing (DvR) In-band Management	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VOSS 6.1
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 6.0.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 6.0.1
	VSP 8400 Series	VOSS 6.0.1
	VSP 8600 Series	Not supported
	XA1400 Series	Not Supported

Table 23: Distributed Virtual Routing product support (continued)

Feature	Product	Release introduced
Management I-SID Assignment to DvR Leaf	5420 Series	VOSS 8.5
	5520 Series	VOSS 8.5
	VSP 4450 Series	VOSS 8.5
	VSP 4900 Series	VOSS 8.5
	VSP 7200 Series	VOSS 8.5
	VSP 7400 Series	VOSS 8.5
	VSP 8200 Series	VOSS 8.5
	VSP 8400 Series	VOSS 8.5
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported

Table 24: Domain Name Service product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Domain Name Service (DNS) client (IPv4)	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VSP 4000 4.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VSP 8200 4.0
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 4.5
XA1400 Series	VOSS 8.0.50	

Table 24: Domain Name Service product support (continued)

Feature	Product	Release introduced
DNS client (IPv6)	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VOSS 4.1
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 4.1
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 6.2
	XA1400 Series	Not Supported

Table 25: Dynamic ARP Inspection (DAI) product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Dynamic ARP Inspection (DAI)	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VOSS 6.1
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 6.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 6.1
	VSP 8400 Series	VOSS 6.1
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported

Table 26: Dynamic Host Configuration Protocol product support

Feature	Product	Release introduced
---------	---------	--------------------

Table 26: Dynamic Host Configuration Protocol product support (continued)

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Dynamic Host Configuration Protocol (DHCP) Relay	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VSP 4000 4.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VSP 8200 4.0
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	VOSS 8.0.50
DHCP Option 82	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VSP 4000 4.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VSP 8200 4.0
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	VOSS 8.0.50

Table 27: Dynamic Host Configuration Protocol Relay for IPv6 product support

Feature	Product	Release introduced
---------	---------	--------------------

Table 27: Dynamic Host Configuration Protocol Relay for IPv6 product support (continued)

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
IPv6 DHCP Relay	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VOSS 4.1
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 4.1
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 6.2
	XA1400 Series	Not Supported

Table 28: Dynamic Host Configuration Protocol Snooping and Neighbor Discovery Inspection product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
DHCP Snooping(IPv4)	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VOSS 6.1
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 6.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 6.1
	VSP 8400 Series	VOSS 6.1
	VSP 8600 Series	Not Supported
	XA1400 Series	VOSS 8.0.50

Table 28: Dynamic Host Configuration Protocol Snooping and Neighbor Discovery Inspection product support (continued)

Feature	Product	Release introduced
DHCP Snooping (IPv6)	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VOSS 5.1
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 5.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 5.1
	VSP 8400 Series	VOSS 5.1
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported
Neighbor Discovery Inspection (IPv6)	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VOSS 5.1
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 5.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 5.1
	VSP 8400 Series	VOSS 5.1
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported

Table 29: Dynamic Nickname Assignment product support

Feature	Product	Release introduced
---------	---------	--------------------

Table 29: Dynamic Nickname Assignment product support (continued)

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Dynamic Nickname Assignment	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VOSS 7.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 7.0
	VSP 7400 Series	VOSS 8.0.5
	VSP 8200 Series	VOSS 7.0
	VSP 8400 Series	VOSS 7.0
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported
Extends the assignment behavior with a <i>prefix</i> parameter	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.3
	VSP 4450 Series	VOSS 8.3
	VSP 4900 Series	VOSS 8.3
	VSP 7200 Series	VOSS 8.3
	VSP 7400 Series	VOSS 8.3
	VSP 8200 Series	VOSS 8.3
	VSP 8400 Series	VOSS 8.3
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported

Table 30: Egress Tunnel Shaping product support

Feature	Product	Release introduced
---------	---------	--------------------

Table 30: Egress Tunnel Shaping product support (continued)

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Egress Tunnel Shaping	5420 Series	Not Supported
	5520 Series	Not Supported
	VSP 4450 Series	Not Supported
	VSP 4900 Series	Not Supported
	VSP 7200 Series	Not Supported
	VSP 7400 Series	Not Supported
	VSP 8200 Series	Not Supported
	VSP 8400 Series	Not Supported
	VSP 8600 Series	Not Supported
	XA1400 Series	VOSS 8.1
Egress Shaper for Fabric Extend tunnels on Fabric IPsec Gateway virtual machine	5420 Series	Not Supported
	5520 Series	Not Supported
	VSP 4450 Series	Not Supported
	VSP 4900 Series	VOSS 8.3.1
	VSP 7200 Series	Not Supported
	VSP 7400 Series	VOSS 8.3.1
	VSP 8200 Series	Not Supported
	VSP 8400 Series	Not Supported
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported

Table 31: Endpoint Tracking product support

Feature	Product	Release introduced
---------	---------	--------------------

Table 31: Endpoint Tracking product support (continued)

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Endpoint Tracking	5420 Series	Not supported
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	Not Supported
	VSP 4900 Series	Not Supported
	VSP 7200 Series	VOSS 8.1.1
	VSP 7400 Series	VOSS 8.1.1
	VSP 8200 Series	VOSS 8.1.1
	VSP 8400 Series	VOSS 8.1.1
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported

Table 32: Energy Efficient Ethernet product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Energy Efficient Ethernet (EEE)	5420 Series	VOSS 8.4 All fixed ports on 5420F-24T-4XE, 5420F-24P-4XE, 5420F-48T-4XE, 5420F-48P-4XE, 5420F-48P-4XL, 5420F-8W-16P-4XE, 5420F-16MW-32P-4XE, 5420M-24W-4YE, 5420M-48W-4YE, 5420M-24T-4YE, 5420M-48T-4YE, 5420M-16MW-32P-4YE
	5520 Series	VOSS 8.2.5 All fixed ports on 5520-24T, 5520-24W, 5520-48T, 5520-48W, and 5520-12MW-36W
	VSP 4450 Series	Not Supported
	VSP 4900 Series	VOSS 8.1

Table 32: Energy Efficient Ethernet product support (continued)

Feature	Product	Release introduced
		All fixed ports on VSP4900-48P and ports 1/1-1/12 on VSP4900-12MXU-12XE
	VSP 7200 Series	Not Supported
	VSP 7400 Series	Not Supported
	VSP 8200 Series	Not Supported
	VSP 8400 Series	VOSS 8.1 8424GT
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported

Table 33: Energy Saver product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Energy Saver	5420 Series	VOSS 8.4 Switch models: 5420F-24T-4XE, 5420F-24P-4XE, 5420F-48T-4XE, 5420F-48P-4XE, 5420F-48P-4XL, 5420F-8W-16P-4XE, 5420F-16W-32P-4XE, 5420F-16MW-32P-4XE, 5420M-24W-4YE, 5420M-48W-4YE, 5420M-24T-4YE, 5420M-48T-4YE, 5420M-16MW-32P-4YE
	5520 Series	VOSS 8.2.5 All fixed ports on 5520-24T, 5520-24W, 5520-48T, 5520-48W, and 5520-12MW-36W
	VSP 4450 Series	VOSS 7.0
	VSP 4900 Series	VOSS 8.1 VSP4900-48P and ports 1/1 to 1/12 on VSP4900-12MXU-12XE only
	VSP 7200 Series	VOSS 7.0

Table 33: Energy Saver product support (continued)

Feature	Product	Release introduced
		VSP 7254XTQ only
	VSP 7400 Series	Not Supported
	VSP 8200 Series	Not Supported
	VSP 8400 Series	VOSS 7.0
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported

Table 34: Enhanced Secure Mode product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Enhanced Secure mode	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VOSS 4.2
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 4.2
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	Not Supported
	XA1400 Series	VOSS 8.0.50
Enhanced Secure mode for JITC and non-JITC sub-modes.	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VOSS 5.1
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 5.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 5.1
	VSP 8400 Series	VOSS 5.1
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported

Table 34: Enhanced Secure Mode product support (continued)

Feature	Product	Release introduced
Enhanced Secure mode - sensitive file protection	5420 Series	VOSS 8.5
	5520 Series	VOSS 8.5
	VSP 4450 Series	VOSS 8.5
	VSP 4900 Series	VOSS 8.5
	VSP 7200 Series	VOSS 8.5
	VSP 7400 Series	VOSS 8.5
	VSP 8200 Series	VOSS 8.5
	VSP 8400 Series	VOSS 8.5
	VSP 8600 Series	Not supported
	XA1400 Series	VOSS 8.5

Table 35: Enterprise Device Manager product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Enterprise Device Manager (EDM)	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VSP 4000 4.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VSP 8200 4.0
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	VOSS 8.0.50

Table 35: Enterprise Device Manager product support (continued)

Feature	Product	Release introduced
Read-Only user for EDM	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VOSS 7.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 7.0
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 7.0
	VSP 8400 Series	VOSS 7.0
	VSP 8600 Series	VSP 8600 8.0 demo feature
	XA1400 Series	VOSS 8.0.50

Table 36: Entity MIB product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Entity MIB - Physical Table	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VOSS 6.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 6.0
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 6.0
	VSP 8400 Series	VOSS 6.0
	VSP 8600 Series	VSP 8600 6.1
	XA1400 Series	VOSS 8.0.50
Entity MIB enhancements and integration for the following: <ul style="list-style-type: none"> Physical Table Alias Mapping Table Physical Contains Table Last Change Time object 	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VOSS 6.1.2
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 6.1.2
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 6.1.2
	VSP 8400 Series	VOSS 6.1.2
	VSP 8600 Series	VSP 8600 6.1
	XA1400 Series	VOSS 8.0.50

Table 36: Entity MIB product support (continued)

Feature	Product	Release introduced
Entity MIB - Logical Table includes the following logical interface entities: <ul style="list-style-type: none"> • VLANs • MLTs • Circuitless IP (CLIP) • Fabric Extend interfaces (logical layer 2 and layer 3 IS-IS interfaces) 	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.4
	VSP 4450 Series	VOSS 8.4
	VSP 4900 Series	VOSS 8.4
	VSP 7200 Series	VOSS 8.4
	VSP 7400 Series	VOSS 8.4
	VSP 8200 Series	VOSS 8.4
	VSP 8400 Series	VOSS 8.4
	VSP 8600 Series	Not supported
XA1400 Series	VOSS 8.4	

Table 37: Equal Cost Multiple Path for IPv4 product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Equal Cost Multiple Path (ECMP) for IPv4	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VSP 4000 4.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VSP 8200 4.0
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 4.5
XA1400 Series	VOSS 8.0.50	

Table 38: Equal Cost Multiple Path for IPv6 product support

Feature	Product	Release introduced
---------	---------	--------------------

Table 38: Equal Cost Multiple Path for IPv6 product support (continued)

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
ECMP for IPv6	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VOSS 5.1
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 5.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 5.1
	VSP 8400 Series	VOSS 5.1
	VSP 8600 Series	VSP 8600 6.2
	XA1400 Series	Not Supported

Table 39: ECMP Pathlist with Fabric Connect product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
ECMP Pathlist with Fabric Connect (IS-IS routes)	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VOSS 8.1.5
	VSP 4900 Series	VOSS 8.1.5
	VSP 7200 Series	VOSS 8.1.5
	VSP 7400 Series	VOSS 8.1.5
	VSP 8200 Series	VOSS 8.1.5
	VSP 8400 Series	VOSS 8.1.5
	VSP 8600 Series	Not Supported
	XA1400 Series	VOSS 8.1.5

Table 40: E-Tree and Private VLANs product support

Feature	Product	Release introduced
---------	---------	--------------------

Table 40: E-Tree and Private VLANs product support (continued)

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
E-Tree and private VLANs	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VSP 4000 4.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 4.1
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported
Routing on Private VLANs	5420 Series	VOSS 8.5
	5520 Series	VOSS 8.5
	VSP 4450 Series	Not Supported
	VSP 4900 Series	VOSS 8.5
	VSP 7200 Series	VOSS 8.5
	VSP 7400 Series	VOSS 8.5
	VSP 8200 Series	VOSS 8.5
	VSP 8400 Series	VOSS 8.5
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported

Table 41: Extensible Authentication Protocol over LAN product support

Feature	Product	Release introduced
---------	---------	--------------------

Table 41: Extensible Authentication Protocol over LAN product support (continued)

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Extensible Authentication Protocol (EAP) and EAP over LAN (EAPoL)	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VOSS 4.1
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 4.1
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported
EAPoL MHMA-MV	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VOSS 5.1
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 5.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 5.1
	VSP 8400 Series	VOSS 5.1
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported
EAPoL enhancements: Enhanced MHMV, Fail Open VLAN, Guest VLAN	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VOSS 6.1
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 6.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 6.1
	VSP 8400 Series	VOSS 6.1
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported

Table 41: Extensible Authentication Protocol over LAN product support (continued)

Feature	Product	Release introduced
EAP enhancements: EAP on Flex UNI ports, Auto-sense ports, auto-isid-offset	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.3
	VSP 4450 Series	Not Supported
	VSP 4900 Series	VOSS 8.3
	VSP 7200 Series	VOSS 8.3
	VSP 7400 Series	VOSS 8.3
	VSP 8200 Series	VOSS 8.3
	VSP 8400 Series	VOSS 8.3
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported
EAP enhancements: Wake on LAN, Guest I-SID, Fail-Open-I-SID	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.3
	VSP 4450 Series	VOSS 8.3
	VSP 4900 Series	VOSS 8.3
	VSP 7200 Series	VOSS 8.3
	VSP 7400 Series	VOSS 8.3
	VSP 8200 Series	VOSS 8.3
	VSP 8400 Series	VOSS 8.3
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported
Non EAPoL MAC RADIUS authentication	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VOSS 4.2.1
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 4.2.1
	VSP 8400 Series	VOSS 4.2.1
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported

Table 41: Extensible Authentication Protocol over LAN product support (continued)

Feature	Product	Release introduced
QoS Priority Assignment	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VOSS 7.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 7.0
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 7.0
	VSP 8400 Series	VOSS 7.0
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported
RADIUS Dynamic User-Based Policies	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.3
	VSP 4450 Series	Not Supported
	VSP 4900 Series	VOSS 8.3
	VSP 7200 Series	VOSS 8.3
	VSP 7400 Series	VOSS 8.3
	VSP 8200 Series	VOSS 8.3
	VSP 8400 Series	VOSS 8.3
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported
RADIUS Port and VLAN based Attributes	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.4
	VSP 4450 Series	VOSS 8.4
	VSP 4900 Series	VOSS 8.4
	VSP 7200 Series	VOSS 8.4
	VSP 7400 Series	VOSS 8.4
	VSP 8200 Series	VOSS 8.4
	VSP 8400 Series	VOSS 8.4
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported

Table 42: Extreme Integrated Application Hosting product support

Feature	Product	Release introduced
---------	---------	--------------------

Table 42: Extreme Integrated Application Hosting product support (continued)

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Extreme Integrated Application Hosting	5420 Series	Not Supported
	5520 Series	Not Supported
	VSP 4450 Series	Not Supported
	VSP 4900 Series	VOSS 8.1.5 VSP4900-12MXU-12XE and VSP4900-24XE only
	VSP 7200 Series	Not Supported
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	Not Supported
	VSP 8400 Series	Not Supported
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported
Fabric IPsec Gateway virtual machine	5420 Series	Not Supported
	5520 Series	Not Supported
	VSP 4450 Series	Not Supported
	VSP 4900 Series	VOSS 8.3
	VSP 7200 Series	Not Supported
	VSP 7400 Series	VOSS 8.2
	VSP 8200 Series	Not Supported
	VSP 8400 Series	Not Supported
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported

Table 42: Extreme Integrated Application Hosting product support (continued)

Feature	Product	Release introduced
Egress Shaper for Fabric Extend tunnels on Fabric IPsec Gateway virtual machine	5420 Series	Not Supported
	5520 Series	Not Supported
	VSP 4450 Series	Not Supported
	VSP 4900 Series	VOSS 8.3.1
	VSP 7200 Series	Not Supported
	VSP 7400 Series	VOSS 8.3.1
	VSP 8200 Series	Not Supported
	VSP 8400 Series	Not Supported
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported

Table 43: Extreme Management Center or ExtremeCloud IQ - Site Engine backup configuration ZIP file product support

Feature	Product	Release introduced
Extreme Management Center or ExtremeCloud IQ - Site Engine backup configuration ZIP file For more information, see Extreme Management Center or ExtremeCloud IQ - Site Engine documentation.	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VOSS 6.1.2
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 6.1.2
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 6.1.2
	VSP 8400 Series	VOSS 6.1.2
	VSP 8600 Series	VSP 8600 6.1
	XA1400 Series	VOSS 8.0.50

Table 44: Fabric Attach product support

Feature	Product	Release introduced
---------	---------	--------------------

Table 44: Fabric Attach product support (continued)

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Fabric Attach Server	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VOSS 5.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 5.0
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 5.0
	VSP 8400 Series	VOSS 5.0
	VSP 8600 Series	VSP 8600 6.3
	XA1400 Series	Not Supported

Table 45: Fabric Attach Zero Touch Client Attachment product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Fabric Attach Zero Touch Client Attachment	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VOSS 6.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 6.0
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 6.0
	VSP 8400 Series	VOSS 6.0
	VSP 8600 Series	VSP 8600 6.3
	XA1400 Series	Not Supported

Table 46: Fabric Extend product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Fabric Extend	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5

Table 46: Fabric Extend product support (continued)

Feature	Product	Release introduced
Platforms require an Open Networking Adapter (ONA).	VSP 4450 Series	VOSS 5.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 5.0
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 5.0
	VSP 8400 Series	VOSS 5.0
	VSP 8600 Series	Not Supported
	XA1400 Series	VOSS 8.0.50
Fabric Extend over IPsec	5420 Series	Not Supported
	5520 Series	Not Supported
	VSP 4450 Series	Not Supported
	VSP 4900 Series	VOSS 8.3 through Fabric IPsec Gateway
	VSP 7200 Series	Not Supported
	VSP 7400 Series	VOSS 8.2 through Fabric IPsec Gateway
	VSP 8200 Series	Not Supported
	VSP 8400 Series	Not Supported
	VSP 8600 Series	Not Supported
	XA1400 Series	VOSS 8.0.50
Digital Certificate Authentication for Fabric Extend over IPsec	5420 Series	Not Supported
	5520 Series	Not Supported
	VSP 4450 Series	Not Supported
	VSP 4900 Series	VOSS 8.3 through Fabric IPsec Gateway
	VSP 7200 Series	Not Supported
	VSP 7400 Series	VOSS 8.3 through Fabric IPsec Gateway
	VSP 8200 Series	Not Supported
	VSP 8400 Series	Not Supported
	VSP 8600 Series	Not Supported
	XA1400 Series	VOSS 8.3

Table 46: Fabric Extend product support (continued)

Feature	Product	Release introduced
ECMP support for Fabric Extend	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	Not Supported
	VSP 4900 Series	Not Supported
	VSP 7200 Series	VOSS 6.0
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 6.0
	VSP 8400 Series	VOSS 6.0
	VSP 8600 Series	Not Supported
	XA1400 Series	VOSS 8.0.50
IPsec compression	5420 Series	Not Supported
	5520 Series	Not Supported
	VSP 4450 Series	Not Supported
	VSP 4900 Series	Not Supported
	VSP 7200 Series	Not Supported
	VSP 7400 Series	Not Supported
	VSP 8200 Series	Not Supported
	VSP 8400 Series	Not Supported
	VSP 8600 Series	Not Supported
	XA1400 Series	VOSS 8.1.8
Ability to adjust the maximum segment size (MSS)	5420 Series	VOSS 8.5
	5520 Series	VOSS 8.5
	VSP 4450 Series	Not Supported
	VSP 4900 Series	VOSS 8.3.1
	VSP 7200 Series	Not Supported
	VSP 7400 Series	VOSS 8.3.1
	VSP 8200 Series	Not Supported
	VSP 8400 Series	Not Supported
	VSP 8600 Series	Not Supported
	XA1400 Series	VOSS 8.1.8

Table 46: Fabric Extend product support (continued)

Feature	Product	Release introduced
IS-IS hello padding	5420 Series	VOSS 8.4.2
	5520 Series	VOSS 8.2.7
	VSP 4450 Series	VOSS 8.2.7
	VSP 4900 Series	VOSS 8.2.7
	VSP 7200 Series	VOSS 8.2.7
	VSP 7400 Series	VOSS 8.2.7
	VSP 8200 Series	VOSS 8.2.7
	VSP 8400 Series	VOSS 8.2.7
	VSP 8600 Series	Not Supported
	XA1400 Series	VOSS 8.2.7
IPsec fragmentation before encryption	5420 Series	Not Supported
	5520 Series	Not Supported
	VSP 4450 Series	Not Supported
	VSP 4900 Series	VOSS 8.3.1 using Fabric IPsec Gateway
	VSP 7200 Series	Not Supported
	VSP 7400 Series	VOSS 8.3.1 using Fabric IPsec Gateway
	VSP 8200 Series	Not Supported
	VSP 8400 Series	Not Supported
	VSP 8600 Series	Not Supported
	XA1400 Series	VOSS 8.2.7
Ability to configure a specific IPsec source IP per tunnel	5420 Series	Not Supported
	5520 Series	Not Supported
	VSP 4450 Series	Not Supported
	VSP 4900 Series	Not Supported
	VSP 7200 Series	Not Supported
	VSP 7400 Series	Not Supported
	VSP 8200 Series	Not Supported
	VSP 8400 Series	Not Supported
	VSP 8600 Series	Not Supported
	XA1400 Series	VOSS 8.3.1

Table 47: Fabric Mode product support

Feature	Product	Release introduced
---------	---------	--------------------

Table 47: Fabric Mode product support (continued)

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Fabric BCB mode	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VSP 4000 4.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VSP 8200 4.0
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	VOSS 8.0.50
Fabric BEB mode	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VSP 4000 4.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VSP 8200 4.0
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 6.1
	XA1400 Series	VOSS 8.0.50

Table 48: Fabric RSPAN product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Fabric RSPAN (Mirror to I-SID)	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VOSS 6.0

Table 48: Fabric RSPAN product support (continued)

Feature	Product	Release introduced
		Flow-based mirroring into single I-SID only
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 6.0
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 6.0
	VSP 8400 Series	VOSS 6.0
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported

Table 49: FDB Protected by Port product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
FDB protected by port (MAC security limit-learning)	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.3
	VSP 4450 Series	VSP 4000 4.0
	VSP 4900 Series	VOSS 8.3
	VSP 7200 Series	Not Supported
	VSP 7400 Series	Not Supported
	VSP 8200 Series	Not Supported
	VSP 8400 Series	Not Supported
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported

Table 50: Flight Recorder product support

Feature	Product	Release introduced
---------	---------	--------------------

Table 50: Flight Recorder product support (continued)

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Flight Recorder for system health monitoring	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VSP 4000 4.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VSP 8200 4.0
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	VOSS 8.0.50

Table 51: Forward Error Correction product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Forward Error Correction (FEC) (configurable)	5420 Series	VOSS 8.4 5420M-24T-4YE, 5420M-24W-4YE, 5420M-16MW-32P-4YE, 5420M-48T-4YE, and 5420M-48W-4YE
	5520 Series	VOSS 8.2.5 5520-VIM-4YE only
	VSP 4450 Series	Not Applicable
	VSP 4900 Series	VOSS 8.1 VIM5-4YE at 25 Gbps
	VSP 7200 Series	Not Applicable
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	Not Supported
	VSP 8400 Series	VOSS 8.0
	VSP 8600 Series	VSP 8600 6.2
	XA1400 Series	Not Applicable



VOSS Features G to I

Table 52: High-Availability product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
High Availability-CPU (HA-CPU) for a standalone switch	5420 Series	Not Applicable
	5520 Series	Not Applicable
	VSP 4450 Series	Not Applicable
	VSP 4900 Series	Not Applicable
	VSP 7200 Series	Not Applicable
	VSP 7400 Series	Not Applicable
	VSP 8200 Series	Not Applicable
	VSP 8400 Series	Not Applicable
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	Not Applicable
High Availability-CPU (HA-CPU) for Layer 2 with Simplified vIST	5420 Series	Not Applicable
	5520 Series	Not Applicable
	VSP 4450 Series	Not Applicable
	VSP 4900 Series	Not Applicable
	VSP 7200 Series	Not Applicable
	VSP 7400 Series	Not Applicable
	VSP 8200 Series	Not Applicable
	VSP 8400 Series	Not Applicable
	VSP 8600 Series	VSP 8600 6.3
	XA1400 Series	Not Applicable

Table 52: High-Availability product support (continued)

Feature	Product	Release introduced
High Availability-CPU (HA-CPU) for Layer 3 with Simplified vIST	5420 Series	Not Applicable
	5520 Series	Not Applicable
	VSP 4450 Series	Not Applicable
	VSP 4900 Series	Not Applicable
	VSP 7200 Series	Not Applicable
	VSP 7400 Series	Not Applicable
	VSP 8200 Series	Not Applicable
	VSP 8400 Series	Not Applicable
	VSP 8600 Series	VSP 8600 6.3
	XA1400 Series	Not Applicable

Table 53: IEEE 802.3X Pause Frame Transmit product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
IEEE 802.3X Pause frame transmit	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VOSS 6.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 6.0
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 6.0
	VSP 8400 Series	VOSS 6.0
	VSP 8600 Series	Not Supported
	XA1400 Series	VOSS 8.1.50

Table 54: Internet Control Message Protocol product support

Feature	Product	Release introduced
---------	---------	--------------------

Table 54: Internet Control Message Protocol product support (continued)

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Internet Control Message Protocol (ICMP)	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VSP 4000 4.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VSP 8200 4.0
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	VOSS 8.0.50
ICMP broadcast and multicast enable or disable	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VOSS 5.1
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 5.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 5.1
	VSP 8400 Series	VOSS 5.1
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	Not Supported
IPv4 ICMP packet drop filtering	5420 Series	VOSS 8.5
	5520 Series	VOSS 8.5
	VSP 4450 Series	VOSS 8.5
	VSP 4900 Series	VOSS 8.5
	VSP 7200 Series	VOSS 8.5
	VSP 7400 Series	VOSS 8.5
	VSP 8200 Series	VOSS 8.5
	VSP 8400 Series	VOSS 8.5
	VSP 8600 Series	Not supported
	XA1400 Series	VOSS 8.5

Table 54: Internet Control Message Protocol product support (continued)

Feature	Product	Release introduced
IPv6 ICMP packet drop filtering	5420 Series	VOSS 8.5
	5520 Series	VOSS 8.5
	VSP 4450 Series	VOSS 8.5
	VSP 4900 Series	VOSS 8.5
	VSP 7200 Series	VOSS 8.5
	VSP 7400 Series	VOSS 8.5
	VSP 8200 Series	VOSS 8.5
	VSP 8400 Series	VOSS 8.5
	VSP 8600 Series	Not supported
	XA1400 Series	Not supported

Table 55: Internet Group Management Protocol product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Internet Group Management Protocol (IGMP), including virtualization	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VSP 4000 4.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VSP 8200 4.0.1
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	Not Supported

Table 56: Internet Key Exchange product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Internet Key Exchange (IKE) v2 Note:	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VOSS 5.1.2
	VSP 4900 Series	VOSS 8.1

Table 56: Internet Key Exchange product support (continued)

Feature	Product	Release introduced
VOSS Releases 6.0 and 6.0.1 do not support this feature.	VSP 7200 Series	VOSS 5.1.2
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 5.1.2
	VSP 8400 Series	VOSS 5.1.2
	VSP 8600 Series	VSP 8600 8.0 demonstration feature
	XA1400 Series	VOSS 8.0.50

Table 57: Internet Protocol Flow Information eXport (IPFIX) product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Internet Protocol Flow Information eXport (IPFIX)	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	Not Supported
	VSP 4900 Series	Not Supported
	VSP 7200 Series	Not Supported
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	Not Supported
	VSP 8400 Series	Not Supported
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported

Table 58: Inter-VSN Routing product support

Feature	Product	Release introduced
---------	---------	--------------------

Table 58: Inter-VSN Routing product support (continued)

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Inter-VSN routing (IPv4)	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VSP 4000 4.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VSP 8200 4.0
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 6.1
	XA1400 Series	VOSS 8.0.50
Inter-VSN routing (IPv6)	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VOSS 4.1
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 4.1
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 8.0
	XA1400 Series	Not Supported

Table 59: IOC Module Preconfiguration

Feature	Product	Release introduced
---------	---------	--------------------

Table 59: IOC Module Preconfiguration (continued)

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
IOC Module Preconfiguration	5420 Series	Not Applicable
	5520 Series	Not Applicable
	VSP 4450 Series	Not Applicable
	VSP 4900 Series	Not Applicable
	VSP 4900 Series	Not Applicable
	VSP 7200 Series	Not Applicable
	VSP 7400 Series	Not Applicable
	VSP 8200 Series	Not Applicable
	VSP 8600 Series	VSP 8600 8.0
	XA1400 Series	Not Applicable

Table 60: IP Phone product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
IP Phone Support	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.3
	VSP 4450 Series	VOSS 8.3
	VSP 4900 Series	VOSS 8.3
	VSP 7200 Series	VOSS 8.3
	VSP 7400 Series	VOSS 8.3
	VSP 8200 Series	VOSS 8.3
	VSP 8400 Series	VOSS 8.3
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported

Table 61: IP Multicast over Fabric Connect product support

Feature	Product	Release introduced
---------	---------	--------------------

Table 61: IP Multicast over Fabric Connect product support (continued)

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
IP Multicast over Fabric Connect	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VSP 4000 4.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 4.1
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 6.2
	XA1400 Series	Not Supported
Universal Plug and Play (uPnP) Filtering	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.3
	VSP 4450 Series	VOSS 8.3
	VSP 4900 Series	VOSS 8.3
	VSP 7200 Series	VOSS 8.3
	VSP 7400 Series	VOSS 8.3
	VSP 8200 Series	VOSS 8.3
	VSP 8400 Series	VOSS 8.3
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported

Table 62: IP Route Policies product support

Feature	Product	Release introduced
---------	---------	--------------------

Table 62: IP Route Policies product support (continued)

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
IP route policies	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VSP 4000 4.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VSP 8200 4.0
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	VOSS 8.0.50

Table 63: IP Shortcuts product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
IP Shortcut routing including ECMP	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VSP 4000 4.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VSP 8200 4.0
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 6.1
	XA1400 Series	VOSS 8.0.50

Table 63: IP Shortcuts product support (continued)

Feature	Product	Release introduced
IPv6 Shortcut routing	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VOSS 4.1
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 4.1
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 8.0
	XA1400 Series	Not Supported
IPv4 IS-IS accept policies	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VOSS 4.1
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 4.1
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 6.1
	XA1400 Series	VOSS 8.0.50
IPv6 IS-IS accept policies	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VOSS 8.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 8.0
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 8.0
	VSP 8400 Series	VOSS 8.0
	VSP 8600 Series	VSP 8600 8.0
	XA1400 Series	Not Supported

Table 64: IP Source Guard product support

Feature	Product	Release introduced
---------	---------	--------------------

Table 64: IP Source Guard product support (continued)

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
IP Source Guard (IPv4)	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VOSS 6.1
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 6.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 6.1
	VSP 8400 Series	VOSS 6.1
	VSP 8600 Series	Not Supported
	XA1400 Series	VOSS 8.0.50
IP Source Guard (IPv6)	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VOSS 6.1
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 6.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 6.1
	VSP 8400 Series	VOSS 6.1
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported

Table 65: IP Source Routing product support

Feature	Product	Release introduced
---------	---------	--------------------

Table 65: IP Source Routing product support (continued)

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
IP Source Routing enable or disable	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VOSS 5.1
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 5.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 5.1
	VSP 8400 Series	VOSS 5.1
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	Not Supported

Table 66: IPsec product support

Feature	Product	Release introduced	Release deprecated
For configuration details, see VOSS User Guide .			
IPsec NAT-T	5420 Series	Not Supported	Not Applicable
	5520 Series	Not Supported	Not Applicable
	VSP 4450 Series	Not Supported	Not Applicable
	VSP 4900 Series	Not Supported	Not Applicable
	VSP 7200 Series	Not Supported	Not Applicable
	VSP 7400 Series	Not Supported	Not Applicable
	VSP 8200 Series	Not Supported	Not Applicable
	VSP 8400 Series	Not Supported	Not Applicable
	VSP 8600 Series	Not Supported	Not Applicable
	XA1400 Series	VOSS 8.1.50	Not Applicable

Table 66: IPsec product support (continued)

Feature	Product	Release introduced	Release deprecated
IPsec transport mode	5420 Series	VOSS 8.4	Not Applicable
	5520 Series	VOSS 8.2.5	Not Applicable
	VSP 4450 Series	VOSS 4.2	Not Applicable
	VSP 4900 Series	VOSS 8.1	Not Applicable
	VSP 7200 Series	VOSS 4.2.1	Not Applicable
	VSP 7400 Series	VOSS 8.0	Not Applicable
	VSP 8200 Series	VOSS 4.2	Not Applicable
	VSP 8400 Series	VOSS 4.2	Not Applicable
	VSP 8600 Series	Not Supported	Not Applicable
	XA1400 Series	Not Supported	Not Applicable
IPsec tunnel mode	5420 Series	Not Supported	Not Applicable
	5520 Series	Not Supported	Not Applicable
	VSP 4450 Series	Not Supported	Not Applicable
	VSP 4900 Series	Not Supported	Not Applicable
	VSP 7200 Series	Not Supported	Not Applicable
	VSP 7400 Series	Not Supported	Not Applicable
	VSP 8200 Series	Not Supported	Not Applicable
	VSP 8400 Series	Not Supported	Not Applicable
	VSP 8600 Series	Not Supported	Not Applicable
	XA1400 Series	VOSS 8.0.50	Not Applicable
IPsec for the Out-of-band management port (IPv4)	5420 Series	Not Supported	Not applicable
	5520 Series	Not Supported	Not Applicable
	VSP 4450 Series	VOSS 4.2	VOSS 8.2
	VSP 4900 Series	VOSS 8.1	VOSS 8.2
	VSP 7200 Series	VOSS 4.2.1	VOSS 8.2
	VSP 7400 Series	VOSS 8.0	VOSS 8.2
	VSP 8200 Series	VOSS 4.2	VOSS 8.2
	VSP 8400 Series	VOSS 4.2	VOSS 8.2
	VSP 8600 Series	VSP 8600 6.2	Not Applicable
	XA1400 Series	Not Applicable	Not Applicable

Table 66: IPsec product support (continued)

Feature	Product	Release introduced	Release deprecated
IPsec for the Out-of-band management port (IPv6)	5420 Series	Not Supported	Not applicable
	5520 Series	Not Supported	Not Applicable
	VSP 4450 Series	VOSS 6.0	VOSS 8.2
	VSP 4900 Series	VOSS 8.1	VOSS 8.2
	VSP 7200 Series	VOSS 6.0	VOSS 8.2
	VSP 7400 Series	VOSS 8.0	VOSS 8.2
	VSP 8200 Series	VOSS 6.0	VOSS 8.2
	VSP 8400 Series	VOSS 6.0	VOSS 8.2
	VSP 8600 Series	VSP 8600 6.2	Not Applicable
	XA1400 Series	Not Applicable	Not Applicable
Digital Certificates for IPsec Authentication	5420 Series	Not Supported	Not Applicable
	5520 Series	Not Supported	Not Applicable
	VSP 4450 Series	Not Supported	Not Applicable
	VSP 4900 Series	VOSS 8.3 for Fabric Extend over IPsec	Not Applicable
	VSP 7200 Series	Not Supported	Not Applicable
	VSP 7400 Series	VOSS 8.3 for Fabric Extend over IPsec	Not Applicable
	VSP 8200 Series	Not Supported	Not Applicable
	VSP 8400 Series	Not Supported	Not Applicable
	VSP 8600 Series	Not Supported	Not Applicable
	XA1400 Series	VOSS 8.3 for Fabric Extend over IPsec	Not Applicable

Table 67: IPv6-in-IPv4 tunnels product support

Feature	Product	Release introduced
---------	---------	--------------------

Table 67: IPv6-in-IPv4 tunnels product support (continued)

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
IPv6-in-IPv4 tunnels	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VOSS 4.1
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 4.1
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 6.2
	XA1400 Series	Not Supported

Table 68: IPv6 Router Advertisement (RA) Guard product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
IPv6 Router Advertisement (RA) Guard	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VOSS 5.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 5.0
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 5.0
	VSP 8400 Series	VOSS 5.0
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported

Table 69: IQ Agent product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
ExtremeCloud IQ Agent	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	Not supported
	VSP 4900 Series	VOSS 8.2 <ul style="list-style-type: none"> VSP4900-48P

Table 69: IQ Agent product support (continued)

Feature	Product	Release introduced
		<ul style="list-style-type: none"> VIMs: VIM5-4YE, VIM5-4X, VIM5-4XE, and VIM5-2Y VOSS 8.2.5 <ul style="list-style-type: none"> VSP4900-24S VSP4900-24XE VSP4900-12MXU-12XE VIMs: VIM5-4Y
	VSP 7200 Series	Not supported
	VSP 7400 Series	VOSS 8.2
	VSP 8200 Series	Not supported
	VSP 8400 Series	Not supported
	VSP 8600 Series	Not supported
	XA1400 Series	VOSS 8.2

Table 70: IS-IS product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
IS-IS authentication with SHA-256	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VOSS 7.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 7.0
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 7.0
	VSP 8400 Series	VOSS 7.0
	VSP 8600 Series	VSP 8600 6.1
XA1400 Series	VOSS 8.0.50	

Table 70: IS-IS product support (continued)

Feature	Product	Release introduced
Suspend duplicate system ID detection	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VOSS 6.1
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 6.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 6.1
	VSP 8400 Series	VOSS 6.1
	VSP 8600 Series	VSP 8600 6.1
	XA1400 Series	VOSS 8.0.50
Multiple IS-IS parallel adjacencies	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VOSS 7.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 7.0
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 7.0
	VSP 8400 Series	VOSS 7.0
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported



VOSS Features J to L

Table 71: Key Health Indicator product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Key Health Indicator (KHI)	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VSP 4000 4.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VSP 8200 4.0
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	VOSS 8.0.50

Table 72: Layer 2 Video Surveillance install script product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Layer 2 Video Surveillance install script	5420 Series	Not Supported
	5520 Series	Not Supported
	VSP 4450 Series	VOSS 6.1
	VSP 4900 Series	VOSS 8.1

Table 72: Layer 2 Video Surveillance install script product support (continued)

Feature	Product	Release introduced
		To support this feature, VIM installation is mandatory in VSP4900-48P.
	VSP 7200 Series	Not Supported
	VSP 7400 Series	Not Supported
	VSP 8200 Series	Not Supported
	VSP 8400 Series	Not Supported
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported

Table 73: Layer 2 VSN product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Equal Cost Trees (ECT)	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VSP 4000 4.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VSP 8200 4.0
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	VOSS 8.0.50
Layer 2 Virtual Service Network (VSN)	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VSP 4000 4.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VSP 8200 4.0
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	VOSS 8.0.50

Table 73: Layer 2 VSN product support (continued)

Feature	Product	Release introduced
Switched UNI	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VOSS 5.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 5.0
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 5.0
	VSP 8400 Series	VOSS 5.0
	VSP 8600 Series	VSP 8600 6.3
	XA1400 Series	Not Supported
Transparent Port UNI (T-UNI)	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VSP 4000 4.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 4.2.1
	VSP 8400 Series	VOSS 4.2.1
	VSP 8600 Series	VSP 8600 6.3
	XA1400 Series	Not Supported

Table 74: Layer 3 Video Surveillance install script product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Layer 3 Video Surveillance install script (formerly known as the run vms endura script)	5420 Series	Not supported
	5520 Series	Not supported
	VSP 4450 Series	VOSS 4.1
	VSP 4900 Series	VOSS 8.1

Table 74: Layer 3 Video Surveillance install script product support (continued)

Feature	Product	Release introduced
		To support this feature, VIM installation is mandatory in VSP4900-48P.
	VSP 7200 Series	Not Supported
	VSP 7400 Series	Not Supported
	VSP 8200 Series	Not Supported
	VSP 8400 Series	Not Supported
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported

Table 75: Layer 3 VSN product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Layer 3 VSN	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VSP 4000 4.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 4.1
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 6.1
XA1400 Series	VOSS 8.0.50	

Table 76: Licensing product support

Feature	Product	Release introduced
---------	---------	--------------------

Table 76: Licensing product support (continued)

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Universal Hardware licenses	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	Not Supported
	VSP 4900 Series	Not Supported
	VSP 7200 Series	Not Supported
	VSP 7400 Series	Not Supported
	VSP 8200 Series	Not Supported
	VSP 8400 Series	Not Supported
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported
License files signed using Extreme Networks signature.	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VOSS 6.1.2
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 6.1.2
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 6.1.2
	VSP 8400 Series	VOSS 6.1.2
	VSP 8600 Series	VSP 8600 6.1
	XA1400 Series	VOSS 8.0.50
Subscription-based licenses	5420 Series	Not Supported
	5520 Series	Not Supported
	VSP 4450 Series	Not Supported
	VSP 4900 Series	Not Supported
	VSP 7200 Series	Not Supported
	VSP 7400 Series	Not Supported
	VSP 8200 Series	Not Supported
	VSP 8400 Series	Not Supported
	VSP 8600 Series	Not Supported
	XA1400 Series	VOSS 8.0.50

Table 76: Licensing product support (continued)

Feature	Product	Release introduced
Ability to extend the Factory Default Premier Trial License	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.4
	VSP 4450 Series	VOSS 8.4
	VSP 4900 Series	VOSS 8.4
	VSP 7200 Series	VOSS 8.4
	VSP 7400 Series	VOSS 8.4
	VSP 8200 Series	VOSS 8.4
	VSP 8400 Series	VOSS 8.4
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported

Table 77: Link Debounce for WAN Links

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Link Debounce	5420 Series	VOSS 8.5
	5520 Series	VOSS 8.5
	VSP 4450 Series	VOSS 8.4.2
	VSP 4900 Series	VOSS 8.4.2
	VSP 7200 Series	VOSS 8.5
	VSP 7400 Series	VOSS 8.4.2
	VSP 8200 Series	VOSS 8.5
	VSP 8400 Series	VOSS 8.5
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported

Table 78: Link Layer Discovery Protocol product support

Feature	Product	Release introduced
---------	---------	--------------------

Table 78: Link Layer Discovery Protocol product support (continued)

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Industry Standard Discovery Protocol (ISDP) (CDP compatible)	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VOSS 6.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 6.0
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 6.0
	VSP 8400 Series	VOSS 6.0
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported
Link Layer Discovery Protocol (LLDP)	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VOSS 6.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 6.0
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 6.0
	VSP 8400 Series	VOSS 6.0
	VSP 8600 Series	VSP 8600 6.1
	XA1400 Series	VOSS 8.0.50
Link Layer Discovery Protocol-Media Endpoint Discovery (LLDP-MED)	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VOSS 7.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 7.0
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 7.0
	VSP 8400 Series	VOSS 7.0
	VSP 8600 Series	VSP 8600 8.0
	XA1400 Series	VOSS 8.0.50

Table 79: Link-state tracking (LST) product support

Feature	Product	Release introduced
---------	---------	--------------------

Table 79: Link-state tracking (LST) product support (continued)

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Link-state tracking (LST)	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VOSS 7.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 7.0
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 7.0
	VSP 8400 Series	VOSS 7.0
	VSP 8600 Series	VSP 8600 8.0 demonstration feature
	XA1400 Series	Not Supported

Table 80: Linux kernel version product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Linux kernel version Important: For VSP 4450 Series, VSP 7200 Series, VSP 8200, and VSP 8400 Series, kernel version 4.9 has special upgrade considerations the first time you upgrade to a release that supports it. You must first upgrade to a stepping-stone release, 6.1.x , before you upgrade to the release with the new kernel.	5420 Series	4.14 as of VOSS 8.4
	5520 Series	4.14 as of VOSS 8.2.5
	VSP 4450 Series	4.9 as of VOSS 7.0
	VSP 4900 Series	4.14 as of VOSS 8.1
	VSP 7200 Series	4.9 as of VOSS 7.0
	VSP 7400 Series	4.14 as of VOSS 8.0
	VSP 8200 Series	4.9 as of VOSS 7.0
	VSP 8400 Series	4.9 as of VOSS 7.0
	VSP 8600 Series	4.9 as of VSP 8600 8.0
	XA1400 Series	4.14 as of VOSS 8.1

Table 81: Logs and traps product support

Feature	Product	Release introduced
---------	---------	--------------------

Table 81: Logs and traps product support (continued)

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Logging to a file and syslog (IPv4)	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VSP 4000 4.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VSP 8200 4.0
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	VOSS 8.0.50
Logging to a file and syslog (IPv6)	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VOSS 4.1
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 4.1
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 6.2
	XA1400 Series	Not Supported
Simple Mail Transfer Protocol (SMTP) for log notification	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VOSS 6.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 6.0
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 6.0
	VSP 8400 Series	VOSS 6.0
	VSP 8600 Series	VSP 8600 6.1
	XA1400 Series	VOSS 8.0.50

Table 81: Logs and traps product support (continued)

Feature	Product	Release introduced
System Logging compliance with RFC 5424 and RFC 3339	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VOSS 6.1.2
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 6.1.2
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 6.1.2
	VSP 8400 Series	VOSS 6.1.2
	VSP 8600 Series	VSP 8600 6.1
	XA1400 Series	VOSS 8.0.50
TLS client for secure syslog Note: VOSS Releases 6.0 and 6.0.1 do not support this feature.	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VOSS 5.1.2
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 5.1.2
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 5.1.2
	VSP 8400 Series	VOSS 5.1.2
	VSP 8600 Series	VSP 8600 8.0 demo feature
	XA1400 Series	VOSS 8.0.50



VOSS Features M to O

Table 82: MACsec product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
MACsec 2AN mode (static) Note: VOSS 5.0 officially removed the replay protection commands. Do not use replay protection in earlier releases.	5420 Series	Not Supported
	5520 Series	Not Supported
	VSP 4450 Series	VSP 4000 4.0
	VSP 4900 Series	VOSS 8.3.100
	VSP 7200 Series	VOSS 4.2.1 VSP 7254XTQ only
	VSP 7400 Series	Not Supported
	VSP 8200 Series	VOSS 4.1
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported

Table 82: MACsec product support (continued)

Feature	Product	Release introduced
MACsec 4AN mode (static)	5420 Series	VOSS 8.5
	5520 Series	VOSS 8.2.5 <ul style="list-style-type: none"> • 5520-24T and 5520-24W - all fixed ports except 1/25 and 1/26 • 5520-12MW-36W, 5520-48SE, 5520-48T, and 5520-48W - all fixed ports except 1/49 and 1/50 • VIMs: 5520-VIM-4XE and 5520-VIM-4YE only
	VSP 4450 Series	VOSS 6.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 6.0 VSP 7254XTQ only
	VSP 7400 Series	Not Supported
	VSP 8200 Series	VOSS 6.0
	VSP 8400 Series	VOSS 6.0
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	Not Supported

Table 82: MACsec product support (continued)

Feature	Product	Release introduced
MACsec encryption cipher suites	5420 Series	VOSS 8.5 Both 128 bits and 256 bits
	5520 Series	VOSS 8.2.5 <ul style="list-style-type: none"> • 5520-24T and 5520-24W - all fixed ports except 1/25 and 1/26 • 5520-12MW-36W, 5520-48SE, 5520-48T, and 5520-48W - all fixed ports except 1/49 and 1/50 • VIMs: 5520-VIM-4XE and 5520-VIM-4YE only
	VSP 4450 Series	VOSS 8.1 128 bits only
	VSP 4900 Series	VOSS 8.1 <ul style="list-style-type: none"> • VSP4900-48P supports 128-bit on all fixed ports. • VSP4900-24XE supports 128-bit and 256-bit on all fixed ports. • VSP4900-12MXU-12XE supports 128-bit and 256-bit on the SFP+ ports. • VIM5-4XE and VIM5-4YE supports 128-bit and 256-bit cipher suite.
	VSP 7200 Series	VOSS 8.1 128 bits only
	VSP 7400 Series	Not Supported
	VSP 8200 Series	VOSS 8.1 128 bits only
	VSP 8400 Series	VOSS 8.1 128 bits only
	VSP 8600 Series	VSP 8600 6.2 8624XS supports 128 bits only. 8606CQ supports 128 bits and 256 bits.
	XA1400 Series	Not Supported

Table 82: MACsec product support (continued)

Feature	Product	Release introduced
MACsec Key Agreement (MKA)	5420 Series	Not Supported
	5520 Series	VOSS 8.5 <ul style="list-style-type: none"> 5520-24T and 5520-24W 5520-12MW-36W, 5520-48SE, 5520-48T, and 5520-48W VIMs: 5520-VIM-4XE and 5520-VIM-4YE only
	VSP 4450 Series	Not Supported
	VSP 4900 Series	VOSS 8.5
	VSP 7200 Series	Not Supported
	VSP 7400 Series	Not Supported
	VSP 8200 Series	Not Supported
	VSP 8400 Series	VOSS 8.1
	VSP 8600 Series	VSP 8600 8.1
XA1400 Series	Not Supported	

Table 83: Mroute statistics product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Multicast route (mroute) statistics for IPv4 and IPv6	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	Not Supported
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 5.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 5.1
	VSP 8400 Series	VOSS 5.1
	VSP 8600 Series	Not Supported
XA1400 Series	Not Supported	

Table 84: MSTP-Fabric Connect Multi Homing product support

Feature	Product	Release introduced
---------	---------	--------------------

Table 84: MSTP-Fabric Connect Multi Homing product support (continued)

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
MSTP-Fabric Connect Multi Homing	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VOSS 7.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 7.0
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 7.0
	VSP 8400 Series	VOSS 7.0
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported

Table 85: Multi-area SPB

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Multi-area SPB Boundary Node	5420 Series	Not Supported
	5520 Series	Not Supported
	VSP 4450 Series	Not Supported
	VSP 4900 Series	Not Supported
	VSP 7200 Series	Not Supported
	VSP 7400 Series	VOSS 8.4
	VSP 8200 Series	Not Supported
	VSP 8400 Series	Not Supported
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported

Table 86: Multicast Listener Discovery product support

Feature	Product	Release introduced
---------	---------	--------------------

Table 86: Multicast Listener Discovery product support (continued)

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Multicast Listener Discovery (MLD)	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VOSS 5.1
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 5.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 5.1
	VSP 8400 Series	VOSS 5.1
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported

Table 87: MultiLink Trunking product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
MultiLink Trunking (MLT) / Link Aggregation Group (LAG)	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VSP 4000 4.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VSP 8200 4.0
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	VOSS 8.0.50

Table 88: Multiple CLI Users product support

Feature	Product	Release introduced
---------	---------	--------------------

Table 88: Multiple CLI Users product support (continued)

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Multiple CLI users per role	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VOSS 7.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 7.0
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 7.0
	VSP 8400 Series	VOSS 7.0
	VSP 8600 Series	VSP 8600 8.0 demonstration feature
	XA1400 Series	VOSS 8.0.50

Table 89: Network Load Balancing product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Network Load Balancing (NLB) - multicast operation	5420 Series	Not Supported
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	Not Supported
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 6.0
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 6.0
	VSP 8400 Series	VOSS 6.0
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported

Table 89: Network Load Balancing product support (continued)

Feature	Product	Release introduced
Network Load Balancing (NLB) - unicast operation	5420 Series	Not Supported
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	Not Supported
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 4.0
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	Not Supported

Table 90: Network operating system personality product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Dual-boot personalities	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	Not Supported
	VSP 4900 Series	Not Supported
	VSP 7200 Series	Not Supported
	VSP 7400 Series	Not Supported
	VSP 8200 Series	Not Supported
	VSP 8400 Series	Not Supported
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported

Table 91: Network Time Protocol product support

Feature	Product	Release introduced	Release deprecated
---------	---------	--------------------	--------------------

Table 91: Network Time Protocol product support (continued)

Feature	Product	Release introduced	Release deprecated
For configuration details, see VOSS User Guide .			
NTPv3 client	5420 Series	Not Supported	Not Applicable
	5520 Series	Not Supported	Not Applicable
	VSP 4450 Series	VSP 4000 4.0	VOSS 8.2
	VSP 4900 Series	VOSS 8.1	VOSS 8.2
	VSP 7200 Series	VOSS 4.2.1	VOSS 8.2
	VSP 7400 Series	VOSS 8.0	VOSS 8.2
	VSP 8200 Series	VSP 8200 4.0	VOSS 8.2
	VSP 8400 Series	VOSS 4.2	VOSS 8.2
	VSP 8600 Series	VSP 8600 4.5	Not Applicable
	XA1400 Series	VOSS 8.0.50	VOSS 8.2
NTPv3 with SHA authentication	5420 Series	Not Supported	Not Applicable
	5520 Series	Not Supported	Not Applicable
	VSP 4450 Series	VOSS 5.1	VOSS 8.2
	VSP 4900 Series	VOSS 8.1	VOSS 8.2
	VSP 7200 Series	VOSS 5.1	VOSS 8.2
	VSP 7400 Series	VOSS 8.0	VOSS 8.2
	VSP 8200 Series	VOSS 5.1	VOSS 8.2
	VSP 8400 Series	VOSS 5.1	VOSS 8.2
	VSP 8600 Series	VSP 8600 4.5	Not Applicable
	XA1400 Series	VOSS 8.0.50	VOSS 8.2
NTPv4 client for IPv4	5420 Series	VOSS 8.4	Not Applicable
	5520 Series	VOSS 8.2.5	Not Applicable
	VSP 4450 Series	VOSS 7.0	Not Applicable
	VSP 4900 Series	VOSS 8.1	Not Applicable
	VSP 7200 Series	VOSS 7.0	Not Applicable
	VSP 7400 Series	VOSS 8.0	Not Applicable
	VSP 8200 Series	VOSS 7.0	Not Applicable
	VSP 8400 Series	VOSS 7.0	Not Applicable
	VSP 8600 Series	VSP 8600 8.0	Not Applicable
	XA1400 Series	Not Supported	Not Applicable

Table 91: Network Time Protocol product support (continued)

Feature	Product	Release introduced	Release deprecated
NTPv4 client for IPv6	5420 Series	VOSS 8.4	Not Applicable
	5520 Series	VOSS 8.2.5	Not Applicable
	VSP 4450 Series	VOSS 7.0	Not Applicable
	VSP 4900 Series	VOSS 8.1	Not Applicable
	VSP 7200 Series	VOSS 7.0	Not Applicable
	VSP 7400 Series	VOSS 8.0	Not Applicable
	VSP 8200 Series	VOSS 7.0	Not Applicable
	VSP 8400 Series	VOSS 7.0	Not Applicable
	VSP 8600 Series	VSP 8600 8.0	Not Applicable
	XA1400 Series	Not Supported	Not Applicable
NTPv4 master and restrict	5420 Series	VOSS 8.4	Not Applicable
	5520 Series	VOSS 8.2.5	Not Applicable
	VSP 4450 Series	VOSS 8.0	Not Applicable
	VSP 4900 Series	VOSS 8.1	Not Applicable
	VSP 7200 Series	VOSS 8.0	Not Applicable
	VSP 7400 Series	VOSS 8.0	Not Applicable
	VSP 8200 Series	VOSS 8.0	Not Applicable
	VSP 8400 Series	VOSS 8.0	Not Applicable
	VSP 8600 Series	VSP 8600 8.0 demonstration feature	Not Applicable
	XA1400 Series	Not Supported	Not Applicable

Table 92: nni-mstp boot flag product support

Feature	Product	Release introduced
---------	---------	--------------------

Table 92: nni-mstp boot flag product support (continued)

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
nni-mstp boot flag (boot config flags nni-mstp)	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VOSS 6.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 6.0
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 6.0
	VSP 8400 Series	VOSS 6.0
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported

Table 93: OSPF product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Open Shortest Path First (OSPF)	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VSP 4000 4.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VSP 8200 4.0
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	VOSS 8.0.50

Table 93: OSPF product support (continued)

Feature	Product	Release introduced
Secure hash algorithm 1 (SHA-1) and SHA-2	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VOSS 4.2
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 4.2
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	VOSS 8.0.50

Table 94: OSPFv3 product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
OSPFv3	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VOSS 4.1
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 4.1
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 6.2
	XA1400 Series	Not Supported
OSPFv3 support for CLIP interfaces	5420 Series	Not Supported
	5520 Series	Not Supported
	VSP 4450 Series	Not Supported
	VSP 4900 Series	Not Supported
	VSP 7200 Series	Not Supported
	VSP 7400 Series	Not Supported
	VSP 8200 Series	Not Supported
	VSP 8400 Series	Not Supported
	VSP 8600 Series	VSP 8600 8.1
	XA1400 Series	Not Supported



VOSS Features P to R

Table 95: PIM over IPv6 product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
PIM over IPv6	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VOSS 5.1
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 5.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 5.1
	VSP 8400 Series	VOSS 5.1
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported

Table 96: Port-Based Rate Limiting, Policing, and Shaping product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Platform specific considerations for QoS behavior are documented in QoS Behavior Differences, which is in VOSS User Guide .		
Egress port shaper	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VSP 4000 4.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VSP 8200 4.0
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	Not Supported

Table 96: Port-Based Rate Limiting, Policing, and Shaping product support (continued)

Feature	Product	Release introduced
Ingress dual rate port policers	5420 Series	Not Supported
	5520 Series	Not Supported
	VSP 4450 Series	VSP 4000 4.0
	VSP 4900 Series	Not Supported
	VSP 7200 Series	Not Supported
	VSP 7400 Series	Not Supported
	VSP 8200 Series	Not Supported
	VSP 8400 Series	Not Supported
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	Not Supported
Ingress policer and port rate limiter	5420 Series	VOSS 8.5
	5520 Series	VOSS 8.5
	VSP 4450 Series	Not Supported
	VSP 4900 Series	VOSS 8.5
	VSP 7200 Series	Not Supported
	VSP 7400 Series	VOSS 8.5
	VSP 8200 Series	Not Supported
	VSP 8400 Series	Not Supported
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported
QoS ingress port rate limiter	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	Not Supported
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	Not Supported
	VSP 8200 Series	VSP 8200 4.0
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	Not Supported
	XA1400 Series	VOSS 8.1.50

Table 97: Port Mirroring product support

Feature	Product	Release introduced
---------	---------	--------------------

Table 97: Port Mirroring product support (continued)

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Ingress mirroring (port and flow-based)	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VSP 4000 4.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VSP 8200 4.0
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	VOSS 8.0.50
Egress mirroring (port-based)	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VSP 4000 4.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VSP 8200 4.0
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	VOSS 8.0.50

Table 98: Power Manager product support

Feature	Product	Release introduced
---------	---------	--------------------

Table 98: Power Manager product support (continued)

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Power Management	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	Not Supported
	VSP 4900 Series	Not Supported
	VSP 7200 Series	Not Supported
	VSP 7400 Series	Not Supported
	VSP 8200 Series	Not Supported
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	Not Supported

Table 99: Power over Ethernet product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Power over Ethernet (PoE)	5420 Series	VOSS 8.4 5420F-24P-4XE, 5420F-48P-4XE, 5420F-48P-4XL, 5420F-8W-16P-4XE, 5420F-16W-32P-4XE, 5420F-16MW-32P-4XE, 5420M-24W-4YE, 5420M-48W-4YE, and 5420M-16MW-32P-4YE
	5520 Series	VOSS 8.2.5 5520-12MW-36W, 5520-24W and 5520-48W only
	VSP 4450 Series	VSP 4000 4.0
	VSP 4900 Series	VOSS 8.1 VSP4900-48P and first 12 ports of VSP4900-12MXU-12XE only
	VSP 7200 Series	Not Applicable
	VSP 7400 Series	Not Applicable
	VSP 8200 Series	Not Applicable
	VSP 8400 Series	Not Applicable
	VSP 8600 Series	Not Applicable
	XA1400 Series	Not Supported

Table 99: Power over Ethernet product support (continued)

Feature	Product	Release introduced
PoE/PoE+ allocation using LLDP	5420 Series	VOSS 8.4 5420F-24P-4XE, 5420F-48P-4XE 5420F-8W-16P-4XE, , 5420F-16W-32P-4XE, 5420F-16MW-32P-4XE , 5420F-48P-4XL, 5420M-24W-4YE, 5420M-48W-4YE, and 5420M-16MW-32P-4YE
	5520 Series	VOSS 8.2.5 5520-12MW-36W, 5520-24W and 5520-48W only
	VSP 4450 Series	VOSS 5.1
	VSP 4900 Series	VOSS 8.1 VSP4900-48P and first 12 ports of VSP4900-12MXU-12XE only
	VSP 7200 Series	Not Applicable
	VSP 7400 Series	Not Applicable
	VSP 8200 Series	Not Applicable
	VSP 8400 Series	Not Applicable
	VSP 8600 Series	Not Applicable
	XA1400 Series	Not Supported

Table 99: Power over Ethernet product support (continued)

Feature	Product	Release introduced
Fast PoE	5420 Series	VOSS 8.4 5420F-24P-4XE, 5420F-48P-4XE 5420F-8W-16P-4XE, , 5420F-16W-32P-4XE, 5420F-16MW-32P-4XE , 5420F-48P-4XL, 5420M-24W-4YE, 5420M-48W-4YE, and 5420M-16MW-32P-4YE
	5520 Series	VOSS 8.2.5 5520-12MW-36W, 5520-24W and 5520-48W only
	VSP 4450 Series	Not Applicable
	VSP 4900 Series	VOSS 8.1 VSP4900-48P and first 12 ports of VSP4900-12MXU-12XE only
	VSP 7200 Series	Not Applicable
	VSP 7400 Series	Not Applicable
	VSP 8200 Series	Not Applicable
	VSP 8400 Series	Not Applicable
	VSP 8600 Series	Not Applicable
	XA1400 Series	Not Supported

Table 99: Power over Ethernet product support (continued)

Feature	Product	Release introduced
Perpetual PoE	5420 Series	VOSS 8.4 5420F-24P-4XE, 5420F-48P-4XE 5420F-8W-16P-4XE, , 5420F-16W-32P-4XE, 5420F-16MW-32P-4XE , 5420F-48P-4XL, 5420M-24W-4YE, 5420M-48W-4YE, and 5420M-16MW-32P-4YE
	5520 Series	VOSS 8.2.5 5520-12MW-36W, 5520-24W and 5520-48W only
	VSP 4450 Series	Not Applicable
	VSP 4900 Series	VOSS 8.1 VSP4900-48P and first 12 ports of VSP4900-12MXU-12XE only.
	VSP 7200 Series	Not Applicable
	VSP 7400 Series	Not Applicable
	VSP 8200 Series	Not Applicable
	VSP 8400 Series	Not Applicable
	VSP 8600 Series	Not Applicable
	XA1400 Series	Not Supported

Table 100: Protocol Independent Multicast-Source Specific Mode product support

Feature	Product	Release introduced
---------	---------	--------------------

Table 100: Protocol Independent Multicast-Source Specific Mode product support (continued)

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
PIM-Source Specific Mode (PIM-SSM) for IPv4	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VOSS 4.1
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 4.0.1
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	Not Supported

Table 101: Protocol Independent Multicast - Sparse Mode product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Protocol Independent Multicast-Sparse Mode (PIM-SM) for IPv4	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VOSS 4.1
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 4.0.1
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	Not Supported

Table 101: Protocol Independent Multicast - Sparse Mode product support (continued)

Feature	Product	Release introduced
PIM Infinite Threshold for IPv4 and IPv6	5420 Series	VOSS 8.5
	5520 Series	VOSS 8.5
	VSP 4450 Series	VOSS 8.5
	VSP 4900 Series	VOSS 8.5
	VSP 7200 Series	VOSS 8.5
	VSP 7400 Series	VOSS 8.5
	VSP 8200 Series	VOSS 8.5
	VSP 8400 Series	VOSS 8.5
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported

Table 102: QoS and VoIP product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Platform specific considerations for QoS behavior are documented in QoS Behavior Differences, which is in VOSS User Guide .		
Automatic QoS	5420 Series	Not Supported Use Auto-sense with IP Phone support instead
	5520 Series	Not Supported Use Auto-sense with IP Phone support instead
	VSP 4450 Series	VSP 4000 4.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VSP 8200 4.0
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	VOSS 8.0.50

Table 103: Queue Profiles product support

Feature	Product	Release introduced
---------	---------	--------------------

Table 103: Queue Profiles product support (continued)

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
QoS per queue rate limiting	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VOSS 5.1
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 5.1.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 5.1.1
	VSP 8400 Series	VOSS 5.1.1
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported

Table 104: RADIUS product support

Feature	Product	Release introduced	Release deprecated
For configuration details, see VOSS User Guide .			
RADIUS (IPv6)	5420 Series	VOSS 8.4	Not Applicable
	5520 Series	VOSS 8.2.5	Not Applicable
	VSP 4450 Series	VOSS 4.1	Not Applicable
	VSP 4900 Series	VOSS 8.1	Not Applicable
	VSP 7200 Series	VOSS 4.2.1	Not Applicable
	VSP 7400 Series	VOSS 8.0	Not Applicable
	VSP 8200 Series	VOSS 4.1	Not Applicable
	VSP 8400 Series	VOSS 4.2	Not Applicable
	VSP 8600 Series	VSP 8600 6.2	Not Applicable
	XA1400 Series	Not Supported	Not Applicable

Table 104: RADIUS product support (continued)

Feature	Product	Release introduced	Release deprecated
RADIUS attributes: <ul style="list-style-type: none"> • Acct-Terminate-Cause • Event-Timestamp • Service Type 	5420 Series	VOSS 8.4	
	5520 Series	VOSS 8.2.5	Not Applicable
	VSP 4450 Series	VOSS 7.0	Not Applicable
	VSP 4900 Series	VOSS 8.1	Not Applicable
	VSP 7200 Series	VOSS 7.0	Not Applicable
	VSP 7400 Series	VOSS 8.0	Not Applicable
	VSP 8200 Series	VOSS 7.0	Not Applicable
	VSP 8400 Series	VOSS 7.0	Not Applicable
	VSP 8600 Series	VSP 8600 8.0	Not Applicable
	XA1400 Series	Not Supported	Not Applicable
RADIUS, community-based users (IPv4)	5420 Series	VOSS 8.4	Not Applicable
	5520 Series	VOSS 8.2.5	Not Applicable
	VSP 4450 Series	VSP 4000 4.0	Not Applicable
	VSP 4900 Series	VOSS 8.1	Not Applicable
	VSP 7200 Series	VOSS 4.2.1	Not Applicable
	VSP 7400 Series	VOSS 8.0	Not Applicable
	VSP 8200 Series	VSP 8200 4.0	Not Applicable
	VSP 8400 Series	VOSS 4.2	Not Applicable
	VSP 8600 Series	VSP 8600 4.5	Not Applicable
	XA1400 Series	VOSS 8.0.50	Not Applicable
RADIUS secure communication using IPSec for IPv4 Note: VOSS Releases 6.0 and 6.0.1 do not support this feature.	5420 Series	Not supported	Not Applicable
	5520 Series	Not Supported	Not Applicable
	VSP 4450 Series	VOSS 5.1.2	VOSS 8.2
	VSP 4900 Series	VOSS 8.1	VOSS 8.2
	VSP 7200 Series	VOSS 5.1.2	VOSS 8.2
	VSP 7400 Series	VOSS 8.0	VOSS 8.2
	VSP 8200 Series	VOSS 5.1.2	VOSS 8.2
	VSP 8400 Series	VOSS 5.1.2	VOSS 8.2
	VSP 8600 Series	VSP 8600 8.0 demonstration feature	Not Applicable
	XA1400 Series	VOSS 8.0.50	VOSS 8.2

Table 104: RADIUS product support (continued)

Feature	Product	Release introduced	Release deprecated
RADIUS secure communication using IPSec for IPv6 Note: VOSS Releases 6.0 and 6.0.1 do not support this feature.	5420 Series	Not Supported	Not Applicable
	5520 Series	Not Supported	Not Applicable
	VSP 4450 Series	VOSS 5.1.2	VOSS 8.2
	VSP 4900 Series	VOSS 8.1	VOSS 8.2
	VSP 7200 Series	VOSS 5.1.2	VOSS 8.2
	VSP 7400 Series	VOSS 8.0	VOSS 8.2
	VSP 8200 Series	VOSS 5.1.2	VOSS 8.2
	VSP 8400 Series	VOSS 5.1.2	VOSS 8.2
	VSP 8600 Series	VSP 8600 8.0 demonstration feature	Not Applicable
	XA1400 Series	Not Supported	Not Applicable
RADIUS Security (RADSec)	5420 Series	VOSS 8.4	Not Applicable
	5520 Series	VOSS 8.2.5	Not Applicable
	VSP 4450 Series	VOSS 8.2	Not Applicable
	VSP 4900 Series	VOSS 8.2	Not Applicable
	VSP 7200 Series	VOSS 8.2	Not Applicable
	VSP 7400 Series	VOSS 8.2	Not Applicable
	VSP 8200 Series	VOSS 8.2	Not Applicable
	VSP 8400 Series	VOSS 8.2	Not Applicable
	VSP 8600 Series	Not Supported	Not Applicable
	XA1400 Series	VOSS 8.2	Not Applicable
RFC 5176 – Dynamic Authorization Extensions to RADIUS	5420 Series	VOSS 8.4	Not Applicable
	5520 Series	VOSS 8.2.5	Not Applicable
	VSP 4450 Series	VOSS 7.0	Not Applicable
	VSP 4900 Series	VOSS 8.1	Not Applicable
	VSP 7200 Series	VOSS 7.0	Not Applicable
	VSP 7400 Series	VOSS 8.0	Not Applicable
	VSP 8200 Series	VOSS 7.0	Not Applicable
	VSP 8400 Series	VOSS 7.0	Not Applicable
	VSP 8600 Series	Not supported	Not Applicable
	XA1400 Series	VOSS 8.0.50	Not Applicable

Table 104: RADIUS product support (continued)

Feature	Product	Release introduced	Release deprecated
RFC 5997 – RADIUS Reachability Server Status	5420 Series	VOSS 8.4	Not Applicable
	5520 Series	VOSS 8.2.5	Not Applicable
	VSP 4450 Series	VOSS 7.0	Not Applicable
	VSP 4900 Series	VOSS 8.1	Not Applicable
	VSP 7200 Series	VOSS 7.0	Not Applicable
	VSP 7400 Series	VOSS 8.0	Not Applicable
	VSP 8200 Series	VOSS 7.0	Not Applicable
	VSP 8400 Series	VOSS 7.0	Not Applicable
	VSP 8600 Series	Not supported	Not Applicable
	XA1400 Series	VOSS 8.0.50	Not Applicable

Table 105: Remote Monitoring product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Remote Monitoring 1 (RMON1) for Layer 1 and Layer 2 Note: VOSS Release 5.0 and 5.1 do not support RMON1.	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VSP 4000 4.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VSP 8200 4.0
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	Not Supported

Table 105: Remote Monitoring product support (continued)

Feature	Product	Release introduced
Remote Monitoring 2 (RMON2) for network and application layer protocols	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VOSS 4.2
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 4.2
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	Not Supported
	XA1400 Series	VOSS 8.2

Table 106: Representational State Transfer Configuration Protocol (RESTCONF) product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Representational State Transfer Configuration Protocol (RESTCONF)	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VOSS 8.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 8.0
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 8.0
	VSP 8400 Series	VOSS 8.0
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported

Table 107: RIPng product support

Feature	Product	Release introduced
---------	---------	--------------------

Table 107: RIPng product support (continued)

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
RIPng	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VOSS 5.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 5.0
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 5.0
	VSP 8400 Series	VOSS 5.0
	VSP 8600 Series	VSP 8600 6.2
	XA1400 Series	Not Supported

Table 108: Routing Information Protocol product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Routing Information Protocol (RIP)	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VSP 4000 4.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VSP 8200 4.0
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	VOSS 8.0.50

Table 109: RSMLT for IPv4 product support

Feature	Product	Release introduced
---------	---------	--------------------

Table 109: RSMLT for IPv4 product support (continued)

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
IPv4 RSMLT	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VOSS 4.1
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VSP 8200 4.0
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	Not Supported

Table 110: RSMLT for IPv6 product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
IPv6 RSMLT	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VOSS 4.1
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 4.1
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 6.2
	XA1400 Series	Not Supported

Table 111: run spbm installation script product support

Feature	Product	Release introduced
---------	---------	--------------------

Table 111: run spbm installation script product support (continued)

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
run spbm installation script	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VOSS 4.1
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 4.1
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 8.0
	XA1400 Series	Not Supported



VOSS Features S to U

Table 112: Secure Shell product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Secure Shell (SSH) server (IPv4)	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VSP 4000 4.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VSP 8200 4.0
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	VOSS 8.0.50
Secure Shell (SSH) client (IPv4)	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VSP 4000 4.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VSP 8200 4.0
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	VOSS 8.0.50

Table 112: Secure Shell product support (continued)

Feature	Product	Release introduced
Secure Sockets Layer (SSL) certificate management	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VOSS 4.1
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 4.1
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	VOSS 8.0.50
SSH server (IPv6)	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VOSS 4.1
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 4.1
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 6.2
	XA1400 Series	Not Supported
SSH client (IPv6)	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VOSS 7.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 7.0
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 7.0
	VSP 8400 Series	VOSS 7.0
	VSP 8600 Series	VSP 8600 8.0
	XA1400 Series	Not Supported

Table 112: Secure Shell product support (continued)

Feature	Product	Release introduced
SSH client disable	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VOSS 6.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 6.0
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 6.0
	VSP 8400 Series	VOSS 6.0
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	VOSS 8.0.50
SSH key sizes in multiples of 1024 Note: VOSS Releases 6.0 and 6.0.1 do not support this change.	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VOSS 5.1.2
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 5.1.2
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 5.1.2
	VSP 8400 Series	VOSS 5.1.2
	VSP 8600 Series	VSP 8600 6.1
	XA1400 Series	VOSS 8.0.50
SSH rekey	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VOSS 5.1
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 5.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 5.1
	VSP 8400 Series	VOSS 5.1
	VSP 8600 Series	VSP 8600 6.1
	XA1400 Series	VOSS 8.1

Table 113: Segmented Management Instance product support

Feature	Product	Release introduced
---------	---------	--------------------

Table 113: Segmented Management Instance product support (continued)

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Segmented Management Instance - Management Interface CLIP	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VOSS 7.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 7.0
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 7.0
	VSP 8400 Series	VOSS 7.0
	VSP 8600 Series	VSP 8600 8.0
	XA1400 Series	VOSS 8.1.1 - IPv4 only Note: VOSS 8.1.50 does not support this feature.
Segmented Management Instance - Management Interface OOB	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	Not Supported
	VSP 4900 Series	VOSS 8.2
	VSP 7200 Series	VOSS 8.2
	VSP 7400 Series	VOSS 8.2
	VSP 8400 Series	VOSS 8.2
	VSP 8600 Series	Not Supported
XA1400 Series	Not Supported	

Table 113: Segmented Management Instance product support (continued)

Feature	Product	Release introduced
Segmented Management Instance - Management Interface VLAN	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VOSS 7.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 7.0
	VSP 7400 Series	VOSS 8.0
	VSP 8400 Series	VOSS 7.0
	VSP 8600 Series	Not Supported
	XA1400 Series	VOSS 8.1.1 - IPv4 only VOSS 8.2 added IPv6 Note: VOSS 8.1.50 does not support this feature.
Segmented Management Instance — ability to migrate VLAN or loopback IP address	5420 Series	Not Applicable
	5520 Series	Not Applicable
	VSP 4450 Series	VOSS 8.2
	VSP 4900 Series	VOSS 8.2
	VSP 7200 Series	VOSS 8.2
	VSP 7400 Series	VOSS 8.2
	VSP 8200 Series	VOSS 8.2
	VSP 8400 Series	VOSS 8.2
	VSP 8600 Series	Not Supported
XA1400 Series	VOSS 8.2	

Table 113: Segmented Management Instance product support (continued)

Feature	Product	Release introduced
Segmented Management Instance – DHCP Client for Management Interface OOB or Management Interface VLAN	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VOSS 8.2 OOB not supported
	VSP 4900 Series	VOSS 8.2
	VSP 7200 Series	VOSS 8.2
	VSP 7400 Series	VOSS 8.2
	VSP 8200 Series	VOSS 8.2
	VSP 8400 Series	VOSS 8.2
	VSP 8600 Series	Not Supported
	XA1400 Series	VOSS 8.2 OOB not supported

Table 114: sFlow product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
sFlow	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VOSS 6.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 6.0
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 6.0
	VSP 8400 Series	VOSS 6.0
	VSP 8600 Series	VSP 8600 6.2
	XA1400 Series	Not Supported

Table 114: sFlow product support (continued)

Feature	Product	Release introduced
sFlow collector reachability on user-created VRFs	5420 Series	Not Supported
	5520 Series	Not Supported
	VSP 4450 Series	Not Supported
	VSP 4900 Series	Not Supported
	VSP 7200 Series	Not Supported
	VSP 7400 Series	Not Supported
	VSP 8200 Series	Not Supported
	VSP 8400 Series	Not Supported
	VSP 8600 Series	VSP 8600 6.2
	XA1400 Series	Not Supported

Table 115: Simple Loop Prevention Protocol product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Simple Loop Prevention Protocol (SLPP)	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VSP 4000 4.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VSP 8200 4.0
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 4.5
XA1400 Series	VOSS 8.0.50	

Table 116: Simple Network Management Protocol product support

Feature	Product	Release introduced
---------	---------	--------------------

Table 116: Simple Network Management Protocol product support (continued)

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Simple Network Management Protocol (SNMP) v1/2/3 (IPv4)	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VSP 4000 4.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VSP 8200 4.0
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	VOSS 8.0.50
SNMP (IPv6)	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VOSS 4.1
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 4.1
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 6.2
	XA1400 Series	Not Supported

Table 117: SLA Mon product support

Feature	Product	Release introduced
---------	---------	--------------------

Table 117: SLA Mon product support (continued)

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
SLA Mon	5420 Series	Not supported
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VOSS 4.1
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 6.0
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 4.1
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	Not Supported

Table 118: SLPP Guard product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
SLPP Guard	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VOSS 6.1
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 6.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 6.1
	VSP 8400 Series	VOSS 6.1
	VSP 8600 Series	VSP 8600 6.2
	XA1400 Series	VOSS 8.0.50

Table 119: SONMP product support

Feature	Product	Release introduced
---------	---------	--------------------

Table 119: SONMP product support (continued)

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
SONMP	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VSP 4000 4.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VSP 8200 4.0
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	VOSS 8.0.50

Table 120: Spanning Tree Protocol product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Spanning Tree Protocol (STP): <ul style="list-style-type: none"> • Multiple STP (MSTP) • Rapid STP (RSTP) 	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VSP 4000 4.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VSP 8200 4.0
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	VOSS 8.0.50

Table 121: spbm-config-mode product support

Feature	Product	Release introduced
---------	---------	--------------------

Table 121: spbm-config-mode product support (continued)

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
spbm-config-mode (boot config flags spbm-config-mode)	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VOSS 4.1
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VSP 8200 4.0.1
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	Not Supported

Table 122: SPB-PIM Gateway product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
SPB-PIM Gateway controller node	5420 Series	Not Supported
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VOSS 6.0
	VSP 4900 Series	VOSS 8.1.5 VSP4900-12MXU-12XE, VSP4900-24S, and VSP4900-24XE only
	VSP 7200 Series	VOSS 6.0
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 6.0
	VSP 8400 Series	VOSS 6.0
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported

Table 122: SPB-PIM Gateway product support (continued)

Feature	Product	Release introduced
SPB-PIM Gateway interface	5420 Series	Not Supported
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VOSS 6.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 6.0
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 6.0
	VSP 8400 Series	VOSS 6.0
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported

Table 123: Static routing product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Static routing	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VSP 4000 4.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VSP 8200 4.0
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	VOSS 8.0.50

Table 124: TACACS+ product support

Feature	Product	Release introduced
---------	---------	--------------------

Table 124: TACACS+ product support (continued)

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
TACACS+	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VSP 4000 4.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 4.1
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	VOSS 8.0.50
TACACS+ secure communication using IPSec for IPv4 Note: VOSS Releases 6.0 and 6.0.1 do not support this feature.	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VOSS 5.1.2
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 5.1.2
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 5.1.2
	VSP 8400 Series	VOSS 5.1.2
	VSP 8600 Series	VSP 8600 8.0 demonstration feature
	XA1400 Series	VOSS 8.0.50

Table 125: TLS server for secure HTTPS product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
TLS server for secure HTTPS Note:	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VOSS 5.1.2
	VSP 4900 Series	VOSS 8.1

Table 125: TLS server for secure HTTPS product support (continued)

Feature	Product	Release introduced
VOSS Releases 6.0 and 6.0.1 do not support this feature.	VSP 7200 Series	VOSS 5.1.2
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 5.1.2
	VSP 8400 Series	VOSS 5.1.2
	VSP 8600 Series	VSP 8600 6.1
	XA1400 Series	VOSS 8.0.50

Table 126: Two-Factor Authentication for SSH product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Two-Factor Authentication for SSH	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VOSS 8.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 8.0
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 8.0
	VSP 8400 Series	VOSS 8.0
	VSP 8600 Series	VSP 8600 8.0 demo feature
	XA1400 Series	VOSS 8.0.50

Table 127: Unicast Reverse Path Forwarding product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Unicast Reverse Path Forwarding (URPF) checking (IPv4)	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VOSS 5.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 5.0
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 5.0
	VSP 8400 Series	VOSS 5.0
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	Not Supported

Table 127: Unicast Reverse Path Forwarding product support (continued)

Feature	Product	Release introduced
Unicast Reverse Path Forwarding (URPF) checking (IPv6)	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VOSS 5.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 5.0
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 5.0
	VSP 8400 Series	VOSS 5.0
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	Not Supported



VOSS Features V to X

Table 128: Virtual Inter-Switch Trunk product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Switch cluster (multi-chassis LAG) -Virtual Inter-Switch Trunk (vIST)	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VOSS 4.1
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VSP 8200 4.0
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 6.1
	XA1400 Series	Not Supported

Table 129: Virtual Link Aggregation Control Protocol (VLACP) product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Virtual Link Aggregation Control Protocol (VLACP)	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VSP 4000 4.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VSP 8200 4.0
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	VOSS 8.0.50

Table 129: Virtual Link Aggregation Control Protocol (VLACP) product support (continued)

Feature	Product	Release introduced
VLACP Flap Detect and Damping	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VOSS 7.1.5
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 8.1
	VSP 7400 Series	VOSS 8.1
	VSP 8200 Series	VOSS 8.1
	VSP 8400 Series	VOSS 8.1
	VSP 8600 Series	VSP 8600 8.0
	XA1400 Series	VOSS 8.1

Table 130: Virtual Router Redundancy Protocol product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Virtual Router Redundancy Protocol (VRRP)	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VSP 4000 4.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VSP 8200 4.0
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 4.5
XA1400 Series	VOSS 8.0.50	

Table 130: Virtual Router Redundancy Protocol product support (continued)

Feature	Product	Release introduced
VRRPv3 for IPv4	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VOSS 5.1
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 5.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 5.1
	VSP 8400 Series	VOSS 5.1
	VSP 8600 Series	VSP 8600 6.1
	XA1400 Series	VOSS 8.0.50

Table 131: Virtual Router Redundancy Protocol for IPv6 product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
IPv6 VRRP	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VOSS 4.1
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 4.1
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 6.2
	XA1400 Series	Not Supported

Table 131: Virtual Router Redundancy Protocol for IPv6 product support (continued)

Feature	Product	Release introduced
VRRPv3 for IPv6	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VOSS 5.1
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 5.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 5.1
	VSP 8400 Series	VOSS 5.1
	VSP 8600 Series	VSP 8600 6.2
	XA1400 Series	Not Supported

Table 132: Virtual Routing and Forwarding product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Virtualization with IPv4 Virtual Routing and Forwarding (VRF) <ul style="list-style-type: none"> • ARP • DHCP Relay • Inter-VRF Routing (static, dynamic, and policy) • Local routing • OSPFv2 • RIPv1 and v2 • Route policies • Static routing • VRRP 	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VSP 4000 4.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 4.2.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VSP 8200 4.0
	VSP 8400 Series	VOSS 4.2
	VSP 8600 Series	VSP 8600 4.5
	XA1400 Series	VOSS 8.0.50
Increased VRF and Layer 3 VSN scaling	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VOSS 6.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 6.0
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 6.0
	VSP 8400 Series	VOSS 6.0
	VSP 8600 Series	VSP 8600 8.0
	XA1400 Series	Not Supported

Table 132: Virtual Routing and Forwarding product support (continued)

Feature	Product	Release introduced
IBGP over user-created VRFs	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VOSS 8.1
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 8.1
	VSP 7400 Series	VOSS 8.1
	VSP 8200 Series	VOSS 8.1
	VSP 8400 Series	VOSS 8.1
	VSP 8600 Series	VSP 8600 8.0 demonstration feature
	XA1400 Series	Not Supported
IPv6 Virtualization for the following features and functions: <ul style="list-style-type: none"> • IPv6 Interfaces and IPv6 Static Routes in VRFs and Layer 3 VSNs • ECMP and Alternative route • Route redistribution for static and direct routes • VRRPv3 for IPv6 • DHCP Relay • IPv6 Reverse Path Forwarding • ICMP Ping and Traceroute 	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VOSS 7.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 7.0
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 7.0
	VSP 8400 Series	VOSS 7.0
	VSP 8600 Series	VSP 8600 8.0
	XA1400 Series	Not Supported
IPv6 Virtualization for the following features and functions: <ul style="list-style-type: none"> • Open Shortest Path First for IPv6 (OSPFv3) • IPv6 Border Gateway Protocol (IPv6 BGP) • IPv6 route redistribution enhancements 	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VOSS 8.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 8.0
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 8.0
	VSP 8400 Series	VOSS 8.0
	VSP 8600 Series	VSP 8600 8.0
	XA1400 Series	Not Supported

Table 133: VXLAN Gateway product support

Feature	Product	Release introduced
---------	---------	--------------------

Table 133: VXLAN Gateway product support (continued)

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
VXLAN Gateway	5420 Series	Not Supported
	5520 Series	Not Supported
	VSP 4450 Series	Not Supported
	VSP 4900 Series	Not Supported
	VSP 7200 Series	VOSS 6.0
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 6.0
	VSP 8400 Series	VOSS 6.0
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported
OVSDB protocol support for VXLAN Gateway	5420 Series	Not Supported
	5520 Series	Not Supported
	VSP 4450 Series	Not Supported
	VSP 4900 Series	Not Supported
	VSP 7200 Series	VOSS 7.1
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 7.1
	VSP 8400 Series	VOSS 7.1
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported
ECMP support for VXLAN Gateway	5420 Series	Not Supported
	5520 Series	Not Supported
	VSP 4450 Series	Not Supported
	VSP 4900 Series	Not Supported
	VSP 7200 Series	VOSS 6.0
	VSP 7400 Series	VOSS 8.0
	VSP 8200 Series	VOSS 6.0
	VSP 8400 Series	VOSS 6.0
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported



VOSS Features Y and Z

Table 134: Zero Touch Deployment product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Zero Touch Deployment	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VOSS 8.2
	VSP 4900 Series	VOSS 8.2 VIMs: VIM5-4YE, VIM5-4X, VIM5-4XE, and VIM5-2Y only
	VSP 7200 Series	VOSS 8.2
	VSP 7400 Series	VOSS 8.2
	VSP 8200 Series	VOSS 8.2
	VSP 8400 Series	VOSS 8.2
	VSP 8600 Series	Not supported
	XA1400 Series	VOSS 8.2

Table 135: Zero Touch Fabric Configuration product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Zero Touch Fabric Configuration	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VOSS 7.0
	VSP 4900 Series	VOSS 8.1
	VSP 7200 Series	VOSS 7.0
	VSP 7400 Series	VOSS 8.0.5
	VSP 8200 Series	VOSS 7.0
	VSP 8400 Series	VOSS 7.0
	VSP 8600 Series	Not Supported
	XA1400 Series	Not Supported

Table 135: Zero Touch Fabric Configuration product support (continued)

Feature	Product	Release introduced
LLDP Fabric Connect TLV	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.3
	VSP 4450 Series	VOSS 8.3
	VSP 4900 Series	VOSS 8.3
	VSP 7200 Series	VOSS 8.3
	VSP 7400 Series	VOSS 8.3
	VSP 8200 Series	VOSS 8.3
	VSP 8400 Series	VOSS 8.3
	VSP 8600 Series	VSP 8600 8.1
	XA1400 Series	Not Supported

Table 136: Zero Touch Provisioning Plus product support

Feature	Product	Release introduced
For configuration details, see VOSS User Guide .		
Zero Touch Provisioning Plus	5420 Series	VOSS 8.4
	5520 Series	VOSS 8.2.5
	VSP 4450 Series	VOSS 8.2.5
	VSP 4900 Series	VOSS 8.2.5
	VSP 7200 Series	VOSS 8.2.5
	VSP 7400 Series	VOSS 8.2.5
	VSP 8200 Series	VOSS 8.2.5
	VSP 8400 Series	VOSS 8.2.5
	VSP 8600 Series	Not Supported
	XA1400 Series	VOSS 8.2.5