

Service Release Notes

WiNG 5.8.6.11-006R

IMPORTANT

Service releases are made available to fix specific customer reported issues in a timely manner. Service releases are not as extensively tested as main releases (such as 5.8.6.0-011R). The next maintenance or manufacturing release will incorporate all qualifying and preceding service releases.

This document is an addendum to the release notes for the main release 5.8.6.0-011R.

Contents

Features	1
WiNG-XIQ Secure Communication.....	1
Fixes	2
Platforms Support	2
Notes	2

Features

WiNG-XIQ Secure Communication

Abhijit Chandavale, Dominic Velikakath Peter

This release introduces secure mechanism for WiNG devices to post configuration and periodic statistics to XIQ. The secure and encrypted channel is established by validating server certificate of XIQ by WiNG controllers and access points followed by device level unique username/password-based authentication by XIQ.

Any WiNG firmware version prior to this feature will continue to establish unsecure communication with XIQ and should be used only in non-production environments only.

Commands

1. Configuring XIQ URL

WiNG uses existing NSight policy server command for XIQ communication. The same command can be set to XIQ URL `va-gcp-wing.extremecloudiq.com`.

```
CORP-WING1#show running-config nsight-policy XIQ
nsight-policy XIQ
server host va-gcp-wing.extremecloudiq.com https enforce-verification
CORP-WING1#
```

2. Installing/updating XIQ CA certificate

This is a new command to install/update XIQ CA certificate on WiNG devices.

```
CORP-WING1# copy xiq-cachain from ?
URL Location of CA certificate
```

URLs: `tftp://<hostname|IP>[:port]/path/file`
[ftp://<user>:<passwd>@<hostname|IP>\[:port\]/path/file](#)
`sftp://<user>:<passwd>@<hostname|IP>[:port]/path/file`
[http://<hostname|IP>\[:port\]/path/file](#)
`cf:/path/file`
`usb<n>:/path/file`

IPv6 URLs: `tftp://<hostname|[IPv6]>[:port]/path/file`
[ftp://<user>:<passwd>@<hostname|\[IPv6\]>\[:port\]/path/file](#)
`sftp://<user>:<passwd>@<hostname|[IPv6]>[:port]/path/file`
[http://<hostname|\[IPv6\]>\[:port\]/path/file](#)

3. Enforcing security and encryption

The existing configuration command for specifying NSight Server (or XIQ) URL will have additional optional parameter **enforce-verification** in order to trigger certificate validation process.

- If parameter is not configured, then WiNG device shall try to establish connection with a NSight server using existing mechanism.
- If parameter is configured, then WiNG device shall try to establish connection with XIQ by validating XIQ certificate and username/password based authentication.

```
CORP-WING1#show running-config nsight-policy XIQ
nsight-policy XIQ
server host va-gcp-wing.extremecloudiq.com https enforce-verification
CORP-WING1#
```

Fixes

None.

Platforms Support

Supported in this release,

AP650, AP6532, AP6511, AP6521, AP6522, AP6562, AP7131, AP7161, AP8122, AP8132, AP8222, AP8232, AP8432, AP8533, RFS4000, RFS6000, RF7000, NX5500, NX7500, NX9500, NX9600, VX9000

Supported last in this release,

AP650, AP6511, AP6521, AP7131, AP8222, RFS7000

Notes

None.